OSCARKEMPFITE, $\text{Ag}_{10}\text{Pb}_4(\text{Sb}_{17}\text{Bi}_9)_{\Sigma=26}\text{S}_{48}$, A NEW Sb-Bi MEMBER OF THE LILLIANITE HOMOLOGOUS SERIES

Dan Topa^{1*}, Werner H. Paar², Emil Makovicky³, Chris J. Stanley⁴ and Andy C. Roberts⁵

¹Natural History Museum-Vienna, Burgring 7, A-1010 Vienna, Austria

²A-5020 Salzburg, Pezoltgasse 46, Austria

³Department of Geoscience and Resource Management, University of Copenhagen, Østervoldgade 10, DK-1350, Copenhagen K, Denmark,

⁴The Natural History Museum, Cromwell Road, London, SW7 5BD, England, UK

⁵Geological Survey of Canada, 601 Booth Street, Ottawa, Ontario K1A 0E8, Canada

*E-mail: dan.topa@sbg.ac.at

ABSTRACT

Oscarkempffite, ideally $\text{Ag}_{10}\text{Pb}_4(\text{Sb}_{17}\text{Bi}_9)_{\Sigma=26}\text{S}_{48}$, is a new mineral species found in old material (1929-30) from the Colorado vein, Animas mine, Chocaya Province, Department of Potosi, Bolivia. It is associated with aramayoite, stannite, miargyrite, pyrargyrite, and freibergite. Oscarkempffite forms anhedral grains, and grain aggregates up to 10 mm across. The mineral is opaque, greyish black with a metallic luster; it is brittle without any discernible cleavage. In reflected light oscarkempffite is grayish white, pleochroism is distinct, white to dark grey. Internal reflections are absent. In crossed polars, anisotropism is distinct with rotation tints in shades of grey. The reflectance data (% air) are: 39.9, 42.6 at 470 nm, 38.6, 41.7 at 546 nm, 38.1, 41.2 at 589 nm and 37.3, 40.6 at 650 nm. Mohs hardness is 3-3½, microhardness VHN_{50} exhibits a range 189-208, with a mean value 200 kg mm^{-2} . The average results of four electron-microprobe analyses in a grain are: Cu 0.24(7), Ag 14.50(8), Pb 11.16(14), Sb 28.72(16), Bi 24.56(17), S 20.87(5), total 100.05(6) wt.%, corresponding to $\text{Cu}_{0.24}\text{Ag}_{9.92}\text{Pb}_{4.00}\text{Sb}_{17.36}\text{Bi}_{8.64}\text{S}_{47.84}$ (on the basis of $\text{Me} + \text{S} = 88 \text{ apfu}$). The simplified formula, $\text{Ag}_{10}\text{Pb}_4\text{Sb}_{17}\text{Bi}_9\text{S}_{48}$, is in accordance with the results of a crystal-structure determination. The density, 5.8 g/cm^3 , was calculated using the ideal formula. Oscarkempffite has an orthorhombic cell with $a = 13.199(2)$, $b = 19.332(3)$, $c = 8.249(1)$ Å, $V = 2116.3(5)$ Å³, space group $Pnca$, and $Z = 1$. The strongest eight lines in the (calculated) powder-diffraction pattern are [d in Å(hkl): 3.66(35)(122), 3.37(70)(132), 3.34(100)(250), 2.982(55)(312), 2.881(86)(322), 2.733(29)(332), 2.073(27)(004) and 2.062(31)(182). Comparison with gustavite, andorite, and roshchinite confirms its independence as a mineral species.

Keywords: oscarkempffite, sulphosalt, new mineral, lillianite homologous series, Animas mine, Chocaya Province, Bolivia.

INTRODUCTION

The lillianite homologous series (Makovicky and Karup-Møller, 1977a, b) was defined for Pb-Bi-Ag sulfosalts although it was noticed already from the start that three antimony-based phases andorite, ramdohrite and fizelyite (Hellner, 1958) belonged to the same structural family. The andorite – ramdohrite branch of the lillianite series was subsequently studied in detail by Moëlo *et al.*, (1989). Phases belonging to the lillianite homologous series are composed of slabs of the slightly distorted PbS archetypal structure, cut and mirror-twinned on (113)_{PbS}. The octahedral coordinations present in the slabs are altered to bicapped prismatic coordinations on

the composition plane between adjacent slabs. Slab thickness can vary by increments of one or more octahedra, measured diagonally across a slab. Number of octahedra along this diagonal determines the order N of the homologue. Substitution [Ag + (Sb+Bi)]-for-2Pb is present in the slabs but in most cases it does not involve the prismatic lead positions. For N = 4, relevant for the present study, this substitution spans compositions from $\text{Pb}_3\text{Bi}_2\text{S}_6$ to $\text{PbAg}(\text{Bi},\text{Sb})_3\text{S}_6$, expressed as the substitution percentage from 0 to 100%. The end-member composition $\text{Pb}_3\text{Sb}_2\text{S}_6$ is unknown, both as a natural and a synthetic phase, and probably cannot exist as a lillianite homologue. Cases of ‘oversubstitution’, in which also the prismatic position is involved, are known, mostly for the antimony-based cases (Moëlo *et al.*, 1989). For N = 4, and a Bi-based case, an orthorhombic *Bbmm* structure exists for substitutions of up to about 60%; whereas a monoclinic $P2_1/c$ superstructure is present for substitutions close to 100% (Makovicky and Karup-Møller 1977b). The situation for the Sb-based phases is more complicated for the N = 4 line, with two highly substituted-to-oversubstituted phases (complicated 6-fold and 4-fold superstructures of the basic lillianite scheme) and several moderately substituted cases present, these often with other cations modifying the simple Pb-Ag-Sb scheme.

Studies of the *mixed antimony-bismuth members of the lillianite homologous series* were first limited to a chemical characterization of them by means of electron microprobe analyses. It was established (Mozgova *et al.*, 1987, Moëlo *et al.*, 1989) that extensive Bi-Sb substitution may be present, straddling the 50:50 Sb:Bi divide, although typical gustavites and lillianites have low contents of antimony (e.g., Makovicky and Topa, 2011, and the numerous references in Moëlo *et al.*, 1989). In a similar way, nearly all occurrences of andorite-ramdohrite homologues have only low contents of bismuth (Moëlo *et al.*, 1989). Notable occurrences of mixed Sb-Bi phases are Alyaskitovoye deposit (Yakutia, Russia) (Mozgova *et al.*, 1987), Flat Head (Montana, USA) (Karup-Møller and Makovicky, unpublished), Julcani (Peru), El Mechero (Peru), Bazoges-en-Pailles (Vendee, France) (all three by Moëlo *et al.*, 1987), and Kutná Hora (Central Bohemia, Czech Republic) (Pažout *et al.*, 2001). Investigations of mixed phases were mostly hampered by extreme variability of Sb:Bi ratios, often inside one aggregate or a needle-shaped grain, typical for nearly all investigated occurrences. In spite of it, a successful crystal structure investigation was performed by Pažout and Dušek (2009) on antimony-containing gustavite, $\text{PbAgBi}_2\text{SbS}_6$, from the deposit of Kutná Hora, Czech Republic, with $a = 7.0455 \text{ \AA}$, $b = 19.5294 \text{ \AA}$, $c = 8.3412 \text{ \AA}$, and $\beta 107.446^\circ$, space group $P2_1/c$. Another published structure of this category from Kutná Hora is that of $\text{Ag}_{0.71}\text{Pb}_{1.52}\text{Bi}_{1.32}\text{Sb}_{1.45}\text{S}_6$, with $a = 4.254 \text{ \AA}$, $b = 13.309 \text{ \AA}$, $c = 19.625 \text{ \AA}$, space group *Cmcm* (Pažout and Dušek, 2010). This orthorhombic phase has substitution percentage of only 70.5%, according to the substitution scheme defined above (Makovicky and Karup-Møller, 1977a, b and Makovicky and Topa 2014).

The new investigation of the old material from the Colorada vein, Animas mine, Chocaya Province, Department of Potosí, Bolivia (Ahlfeld and Reyes, 1938, Ahlfeld and Schneider-Scherbina, 1964,) offered a chance to extend further the chemical range of investigated Sb-Bi lillianite homologues with N = 4 and led to the definition of oscar Kempffite as a new species.

The mineral and its name have been approved by the CNMNC-IMA, under the number IMA-2011-029 (Topa *et al.*, 2013). The name is in honor of Oscar Kempff Bacigalupo (1948-), eminent Bolivian mineralogist and economic geologist, who discovered several large mineral deposits in Bolivia (e.g., the deposit of Don Mario). The holotype specimen of oscar Kempffite is deposited in the reference collection of the Naturhistorisches Museum Wien, Burgring 7, A-1010 Wien, Austria, with catalogue number N 9593. Cotype material is deposited in the reference collection of the Natural History Museum, Cromwell Road, London SW7 5BD, United Kingdom, with catalogue number BM 20, 3.

OCCURRENCE

Oscarkempffite has been determined in old samples which originate from the expeditions of W. Vaux in 1929-30. The locality which is given on the labels associated with the two specimens of this mineral, is Animas mine, Colorada vein. Chocaya is a typical deposit of the Ag-Sn formation of Bolivia. Its geographical position is 66°33'W and 21°S. It is situated NW of Atocha in the province of Sur Chicas, department of Potosi, Southern Bolivia, and thus very close to the tectonic lineament which separates Paleozoic rocks of the Central Andes from the high planes (= *altiplano*) of Bolivia. The vein-type Ag-Sn deposits occur NE of a volcanic stock of dacitic rocks which has a diameter of 9 km and rises up against the Ordovician plane for more than 900 meters. The volcanic rocks are strongly altered and propylitization, silicification and pyritization are very common.

Colorada, which is the principal vein, follows a distinct fault zone for more than 1800 m along strike. Other veins which parallel the Colorada structure are Arturo and Animas towards W, and Burton and Judíos towards E. The Colorada vein has been exploited towards depth for almost 750 m in the northern part and 600 m in the section of Animas in its southern part. In the upper part of this vein cassiterite was associated with freibergite and members of the stannite-kästerite family. Textures which clearly indicated open space filling have very distinct banding, crustification and cockades.

At the Animas mine, some 70 m from the surface, an extremely rich ore shoot composed of various minerals of silver was encountered during the exploitation of the mine. At a depth of 125 m, the ore shoot had a length of 30 m, a thickness of 2 m and the grade of silver was almost 3.5%. The principal silver mineral was freibergite. At the level -235 m the high-grade zone contained the new mineral species aramayoite, $\text{Ag}(\text{Sb,Bi})_2$, accompanied by stannite, miargyrite, pyrargyrite, and freibergite. Aramayoite has been described in detail by Spencer and Mountain (1926).

Oscarkempffite, the new sulfosalt species, is a typical associate of this assemblage containing aramayoite. Though no details about the exact level are given on the labels associated with the specimens, it can be assumed with certainty, that their origin is from the same level as the discovery of aramayoite (-235 m level). The last and more important exploitation at the Animas mine stopped in 1961, when significant amounts of Pb, Ag, Sn and Zn were mined. However, small-scale mining by local mining communities ("cooperativas") at the deeper levels of the Animas mine was still going on at the time of the last visit of one of the authors (WHP, 2004) and probably continues to the present day.

MINERAL ASSOCIATION

Oscarkempffite forms anhedral grains attaining a size of up to several mm and grain aggregates ranging up to 10 mm across. A BSE photograph (Fig. 1a) of such an aggregate shows differences in the contents of cations with high Z values as smooth zoning with a higher average Z in the centre. The same aggregate in reflected light (Fig. 1b) displays an irregular mosaic character and pronounced anisotropy. Surrounding association is not visible because of high contrast. Figure 1c shows a large field of Ag-bearing tetrahedrite with another, silver richer (lighter on the BSE image) generation deposited in a void and irregular grains of oscarkempffite that penetrate into tetrahedrite on the boundary and enclose a small aramayoite grain. The complex round sulphide aggregate in Figure 1d is interpreted as a replacement of an old unknown precursor mineral (aggregate) of approximately round shape by oscarkempffite (a 'wreath' of light grains and a grain in the centre) cemented by a large grain of bismuth-rich aramayoite (lighter grey) and another of less bismuthian aramayoite variety (slightly darker grey, lower left-hand parts). Small crystals of quartz and a grain of tetrahedrite with a 'cap' of Ag-enriched tetrahedrite variety (dark grey on the BSE image) are enclosed. Close to the lower corners of the figure, dark semi-decomposed grains of stannite are present. Oscarkempffite overgrew/replaced the original aggregate from the outside and later also the remaining old grain.

Much of oscarkempffite was subsequently replaced by aramayoite. Stannite apparently predates aramayoite, as seen in the lower right-hand corner.

PHYSICAL PROPERTIES

The colour of the mineral is greyish black, streak dark grey; it is opaque with metallic luster, non-fluorescent. H(Mohs) is 3-3½, microhardness VHN₅₀ is ranging between 189 and 208, with a mean value 200 kg mm⁻². The mineral is brittle with irregular fracture; no cleavage or parting are observed. Density could not be measured because of paucity of available material. Calculated density is 5.8 g cm⁻³ using the empirical formula. No crystal forms and twinning of the anhedral grains and aggregates were observed. The *a:b:c* ratio calculated from the unit-cell parameters (see below) is 0.683:1:0.429.

OPTICAL PROPERTIES

In reflected light (plane polars) the colour of oscarkempffite is grayish white. Pleochroism is distinct, white to dark grey; bireflectance is weak to distinct (in oil); no internal reflections were detected. With crossed polars, anisotropism is distinct with rotation tints in shades of grey. Reflectance values in air and oil, (The Natural History Museum, London, UK, WTiC standard, refractive index of oil: 1.515 at 23°C) are given in Table 1. A slight, fairly even decrease of reflectance with increasing wavelength is observed.

CHEMICAL DATA

Chemical analyses of oscarkempffite (Table 2) were carried out using an electron microprobe JEOL JXA-8600, installed at University of Salzburg, Austria, (WDS mode, 25 kV, 20 nA, 5 µm beam diameter, ZAF correction procedure). Other elements (Hg, Tl and As) were sought but not detected. The standards and wavelengths used are chalcopyrite (nat.) CuKα, FeKα, shalerite (nat.) ZnKα, metal (syn.) AgLα, galena (nat.) PbLα, stibnite (nat.) SbLα and bismuthinite (syn.) BiLα and SKα. Data for oscarkempffite and associated minerals are presented in Table 2.

The empirical formula of oscarkempffite varies between (Ag,Cu)_{9.88}Pb_{4.40}Sb_{18.0}Bi_{7.44}S_{48.32} and (Ag,Cu)_{10.24}Pb_{3.68}Sb_{16.40}Bi_{9.44}S_{48.32}. It is very close to the simplified formula Ag₁₀Pb₄(Sb₁₇Bi)₂₆S₄₈. The crystal structure defines oscarkempffite as a lillianite homologue with the order N = 4. The cation ratios resulting from the chemical analysis confirm this assignment, yielding N = 4.07 – 4.09. With respect to the measure of [Ag + (Bi,Sb)] ↔ 2Pb substitution, typical for the lillianite-gustavite and fizelyite-andorite substitution lines (both N = 4), oscarkempffite is heavily over-substituted, with a substitution percentage of 120 - 124%.

Chemical analyses (Table 2) of aggregates shown in Figure 1d represent three groups of oscarkempffite chemistries and two types of tetrahedrite illustrated, among which the one richest in Ag represents the minor later phase (Fig. 1c). Among the three analyses of aramayoite, nos. 3 and 4 represent the aggregate in Figure 1d, no. 5 another aggregate. In conclusion, they show a substantial variability of the Sb/Bi ratio.

CRYSTALLOGRAPHY

A diffractometer with an area detector system was used to perform the single-crystal study (University of Salzburg, Austria). Cell parameters refined from single-crystal data are as follows: orthorhombic system, space group *Pnca*, *a* = 13.199(2) Å, *b* = 19.332(3) Å, *c* = 8.294(1) Å, cell volume *V* = 2116.3(5) Å³, and *Z* = 1 for the above formula unit.

Powder X-ray data were collected using a 114.6 mm diameter Debye-Scherrer camera (Cu radiation, Ni filter, $\text{CuK}\alpha = 1.54178 \text{ \AA}$). Data are presented in Table 3. The calculated powder data from results of the single-crystal study are shown in Table 4. Cell parameters refined from the powder data are as follows: $a = 13.240(5) \text{ \AA}$, $b = 19.339(7) \text{ \AA}$, $c = 8.320(4) \text{ \AA}$, and $V = 2130(2) \text{ \AA}^3$, in fair agreement with the single-crystal data.

CRYSTAL STRUCTURE

A fragment with irregular shape and $0.15 \times 0.05 \times 0.05 \text{ mm}$ in size was mounted and analyzed on a Bruker AXS three-circle diffractometer equipped with a CCD area detector. The structure of oscarkempffite contains five distinct coordination polyhedra of cations and seven of anions. It contains a mixed (Pb,Bi) site with a trigonal prismatic coordination, a silver site with a distorted tetrahedral coordination in an octahedral arrangement of ligands, which alternates along the $8 \text{ \AA}$ direction with a mixed ($\text{Sb}_{0.88}\text{Bi}_{0.12}$) site called Sb1, and a string of alternating Sb2 and a mixed ($\text{Sb}_{0.59}\text{Bi}_{0.41}$) sites, the latter called Sb3, in the central parts of PbS-like slabs. When proceeding along $[100]$, the arrangement of consecutive atomic planes differs from that in the monoclinic gustavite structure, resulting in orthorhombic symmetry and in $-\text{Sb}-\text{Ag}-\text{Ag}-\text{Sb}-\text{Sb}-$ zig-zag $[010]$ chains of coordination octahedra instead of the $\text{Ag}-\text{Bi}-\text{Ag}-\text{Bi}-$ chains present in gustavite. The crystal structure is shown in Figure 2.

Details of the crystal structure and the interesting geometric relationships between the structures of orthorhombic oscarkempffite and monoclinic gustavite $\text{PbAgBi}_3\text{S}_6$ are treated in a parallel paper (Topa and Makovicky, submitted).

RELATION TO OTHER SPECIES

Oscarkempffite is essentially a pure $\text{Ag}-(\text{Sb}, \text{Bi})-\text{Pb}$ sulfosalt with only trace amounts of copper and without As. It is a lillianite homologue $N = 4$ as confirmed by the N value calculated from the chemical analysis. With respect to the measure of $(\text{Ag} + \text{Bi}) \leftrightarrow 2\text{Pb}$ substitution, typical of the lillianite-gustavite and fizelyite-andorite substitution lines, oscarkempffite is heavily oversubstituted, with a substitution percentage of 124%, far beyond the 100% value of gustavite, $\text{PbAgBi}_3\text{S}_6$ (Makovicky and Karup-Møller, 1977a,b) and the $\sim 100\%$ value of senandorite (andorite VI; Sawada *et al.*, 1987). In this, it resembles the partly heterogeneous 'bismuthian andorites' from Julcani, Peru, analysed by Mořlo *et al.*, (1989) without crystallographic studies. They are distinguished by higher contents of copper, constant presence of arsenic (mostly between 1.2 and 2.5 wt. %), substitution percentages between ~ 101 and 119% and very variable Sb:Bi ratios (Mořlo *et al.*, 1989).

The orthorhombic Sb-Bi member of the lillianite homologous series from Kutná Hora (Czech Republic), investigated by Pařout and Duřek (2010) has the composition $\text{Ag}_{0.71}\text{Pb}_{1.52}\text{Bi}_{1.32}\text{Sb}_{1.45}\text{S}_6$. It has substitution percentage of only 70.5% and its lattice, with $a = 4.254 \text{ \AA}$, $b = 13.309 \text{ \AA}$, $c = 19.625 \text{ \AA}$, space group $Cmcm$, corresponds to a classical unit cell of lillianite. Oscarkempffite also resembles roshchinite (Spiridonov *et al.*, 1990) from Kvartsitovye Gorki deposit, Kazakhstan, for which published data indicate a substitution value of 120%. In roshchinite, however, Bi is absent, As is present in 3.5 wt. %, and the crystal structure has not been worked out beyond the subcell of andorite type (Petrova *et al.*, 1986). Comparative data for oscarkempffite and related minerals are given in Table 5.

ACKNOWLEDGEMENTS

We appreciate very much the information about the geology at Chocaya communicated by Dr. Sohrab Tawackoli, La Paz. The two specimens containing the new species were provided by Dr. Rob Lavinsky (Arkenstone). They were originally part of the famous Philadelphia collection which contained a lot of historically important materials. The paper was handled by.....and the comments of Dr. Nigel Cook and an anonymous referee helped to improve the paper.

REFERENCES

- Ahlfeld, F. and Reyes, J.M. (1938) Mineralogie von Bolivien. Berlin, Verlag: Gebrüder Borntraeger, 90p.
- Ahlfeld, F. and Schneider-Scherbina, A. (1964) Los yacimientos minerales y de hidrocarburos de Bolivia. *Boletín de Departamento Nacional de Geología del Ministerio de Minas y Petroléo*, **5**, (Especial), La Paz, 388 p.
- Hellner, E. (1958) A structural scheme for sulfide minerals. *J.Geol.* **66**, 503-525.
- Kraus, W. and Nolze, G. (1999) *PowderCell 2.3*. Federal Institute for Materials Research and Testing, Berlin, Germany.
- Makovicky, E. and Karup-Møller, S. (1977a) Chemistry and crystallography of the lillianite homologous series. Part 1. General properties and definitions. *Neues Jahrbuch für Mineralogie, Abhandlugen*, **130**, 264-287.
- Makovicky, E. and Karup-Møller, S. (1977b) Chemistry and crystallography of the lillianite homologous series. Part 2. Definition of new minerals: eskimoite, vikingite, ourayite and treasurite. Redefinition of schirmerite and new data on the lillianite-gustavite solid-solution series. *Neues Jahrbuch für Mineralogie, Abhandlugen*, **131**, 56-82.
- Makovicky, E. and Topa D. (2011) The crystal structure of gustavite, $\text{PbAgBi}_3\text{S}_6$. Analysis of twinning and polytypism using the OD approach. *European Journal of Mineralogy* **23**, 537-550.
- Makovicky, E. and Topa D. (2014) Lillianites and andorites: new life for the oldest homologous series of sulphosalts. *Mineralogical Magazine*, **78**, 387-414.
- Moëlo, Y., Makovicky, E. and Karup-Møller, S. (1989) Sulfures complexes plombo argentifères : minéralogie et cristalochimie de la série andorite–fizélyite, $(\text{Pb,Mn,Fe,Cd,Sn})_{3-2x}(\text{Ag,Cu})_x(\text{Sb,Bi,As})_{2+x}(\text{S,Se})_6$. *Documents du BRGM*, **167**, 1-107.
- Pažout, R. and Dušek, M. (2009) Natural monoclinic $\text{AgPb}(\text{Bi}_2\text{Sb})_3\text{S}_6$, an Sb-rich gustavite. *Acta Crystallographica*, **C65**(11), 177-180.
- Pažout, R. and Dušek, M. (2010) Crystal structure of natural orthorhombic $\text{Ag}_{0.71}\text{Pb}_{1.52}\text{Bi}_{1.32}\text{Sb}_{1.45}\text{S}_6$, a lillianite homologue with $N = 4$; comparison with gustavite. *European Journal of Mineralogy* **22**, 741-750.
- Petrova, I.V., Pobedimskaya, E.A. and Spiridonov, E.M. (1986) Crystal structure of roshchinite. *Materialy X. Vsesoyuz. Sov. po Rentgenografii Mineral'nogo Syrya*, Tbilisi, 99-100 (in Russian).

Sawada, H., Kawada, I., Hellner, E. and Tokonami, M. (1987) The crystal structure of senandorite (andorite VI): $\text{PbAgSb}_3\text{S}_6$. *Zeitschrift für Kristallographie* **180**, 141-150.

Spencer, L.J. and Mountain, E.D. (1926) Aramayoite, a new mineral from Bolivia. *Mineralogical Magazine*, **21**, 156-162.

Spiridonov, E.M., Petrova, I.V., Dashevskaya, D.M., Balashov, E.P. and Klimova, L.M. (1990) Roshchinite, $\text{Pb}_{10}\text{Ag}_{19}\text{Sb}_{51}\text{S}_{96}$ – a new mineral. *Doklady Akademii Nauk SSSR*, **312**, 197-200.

Topa, D., Makovicky, E., Paar, W.H., Stanley, C.J. and Roberts, A.C. (2011) Oscarkempffite, IMA 2011-029. CNMNC Newsletter No. 10, October 2011, page 2607; *Mineralogical Magazine*, **75**, 2601-2613.

FIGURE CAPTIONS

Fig. 1. (a) A BSE photograph of an aggregate of oscarkempffite shows differences in the contents of cations with high Z values as smooth zoning with a higher average Z in the centre. (b) The same aggregate in reflected light displays an irregular mosaic character and pronounced anisotropy. Associated with pyrite. (c) A large field of Ag-bearing tetrahedrite with another, still silver richer (lighter) generation deposited in a void. Irregular grains of oscarkempffite penetrate into tetrahedrite on the boundary and enclose a small aramayoite grain. (d) A complex round sulfide aggregate interpreted as a replacement of an old unknown mineral aggregate. Oscarkempffite (a 'wreath' of light grains and a grain in the centre) is corroded and cemented by a later, large grain of Bi-rich aramayoite (lighter grey) and another grain of Bi-poorer aramayoite (slightly darker grey, left-hand parts). Small crystals of quartz and a grain of tetrahedrite with a 'cap' of Ag-enriched tetrahedrite (dark grey) are enclosed. At lower corners of the figure, dark semi-decomposed grains of stannite are present. Interpretation in the text.

Fig. 2. Cation and anion sites in the crystal structure of oscarkempffite. Unit cell is projected on (001). In the order of decreasing size spheres indicate: S, (Pb,Bi) (grey), (Sb,Bi) (white) and Ag (black). The $(311)_{\text{PbS}}$ slabs of PbS-like arrangement are perpendicular to [010]; they are separated by (010) planes occupied by trigonal coordination prisms of (Pb,Bi).

Table 1. Reflectance values in air and oil (WTiC standard, refractive index of oil: 1.515 at 23°C) for oscar Kempffite.

		air		oil				air	
λ (nm)	R_{min}	R_{max}	R_{min}	R_{max}	λ (nm)	R_{min}	R_{max}	R_{min}	R_{max}
400	41.6	44.4	26.0	41.6	560	38.4	41.5	22.4	38.4
420	40.8	43.6	25.4	40.8	580	38.1	41.3	22.2	38.1
440	40.5	43.2	24.7	40.5	589	38.1	41.2	22.1	38.1
460	40.1	42.7	24.3	40.1	600	38.0	41.1	22.0	38.0
470	39.9	42.6	24.1	39.9	620	37.7	40.8	21.7	37.7
480	39.7	42.5	23.8	39.7	640	37.4	40.7	21.7	37.4
500	39.4	42.2	23.5	39.4	650	37.3	40.6	21.4	37.3
520	39.0	42.0	23.1	39.0	660	37.1	40.4	21.3	37.1
540	38.7	41.7	22.7	38.7	680	36.9	40.2	21.1	36.9
546	38.6	41.7	22.6	38.6	700	36.8	39.9	21.1	36.8

Table 2. Analytical results for oscarkempffite and associated minerals.

Nr.	Mineral	NA	Cu	Ag	Fe	Zn	Pb	Sb	Bi	S	total
1	tetrahedrite	16	23.99(30)	19.97(20)	5.64(12))	0.87(13))	-	26.39(39)	-	23.00(14)	99.86(30)
2	tetrahedrite	3	17.38(24)	28.63(01)	4.98(31)	1.34(19)	-	25.55(06)	-	22.18(12)	100.06(04)
3	aramayoite	3	-	34.26(23)	-	-	-	27.70(33)	17.50(44)	20.06(09)	99.52(21)
4	aramayoite	3	-	35.26(28)	-	-	-	30.55(19)	13.48(25)	20.53(03)	99.82(11)
5	aramayoite	3	-	36.34(12)	-	-	-	36.83(68)	5.45(56)	21.05(07)	99.67(11)
6	oscarkempffite	5	0.35(07)	13.98(19)	-	-	12.56(77)	30.13(49)	21.41(20)	21.33(12)	99.76(13)
7	oscarkempffite	4	0.24(03)	14.50(08)	-	-	11.16(14)	28.72(16)	24.56(17)	20.87(05)	100.05(06)
8	oscarkempffite	4	0.29(04)	14.48(08)	-	-	10.03(36)	27.12(40)	26.73(37)	21.04(15)	99.96(32)

The data are expressed in wt.%. NA = Number of analyses. Formulae are calculated on the basis of $\Sigma(Me+S) = 29$ *a.p.f.u.* for tetrahedrite, 24 *a.p.f.u.* for aramayoite, and 88 *a.p.f.u.* for oscarkempffite, respectively. N_{chemical} and Ag_{subst} are calculated as described in Makovicky and Topa (2014).

1: $Cu_{6.80}Ag_{3.33}Fe_{1.82}Zn_{0.24}Sb_{3.90}S_{12.91}$

2: $Cu_{5.12}Ag_{4.97}Fe_{1.67}Zn_{0.38}Sb_{3.93}S_{12.94}$

3: $Ag_{6.08}Sb_{4.35}Bi_{1.60}S_{11.97}$

4: $Ag_{6.12}Sb_{4.70}Bi_{1.21}S_{11.98}$

5: $Ag_{6.12}Sb_{5.49}Bi_{0.47}S_{11.92}$

6: $Cu_{0.40}Ag_{9.44}Pb_{4.40}Sb_{18.00}Bi_{7.44}S_{48.32}$; $N_{\text{chemical}} = 4.08$, $Ag_{\text{subst}} = 121\%$

7: $Cu_{0.24}Ag_{9.92}Pb_{4.00}Sb_{17.36}Bi_{8.64}S_{47.84}$; $N_{\text{chemical}} = 4.07$, $Ag_{\text{subst}} = 124\%$

8: $Cu_{0.32}Ag_{9.92}Pb_{3.68}Sb_{16.40}Bi_{9.44}S_{48.32}$; $N_{\text{chemical}} = 4.09$, $Ag_{\text{subst}} = 125\%$

Table 3. X-ray powder diffraction data for oscarkempffite.

$I_{\text{rel.}}$	$d_{\text{meas}}/\text{\AA}$	$d_{\text{calc}}/\text{\AA}$	h	k	l
5	6.292	6.263	2	1	0
5	5.463	5.463	2	2	0
20*	3.904	3.904	2	4	0
30*	3.663	3.672	1	2	2
		3.380	1	3	2
100b	3.354	3.340	2	5	0
20*	3.264	3.263	4	1	0
5	3.053	3.068	1	4	2
40*	2.988	2.991	3	1	2
80*	2.889	2.889	3	2	2
30*	2.741	2.740	3	3	2
10*	2.551	2.550	2	7	0
5*	2.417	2.417	0	8	0
40*	2.263	2.267	1	7	2
20*	2.112	2.111	5	3	2
		2.073	0	0	4
60	2.066	2.062	1	8	2
30*	2.027	2.028	5	4	2
30*	2.008	2.008	6	4	0
		1.933	0	10	0
30	1.931	1.930	5	5	2
20*	1.890	1.889	3	8	2
10*	1.834	1.836	5	6	2
5*	1.803	1.802	4	9	0
50*b	1.766	1.766	2	5	4
10*	1.722	1.722	7	0	2

*Lines used for unit cell refinement. Indexed on a 13.240(5), b 19.339(7), c 8.320(4) Å; refined on 17 reflections, between 3.904 and 1.772 Å, for which unambiguous indexing was possible, based on the calculated powder pattern derived from the successful determination of the crystal structure; intensities were estimated visually; b = broad line; the pattern was not corrected for shrinkage and no internal standard was used.

Table 4. Calculated X-ray powder diffraction data for oscarkempffite.*

$I_{\text{rel.}}$	$d_{\text{calc}}/\text{\AA}$	h	k	l	$I_{\text{rel.}}$	$d_{\text{calc}}/\text{\AA}$	h	k	l
8	6.25	2	1	0	31	2.062	1	8	2
10	5.45	2	2	0	29	2.023	5	4	2
20	3.90	2	4	0	16	2.002	6	4	0
35	3.66	1	2	2	9	1.9332	0	10	0
70	3.37	1	3	2	9	1.9297	5	5	2
100	3.34	2	5	0	14	1.8863	3	8	2
15	3.30	4	0	0	8	1.8319	5	6	2
22	3.25	4	1	0	5	1.8002	4	9	0
6	3.22	0	6	0	24	1.7610	2	5	4
55	2.982	3	1	2	5	1.7556	4	0	4
25	2.895	2	6	0	5	1.7500	3	9	2
86	2.881	3	2	2	5	1.7484	4	1	4
29	2.733	3	3	2	6	1.7165	7	0	2
5	2.548	2	7	0	6	1.6858	2	6	4
21	2.265	1	7	2	6	1.6680	4	10	0
13	2.105	5	3	2	6	1.6264	8	2	0
5	2.082	6	3	0	7	1.4403	6	4	4
27	2.073	0	0	4	5	1.4140	0	10	4

*The theoretical pattern was calculated with PowderCell 2.3 software (Kraus and Nolze, 1999) in Debye-Scherrer configuration employing $\text{CuK}\alpha$ radiation ($\lambda = 1.540598 \text{ \AA}$), a fixed slit, and no anomalous dispersion. Cell parameters, space group, atom positions, site-occupancy factors and isotropic displacement factors from the crystal-structure determination were used.

Table 5. Comparative data for oscarkeppffite and related minerals.

Mineral	oscarkeppffite	gustavite ¹	andorite VI ²	roshchinite ³
Formula	Ag ₁₀ Pb ₄ Sb ₁₇ Bi ₉ S ₄₈	Ag ₄ Pb ₄ Bi ₉ Sb ₃ S ₂₄	Ag ₆ Pb ₆ Sb ₁₈ S ₃₆	Ag _{9.5} Pb ₅ Sb _{25.5} S ₄₈
Substitution (%)	124	100	100	120
Crystal system	orthorhombic	monoclinic	orthorhombic	orthorhombic
Space group	<i>Pnca</i>	<i>P2₁/c</i>	<i>Pn2₁a</i>	<i>Pmna</i>
Cell parameters (Å)				
<i>a</i>	13.199	7.046	13.005	12.946
<i>b</i>	19.332	19.529	19.155	19.048
<i>c</i>	8.294	8.342	25.622	16.932
$\alpha, \beta, \gamma(^{\circ})$	90, 90, 90	90, 107.45, 90	90, 90, 90	90, 90, 90
<i>Z</i>	1	1	1	2
<i>R_I</i> factor (%)	3.7	5.88	4.89	-
Ref ⁴ .	1	2	3	4,5

¹Also gustavite with less Sb substitution, Ag₄Pb₄Bi_{11.2}Sb_{0.8}S₂₄, with *a* = 7.056, *b* = 9.691, *c* = 8.222 Å, β = 106.9°, space group *P2₁/c*, *R_I* = 2.76%, by Makovicky and Topa (2011). ²Or senandorite. ³Tentative crystal structure refinement of Petrova *et al.* (1986). ⁴[1]: this study; [2]: Pažout & Dušek (2010); [3]: Sawada *et al.* (1987); [4]: Spiridonov *et al.* (1990); [5]: Petrova *et al.* (1986).