

**Supplementary material 1: Bibliography (by chapter and page)**

**Introduction**

- Wahlberg, N., Wheat, C.W. & Peña, C. 2013. Timing and patterns in the taxonomic diversification of Lepidoptera (Butterflies and Moths). *PLoS ONE*, **8**(11): e80875. (p. 4)
- Sohn, J.-C. 2015. The fossil record and taphonomy of butterflies and moths (Insecta, Lepidoptera): implications for evolutionary diversity and divergence-time estimates. *BMC Evolutionary Biology*, **15**: 12. (p. 4)
- Heikkilä, M., Mutanen, M., Wahlberg, N., Sihvonen, P. & Kaila, L. 2015. Elusive ditrysian phylogeny: an account of combining systematized morphology with molecular data (Lepidoptera). *BMC Evolutionary Biology*, **15**: 260 (pp. 1–27). (p. 4)
- Mutanen, M., Wahlberg, N. & Kaila, L. 2010. Comprehensive gene and taxon coverage elucidates radiation patterns in moths and butterflies. *Proceedings of the Royal Society B: Biological Sciences*, **277** (1695), 2839–2848. (p. 4, 6)
- Regier, J.C., Mitter, C., Davis, D. R., Harrison, T.L., Sohn, J.-C., Cummings, M.P., Zwick, A. & Mitter, K.T. 2015. A molecular phylogeny and revised classification for the oldest ditrysian moth lineages (Lepidoptera: Tineoidea), with implications for ancestral feeding habits of the mega-diverse Ditrysia. *Systematic Entomology*, **40** (2): 409–432. (p. 4, 6)
- Regier, J.C., Mitter, C., Kristensen, N. P., Davis, D. R., Van Nieukerken, E. J., Rota, J., Simonsen, T. J., Mitter, K. T., Kawahara, A. Y., Yen, S.-H., Cummings, M. P. & Zwick, A. 2015. A molecular phylogeny for the oldest (nonditrysian) lineages of extant Lepidoptera, with implications for classification, comparative morphology and life-history evolution. *Systematic Entomology*, **40** (4): 671–704. (p. 4, 6)
- Jordan, K. 1921. On the replacement of a lost vein in connection with a stridulating organ in a new agaristid moth from Madagascar, with descriptions of two new genera. *Novitates Zoologicae*, **28**: 68–74. (p. 6)
- Mey, W., Wichard, W., Müller, P. & Wang, B. 2017. The blueprint of the Amphiesmenoptera – Tarachoptera, a new order of insects from Burmese amber (Insecta, Amphiesmenoptera). *Fossil Record*, **20**: 129–145. (p. 7)
- Scoble, M.J. 1986. The structure and affinities of the Hedyloidea: a new concept of the butterflies. *Bulletin of the British Museum (Natural History) Entomology*, **53**: 251–286. (p. 6, 7)

**Chapter 1**

- Barber, J.R., Leavell, B.C., Keener, A.L., Breinholt, J.W., Chadwell, B.A., McClure, C.J.W., Hill, G.M. & Kawahara, A.Y. 2015. Moth tails divert bat attack. *Proceedings of the National Academy of Sciences*, **112** (9): 2812–2816. (Ch. 1 p. 9)
- Basso, A., Negrisolo, E., Zilli, A., Battisti, A. & Cerretti, P. 2016. A total evidence phylogeny for the processionary moths of the genus *Thaumetopoea* (Lepidoptera: Notodontidae: Thaumetopoeinae). *Cladistics*, **33** (6): 557–573. (Ch. 1 p. 10)
- Simonsen, T.J. & Kristensen, N.P. 2003. Scale length/wing length correlation in Lepidoptera (Insecta). *Journal of Natural History*, **37** (6): 673–679. (Ch. 1 p. 11)
- Grimaldi, D. 1999. The co-radiations of pollinating insects and angiosperms in the Cretaceous. *Annals of the Missouri Botanical Garden*, **86** (2): 373–406. (Ch. 1 p. 11)
- Jordan, K. 1921. On the replacement of a lost vein in connection with a stridulating organ in a new agaristid moth from Madagascar, with descriptions of two new genera. *Novitates Zoologicae*, **28**: 68–74. (Ch. 1 p. 13)
- Zilli, A. 2018. *Amphoraceras rothschildi* and *A. jordani* sp. n.: two sibling species (Lepidoptera: Erebidae). *Fragmenta entomologica*, **50** (2): 77–82. (Ch. 1 p. 13)
- Iorio, A. & Zilli, A. 2016. *Uranie, Castnie e Saturnie di Roberto Vinciguerra*. Natura Edizioni Scientifiche, Bologna. 156 pp. (Ch. 1 p. 13)
- Kunze, P. 1969. Eye glow in the moth and superposition theory. *Nature*, **223**: 1172–1174. (Ch. 1 p. 15-17)
- Kunze, P. 1979. Apposition and superposition eyes. Pp. 442-502 in: Autrum, H. (Ed.), *Handbook of Sensory Physiology, VII/6A*. Springer, Berlin, Heidelberg & New York. (Ch. 1 p. 15-16)
- Post, C.T., Jr. & Goldsmith, T.H. 1965. Pigment migration and light-adaptation in the eye of the moth, *Galleria mellonella*. *Biological Bulletin*, **128** (3): 473–487. (Ch 1 p. 17).

- Kelber, A., Balkenius, A. & Warrant, E.J. 2003. Colour vision in diurnal and nocturnal hawkmoths. *Integrative and Comparative Biology*, **43**: 571–579. (Ch. 1 p. 17)
- Hirawatari, T., Huang, G.-H., Wang, M. 2017. Review of the genus *Roeslerstammia*, with a new species from China (Lepidoptera, Roeslerstammiidae). *ZooKeys*, **668**: 107–122. (Ch. 1 p. 17)
- Westwood, J.O. 1879. Observations on the Uraniidae, a family of lepidopterous insects, with a synopsis of the family and a monograph of *Coronidia*, one of the genera of which it is composed. *Transactions of the Zoological Society of London*, **10**. (Ch. 1 p. 17)
- Callaghan, P.S. 1981. *The Soul of the Ghost Moth*. Devin-Adair Co., Connecticut. 108 pp. (Ch. 1 p. 18)
- Baker, R.R. & Sadovy, Y. 1978. The distance and nature of the light-trap response of moths. *Nature*, **276**: 818–821. (Ch. 1 p. 18)
- Truxa, C. & Fiedler, K. 2012. Attraction to light – from how far do moths (Lepidoptera) return to weak artificial sources of light? *European Journal of Entomology*, **109**: 77–84. (Ch. 1 p. 18)
- Janzen, D.H. 1984. Two ways to be a tropical big moth: Santa Rosa saturniids and sphingids. *Oxford Surveys in Evolutionary Biology*, **1**. 62 pp. (Ch. 1 p. 19)
- Eldijk, T.J.B., van, Wappler, T., Strother, P.K., van der Weijst, C.M.H., Rajaei, H. Visscher, H., van de Schootbrugge, B. 2018. A Triassic-Jurassic window into the evolution of Lepidoptera. *Science Advances*, (10 Jan 2018): e1701568. (Ch. 1 p. 20)
- Dumbleton, L.J. 1952. A new genus of seed-infesting micropterygid moths. *Pacific Science*, **6** (1): 17–29. (Ch. 1 p. 20)
- Amsel, H.G. 1938. *Amphimoea walkeri* Bsd., der Schwärmer mit dem längsten Rüssel! *Entomologische Rundschau*, **55**: 165–167. (Ch. 1 p. 20)
- Krenn, H.W. 2010. Feeding mechanisms of adult Lepidoptera: structure, function, and evolution of the mouthparts. *Annual Review of Entomology*, **55**: 307–327. (Ch. 1 p. 20-21)
- Reid, A., Marin-Cudraz, T., Windmill, J. F., & Greenfield, M. D. 2016. Evolution of directional hearing in moths via conversion of bat detection devices to asymmetric pressure gradient receivers. *Proceedings of the National Academy of Sciences*, **113** (48), E7740–E7748. (Ch. 1 p. 22)
- Shen, Z., Neil, T.R., Robert, D., Drinkwater, B.W. & Holderied, M.W. 2018. Biomechanics of a moth scale at ultrasonic frequencies. *Proceedings of the National Academy of Sciences*, **115** (48): 12200–12205. (Ch. 1 p. 23-24)
- Zeng, J., Xiang, N., Jiang, L., Jones, G., Zheng, Y., Liu, B. & Zhang, S. 2011. Moth wing scales slightly increase the absorbance of bat echolocation calls. *PLoS ONE*, **6** (11): e27190. (Ch. 1 p. 24)
- Tremewan, W.G. 1997. Genetics of British *Zygaena* Fabricius, 1775 (Lepidoptera: Zygaenidae). V. The yellow and pseudo-orange forms of *Zygaena* (*Zygaena*) *lonicerae* (Scheven, 1777). *Entomologist's Gazette*, **48**: 15–20. (Ch. 1 p. 25)
- Sobczyk, T. 2018. Der Ampfer-Zwergminierfalter *Enteucha acetosae* (Stainton, 1854). Wiederfund der weltweit kleinsten Schmetterlingsart in Sachsen und Anmerkungen zu ihrer Lebensweise (Lepidoptera: Nepticulidae). *Sächsische Entomologische Zeitschrift*, **9** (2016/2017): 11–18. (Ch. 1 p. 26)
- Anon, 2012. Smallest Moth in the World? [http://entomology.ucdavis.edu/News/Smallest\\_Moth\\_in\\_the\\_World/](http://entomology.ucdavis.edu/News/Smallest_Moth_in_the_World/). (Ch. 1 p. 26)
- Barber, J.R., Leavell, B.C., Keener, A.L., Breinholt, J.W., Chadwell, B.A., McClure, C.J.W., Hill, G.M. & Kawahara, A.Y. 2015. Moth tails divert bat attack. *Proceedings of the National Academy of Sciences*, **112** (9): 2812–2816. (Ch. 1 p. 27)
- Braun, A.F. 1924. The frenulum and its retinaculum in the Lepidoptera. *Annals of the Entomological Society of America*, **17** (3): 234–257. (Ch. 1 p. 28)
- Henningsson, P. & Bompfrey, R.J. 2013. Span efficiency in hawkmoths. *Journal of the Royal Society Interface*, **10**: 20130099. (Ch. 1 p. 29)
- Burrows, M. & Dorosenko, M. 2015. Jumping mechanisms and strategies in moths (Lepidoptera). *The Journal of Experimental Biology*, **218**: 1655–1666. (Ch. 1 p. 29)
- Heppner, J.B. 1991. Brachyptery and aptery in Lepidoptera. *Tropical Lepidoptera*, **2** (1): 11-40. (Ch. 1 p. 29–31)
- Sattler, K. 1991. A review of wing reduction in Lepidoptera. *Bulletin of the British Museum (Natural History)*, (Entomology) **60**: 243–288. (Ch. 1 p. 29–31)
- Crafford, E.J. & Scholtz, C. 1986. Impact of *Embryonopsis halticella* Eaton larvae (Lepidoptera: Yponomeutidae) feeding in Marion Island tussock grassland. *Polar Biology*, **6**: 191–196. (Ch. 1 p. 31)

- Zimmerman, E.C. 1978. *Insects of Hawaii, Vol. 9: Microlepidoptera*. University of Hawaii Press, Honolulu. 1903 pp. (Ch. 1 p. 31)
- Powell, J.A. 1976. A remarkable new genus of brachypterous moth from coastal sand dunes in California (Lepidoptera: Gelechioidea, Scythrididae). *Annals of the Entomological Society of America*, **69** (2): 325–339. (Ch. 1 p. 31)
- Bidzilya, O. 2014. A remarkable new species of the genus *Catatinagma* Rebel, 1903 (Lepidoptera, Gelechiidae) from Turkmenistan. *Nota Lepidopterologica*, **37** (1): 67–74. (Ch. 1 p. 29, 31)
- Surlykke, A. & Gogala, M. 1986. Stridulation and hearing in the noctuid moth *Thecophora fovea* (Tr). *Journal of Comparative Physiology*, **A159**: 267–273. (Ch. 1 p. 33)
- Berg K., 1942. Contributions to the biology of the aquatic moth *Acentropus niveus* (Oliv). Videnskabelige *Meddelelser Dansk Naturhistorisk Forening*, **105**: 59–139. (Ch. 1 p. 34)
- Madrugá, J., Specht, A. García, Salik, L.M.G & Casagrande, M.M. 2019. The external morphology of *Mythimna (Pseudaletia) sequax* (Lepidoptera: Noctuidae). *Neotropical Entomology*, **48** (5). DOI: 10.1007/s13744-019-00703-7. (Not available at time of writing). (Ch. 1 p. 37)
- Toll, S., 1962. Materialien zur Kenntnis der paläarktischen Arten der Familie Coleophoridae (Lepidoptera). *Acta zoologica cracoviensia*, **7**: 577–719. (Ch. 1 p. 37)
- Lee, G.-E. & Li, H. 2018. Ovoviviparity and morphology of the female reproductive system in *Palumbina* (Lepidoptera, Gelechiidae, Thiotrichinae). *Journal of Asia-Pacific Entomology*, **21**: 772–777. (Ch. 1 p. 37)

## Chapter 2

- Tindale, N.B. 1932. Revision of the Australian ghost moths (Lepidoptera Homoneura, family Hepialidae). Parts I–VIII. *Records of the South Australian Museum*, **4**: 497–536. (Ch. 2 p. 39)
- Reavery, D. 1992. Egg size, first instar behaviour and the ecology of Lepidoptera. *Journal of Zoology*, **227** (2): 277–297 (Ch. 2 p. 39–40)
- Nielsen, E.S. & Common, I.F.B. 1991. Lepidoptera. Pp 817–915 in: Mackerras, I.M. (Ed.), *The Insects of Australia*. Vol. II. Melbourne University Press, Melbourne. (Ch. 2 p. 40)
- Peterson, A. 1964. Egg types among moths of the Noctuidae (Lepidoptera). *The Florida entomologist*, **47** (2): 71–91. (Ch. 2 p. 40)
- García-Barros, E. 2000. Body size, egg size, and their interspecific relationships with ecological and life history traits in butterflies (Lepidoptera: Papilionoidea, Hesperioidea). *Biological Journal of the Linnean Society*, **70**: 251–284. (Ch. 2 p. 41)
- Smith, N.G. 1983. Population irruptions and periodic migrations in the day-flying moth *Urania fulgens*. Pp. 331–344 in: Leigh, E., Rand, A.S. & Windsor, D.M. (Eds.), *The ecology of a tropical forest: seasonal rhythms and long-term changes*. Smithsonian Institution Press, Washington, DC. 468 pp. (Ch. 2 p. 42)
- Grabenweger, G., Kehrli, P., Schlick-Steiner, B., Steiner, F., Stolz, M. & Bacher, S. 2005. Predator complex of the horse chestnut leafminer *Cameraria ohridella*: identification and impact assessment. *Journal of Applied Entomology*, **129** (7): 353–362. (Ch. 2 p. 42)
- Griethuijsen, L.I., van & Trimmer, B.A. 2014. Locomotion in caterpillars. *Biological Reviews*, **89**: 656–670. (Ch. 2 p. 43)
- Stamp, N.E. & Casey, T.M. (Eds.). 1993. *Caterpillars - Ecological and evolutionary constraints on foraging*. Chapman & Hall, New York. 600 pp. (Ch. 2 p. 43–44)
- Gilbert, C. 1994. Form and function of stemmata in larvae of holometabolous insects. *Annual Review of Entomology*, **39**: 323–349. (Ch. 2. p. 44)
- Snodgrass, D.E. 1961. The caterpillar and the butterfly. *Smithsonian Miscellaneous Collections*, **143** (6): 1–51. (Ch. 2 p. 44)
- Trimmer, B.A. & Lin, H. 2014. Bone-free: soft mechanics for adaptive locomotion. *Integrative and Comparative Biology*, **54** (6): 1122–1135. (Ch. 2 p. 44)
- Traxler, F.E. 1977. General anatomical features of the Gypsy moth larva *Lymantria dispar* (Linnaeus) (Lepidoptera: Lymantriidae). *Journal of the New York entomological Society*, **85** (2): 71–97. (Ch. 2 p. 44)
- Grimaldi, D. & Engel, M. S. 2005. *Evolution of the Insects*. Cambridge, New York. xv + 755 pp. (Ch. 2 p. 45)
- Bura, V.L., Rohwer, V.G., Martin, P.R. & Yack, J.E. 2014. Whistling in caterpillars (*Amorpha juglandis*, Bombycoidea): sound-producing mechanism and function. *Journal of Experimental Biology*, **214**: 30–37. (Ch. 2 p. 45)

- Hsueh, T.Y. & Tang, P.S. 1944. Physiology of the Silkworm. I. Growth and respiration of *Bombyx mori* during its entire life-cycle. *Physiological Zoology*, **17** (1): 71–78. (Ch. 2 p. 47)
- Lin, H.T., Slate, D.J., Paetsch, C.R., Dorfmann, A.L. & Trimmer, B.A. 2011. Scaling of caterpillar body properties and its biomechanical implications for the use of a hydrostatic skeleton. *Journal of Experimental Biology*, **214** (7): 1194–1204. (Ch. 2 p. 47)
- Kukal, O. & Dawson, T.E. 1989. Temperature and food quality influences feeding behavior, assimilation efficiency and growth rate of arctic woolly-bear caterpillars. *Oecologia*, **79** (4): 526–532. (Ch. 2 p. 48)
- Griswold, G.H. 1944. Studies on the biology of the Webbing Clothes Moth (*Tineola bisselliella*). *Memoirs of the Cornell University Agriculture Experimental Station*, **262**: 1–59. (Ch. 2 p. 48)
- Esperk, T., Tamaru, T. & Nylin, S. 2007. Intraspecific variability in number of larval instars in insects. *Journal of Economic Entomology*, **100** (3): 627–645. (Ch. 2 p. 48)
- Eroles-Harkins, L. 1983. *Biology and life history of the cottonwood clearwing borer, Paranthrene dollii (Neum.) (Lepidoptera: Sesiidae), in the laboratory and a cottonwood nursery in Mississippi*. MS thesis. Mississippi State University. 106 pp. (Ch. 2 p. 48)
- Decker, G.C. 1931. The biology of the stalk borer *Papaipema nebris* (Gn). *Research Bulletin (Iowa Agriculture and Home Economics Experiment Station)*, **11** (143): 291–350. (Ch. 2 p. 48)
- Yamasaki, A., Shimizu, K. & Fujisaki, K. 2009. Effect of host plant part on larval body-color polymorphism in *Helicoverpa armigera* (Lepidoptera: Noctuidae). *Annals of the Entomological Society of America*, **102** (1): 76–84. (Ch. 2 p. 48–49)
- Mazzei, P. & Reggianti, D. 1999. Polymorphism in hawkmoths larvae. <http://web.tiscali.it/pmazzei/>. (Ch. 2 p. 49)
- Greene, E., 1989. A diet-induced developmental polymorphism in a caterpillar. *Science*, **243**: 643–646. (Ch. 2 p. 49–50)
- Aldrovandi, U. 1644. *De animalibus insectis libri septem cum singulorum iconibus ad vivum expressis*. Ferronius, Bononiae. ix + 767 + 43 pp. (Ch. 2 p. 50)
- Patočka, J. & Turčani, M. 2005. *Lepidoptera Pupae. Central European Species*. Apollo Books, Stenstrup, 862 pp. (Ch. 2 p. 50)
- Hasenfuss, I. & Kristensen, N.P. 2003. Skeleton and muscles: immatures. Pp. 133–164 in: Kristensen, N.P. (Ed.) *Handbook of Zoology, Arthropoda, Insecta, Lepidoptera, Moths and Butterflies, Vol. 2. Morphology, Physiology, and Development*. Walter de Gruyter, Berlin. (Ch. 2 p. 51)
- Bauder, J.A.-S., Warren, A.D. & Krenn, H.W. 2014. Evolution of extreme proboscis lengths in Neotropical HesperIIDae (Lepidoptera). *Journal of Research on the Lepidoptera*, **47**: 65–71. (Ch. 2 p. 51)
- Battisti, A., Stastny, M., Netherer, S., Robinet, C., Schopf, A., Roques, A. & Larsson, S. 2005. Expansion of geographic range in the pine processionary moth caused by increased winter temperatures. *Ecological Applications*, **15**: 2084–2096. (Ch. 2 p. 52)
- Fitzgerald, T. D. & Costa, J.T. 1986. Trail-based communication and foraging behavior of young colonies of forest tent caterpillars (Lepidoptera: Lasiocampidae). *Annals of the Entomological Society of America*, **79**: 999–1007. (Ch. 2 p. 52)
- Nemiroff, L. & Despland, E. 2007. Consistent individual differences in the foraging behaviour of forest tent caterpillars (*Malacosoma disstria*). *Canadian Journal of Zoology*, **85**: 1117–1124. (Ch. 5 p. 52).
- Dreyer, D., Frost, B., Mouritsen, H., Günther, A., Green, K., Whitehouse, M., Johnsen, S., Heinze, S. & Warrant, E. 2018. The Earth's magnetic field and visual landmarks steer migratory flight behavior in the nocturnal Australian Bogong Moth. *Current Biology*, **28**: 2160–2166. (Ch. 2 p. 53)
- Powell, J.A. 1989. Synchronized, mass-emergences of a yucca moth, *Prodoxus Y-inversus*. *Oecologia*, **81** (4): 490–493. (Ch. 2 p. 55)
- Powell, J.A. 2001. Longest insect dormancy: Yucca Moth Larvae (Lepidoptera: Prodoxidae) metamorphose after 20, 25, and 30 Years in Diapause. *Annals of the Ecological Society of America*, **94** (5): 1–4.
- Van Nuvel, J.L. 1976. Late and delayed hatching of *Eriogaster lanestris*, Lasiocampidae. *Bulletin de la Société Lépidoptérologique de France*, **1**: 46–47. (Ch. 2 p. 55)

### Chapter 3

- Deyrup, M., Deyrup, N.D., Eisner, M. & Eisner, T. 2005. A caterpillar that eats tortoise shells. *American Entomologist*, **51**: 245–248. (Ch. 3 p. 57)
- Davis, D.R. 1975. A review of the West Indian moths of the family Psychidae with descriptions of new taxa and immature stages. *Smithsonian Contributions to Zoology*, (1975): 1–66. (Ch. 3 p. 57)

- Davis, D.R., Quintero, D.A., Cambra, R.A.T. & Aiello, A. 2008. Biology of a new Panamanian bagworm moth (Lepidoptera: Psychidae) with predatory larvae, and eggs individually wrapped in setal cases. *Annals of the Entomological Society of America*, **101** (4): 689–702. (Ch. 3 p. 57)
- Chapman T.A. 1905. On the mativororous habit of the species of *Heterogynis* Rmbr. *Transactions of the Entomological Society of London*, **53** (1): 177–184. (Ch. 3 p. 57-58)
- Zilli, A. & Racheli, T. 1992. Gregariousness, apterism, mativory and the natural history of a moth (Lepidoptera, Heterogynidae). *Animal & Human Biology*, **2**: 7–39, 2 pls. (Ch. 3 p. 57-58)
- Kettlewell, H.B.D. 1953. Vapourer group adaptations and the apterous state, with reference to a South African species in which the young larvae eat the living parent. *Entomologist's Record and Journal of Variation*, **65**: 195–197. (Ch. 3 p. 58)
- Schmidt, B.C. & De Freina, J.J. 2011. Generic placement of the Neotropical species of "*Phragmatobia*" (Erebidae, Arctiinae), with a remarkable mativororous species from the Peruvian Andes. Pp. 69–88 in: Schmidt, B.C. & Lafontaine, J.D. (Eds.), *Contributions to the systematics of New World macro-moths, III*. (*ZooKeys*, **149**). (Ch. 3 p. 58)
- Montgomery, S.L. 1983. Carnivorous caterpillars: the behavior, biogeography and conservation of *Eupithecia* (Lepidoptera: Geometridae) in the Hawaiian Islands. *GeoJournal*, **7** (6): 549–556. (Ch. 3 p. 58-59)
- Rubinoff, D. & Haines, W.P. 2005. Web-spinning caterpillar stalks snails. *Science*, **309** (5734): 575. (Ch. 3 p. 59)
- Ridout, B.V. 2016. The 'Manchester Tinea', *Euclementia woodiella* (Curtis, 1830) (Lepidoptera: Cosmopterigidae), an entomological mystery unravelled. *Entomologist's Gazette*, **67**: 257–265. (Ch. 3 p. 60)
- Kato, M. 1940. A monograph of Epipyropidae (Lepidoptera). *Entomology World*, **8** (72): 67–94, 4 pls. (Ch. 3 p. 60)
- Bivar de Sousa, A. & Quartau, J.A. 1998. *Ommatissopyrops lusitanicus* gen. e sp. nov. um novo lepidoptero Epiropidae de Portugal (Lepidoptera, Epipyropidae). *Boletim da Sociedade Portuguesa de Entomologia*, **7** (1): 1–7. (Ch. 3 p. 60)
- Krishnamurti, B. 1933. On the biology and morphology of *Epipyrops eurybrachydis* Fletcher. *Bombay Natural History Society Journal*, **36**: 944–949. (Ch. 3 p. 60-61)
- Chapman T.A. 1906. Observations on the life-history of *Trichoptilus paludum*. *Transactions of the Entomological Society of London*, **1906**: 133–155. (Ch 3 p. 61).
- Matthews, T.A. 2009. The sundew plume moth, *Buckleria parvulus* (Barnes & Lindsey) (Lepidoptera: Pterophoridae). *Southern Lepidopterists' News*, **31** (2): 74–77. (Ch. 3 p. 61)
- Fletcher, T.B. 1908. Description of a new plume-moth from Ceylon, with some remarks upon its life-history. *Spolia Zeylanica*, **5**: 20–32. (Ch. 3 p. 61)
- Waage, J.K., Montgomery, G. G. 1976. *Cryptoses choloepi*: a coprophagous moth that lives on a sloth. *Science*, **193** (4248): 157–158. (Ch. 3 p. 62)
- Robinson, G. S. 2004. Moth and bird interactions: guano, feathers, and detritophagous caterpillars (Lepidoptera: Tineidae). Pp. 271–285 in: Van Emden, H.E. & Rothschild, M. (Eds.), *Insect and Bird Interactions*. Intercept, Andover. (Ch. 3 p. 62-63)
- Pauli, J.N., Mendoza, J.E., Steffan, S.A., Carey, C.C., Weimer, P.J., Peery, M.Z. 2014. A syndrome of mutualism reinforces the lifestyle of a sloth. *Proceedings of the Royal Society B*, **281** (1778): 20133006. (Ch. 3 p. 63)
- Jordan, K. 1926. On a pyralid parasitic as larva on spiny saturnian caterpillars at Para. *Novitates Zoologicae*, **33**: 367–370. (Ch. 3 p. 63)
- Robinson, G.S. 1986. Fungus moths: a review of the Scardiinae (Lepidoptera: Tineidae). *Bulletin of the British Museum (Natural History)*, (Entomology) **52** (2), 37–181. (Ch. 3 p. 63-64)
- Sanchez-Pena, S.R., Davis, D.R. & Mueller, U.G. 2003. A gregarious, mycophagous, myrmecophilous moth, *Amydria anceps* Walsingham (Lepidoptera: Acrolophidae), living in *Atta mexicana* (Hymenoptera: Formicidae) spent fungal culture accumulations. *Proceedings of the Entomological Society of Washington*, **105** (1): 186–194. (Ch. 3 p. 65)
- Kaiser, W., Huguet, E., Casas, J. Commin, C. & Giron, D. 2010. Plant green-island phenotype induced by leaf-miners is mediated by bacterial symbionts. *Proceedings of the Royal Society, Biological Sciences*, **277**: 2311–2319. (Ch. 3 p. 65)
- Singer, M.S. 2009. Self medication as adaptive plasticity: increased ingestion of plant toxins by parasitized caterpillars. *PLoS ONE*, **4** (3): e4796. (Ch. 3 p. 65-66)
- Viette, P. 1957. Les Lépidoptères des nids. *Bulletin de la Société entomologique de France*, **62** (5–6): 107–122. (Ch. 3 p. 67)

- Viette, P. 1962. Note about L.A. Mound's paper, "A Pyralid Moth from Ants' Nests in Nigeria (Entomologist, 95: 20). *Entomologist*, **95–96**: 108. (Ch. 3 p. 67)
- Pierce, N.E. 1995. Predatory and parasitic lepidoptera: carnivores living on plants. *Journal of the Lepidopterists' Society*, **49** (4): 412–453. (Ch. 3 p. 67)
- Paulian, R. 1956. Deux Lepidopteres myrmecophiles. Naturaliste malgache. Paulian, R. 1956. Brèves notes sur divers Insectes nuisibles aux cultures - III. Deux Lépidoptères myrmécophiles. Du nouveau sur le Tanghin. *Le Naturaliste malgache*, **7** (2): 228–229. (Ch. 3 p. 67)
- Leong, T.M. & D'Rozario, V. 2012. Mimicry of the weaver ant, *Oecophylla smaragdina* by the moth caterpillar, *Homodes bracteigutta*, the crab spider, *Amyciaea lineatipes*, and the jumping spider, *Myrmarachne platalaeoides*. *Nature in Singapore*, **5**: 39–56. (Ch. 3 p. 67)
- Voogd, J. & Groenendij, D. 2009. Gevlekte winteruil: hét mysterie ontrafeld! *Vlinders*, **4**: 12–14. (Ch. 3 p. 67)
- Elwes, H.J. 1891. 1. On butterflies collected by W. Doherty in the Naga and Karen Hills and in Perak - Part 1. *Proceedings of the Zoological Society of London*, **1891**: 249–289 (p. 257). (Ch. 3 p. 68)
- Barlow, H. S., and Carter, D. J. 1996. A breeding record for *Himantopterus fuscineris* Wesmael (Lepidoptera, Hymantopteridae [sic]). *Malayan Nature Journal*, **150**: 27–32. (Ch. 3 p. 68)
- Komatsua, T. & Itino, T. 2014. Moth caterpillar solicits for homopteran honeydew. *Scientific Reports*, **4**: 3922. (Ch. 3 p. 68)
- Dodd, F.P. & Meyrick, E. 1911. Some remarkable ant-friend Lepidoptera of Queensland. *Transactions of the Entomological Society of London*, **1911**: 589–590. (Ch. 3 p. 68)
- Dejean, A., Orivel, J., Azémar, F., Héroult, B. & Corbara, B. 2016. A cuckoo-like parasitic moth leads African weaver ant colonies to their ruin. *Scientific Reports*, **6**: 23778. (Ch. 3 p. 68-69)
- Agassiz, D.J.L. 2011. The Lepidoptera of *Acacia domatia* in Kenya, with description of two new genera and six new species. *Journal of Natural History*, **45** (29-30): 1867–1893. (Ch. 3 p. 69)
- Aberlenc H.P., Andriamanantenina L., Faure G., Lees D.C., Minet J., Olivier L., Rafamantanantsoa C., Randrianandrasana M. & Razafindrakotomamonjy, A. 2007. Le Radeau des Cimes au Parc national de Masoala (Madagascar). Première partie: éléments pour un inventaire des Lépidoptères. *Bulletin mensuel de la Société linnéenne de Lyon*, **76** (6): 141–154. (Ch. 3 p. 69)
- Pellmyr, O. & Thompson, J.N. 1992. Multiple occurrences of mutualism in the yucca moth lineage. *Proceedings of the Natural Academy of Sciences*, **89** (7): 2927–2929. (Ch. 3 p. 70)
- Milla, L., Nieuwerkerken, E.J., van, Vijverberg, R., Doorenweerd, C., Wilcox, S.A., Halsey, M., Young, D.A., Jones, T.M., Kallies, A. & Hilton, D.J. 2017. A preliminary molecular phylogeny of shield-bearer moths (Lepidoptera: Adeloidea: Heliozelidae) highlights rich undescribed diversity. *Molecular Phylogenetics and Evolution*, **120**: 129–143. (Ch. 3 p. 71)
- Kawakito, A. & Kato, M. 2009. Repeated independent evolution of obligate pollination mutualism in the Phyllanthae-Epicephala association. *Proceedings of the Royal Society B*, **276**: 417–426. (Ch. 3 p. 71-72)
- Darwin, C.R. 1862. The various contrivances by which British and foreign orchids are fertilised by insects and on the good effects of intercrossing. John Murray, London. (Ch. 3 p. 72)
- Arditti, J., Elliott, J., Kitching, I.J. & Wasserthal, L.T. 2002. 'Good Heavens what insect can suck it' – Charles Darwin, *Angraecum sesquipedale* and *Xanthopan morgani praedicta*. *Botanical Journal of the Linnean Society*, **169** (3): 403–432. (Ch. 3 p. 72)
- Wallace, A.R. 1867. Creation by law. *The Quarterly Journal of Science*, **4**: 471–488. (Ch. 3 p. 72)
- Jordan, K. & Rothschild, W. 1903. A revision of the lepidopterous family Sphingidae. *Novitates Zoologicae, Transactions of the American Entomological Society* (Supplement). Pp i–cxxxv, 1–972, pls. (Ch. 3 p. 72)
- Wasserthal, L.T. 1997. The pollinators of Malagasy star orchids *Angraecum sesquipedale*, *A. sororium* and *A. compactum* and the evolution of extremely long spurs by pollinator shift. *Botanica Acta*, **110**: 343–359. (Ch. 3 p. 72-73)
- Wasserthal, L.T. 2013. Evolution of long-tongued hawkmoths and pollination of long-spurred *Angraecum* orchids. *Proceedings of the 20th World Orchid Conference, Singapore 2011*: 280–284. (Ch. 3 p. 72-73)
- Netz, C. & Renner, S.S. 2017. Long-spurred *Angraecum* orchids and long-tongue sphingid moths on Madagascar: a time frame for Darwin's predicted *Xanthopan/Angraecum* coevolution. *Biological Journal of the Linnean Society*, **122**: 469–478. (Ch. 3 p. 72-73)
- Baum, D. 1995. The comparative pollination and floral biology of baobabs (*Adansonia*- Bombacaceae). *Annals of the Missouri Botanical Garden*, **82**: 322–347. (Ch. 3 p. 73)

- Hilgartner, R., Raoilison, M., Büttiker, W., Lees, D.C. & Krenn, H.W. 2007. Malagasy birds as hosts for eye-frequenting moths. *Biology Letters*, **3**: 117–120. (Ch. 3 p. 74)
- Plotkin, D. & Goddard, J. 2013. Blood, sweat, and tears: a review of the hematophagous, sudophagous, and lachryphagous Lepidoptera. *Journal of Vector Ecology*, **38** (2): 289–294. (Ch 3 pp. 74-75).
- Bänziger, H. 1968. Preliminary observations on a skin-piercing blood-sucking moth (*Calyptra eustrigata* (Hmps.) (Lep., Noctuidae) in Malaya. *Bulletin of Entomological Research*, **58** (1): 159–163. (Ch. 3 p. 75)
- Bänziger, H. 1975. Skin-piercing blood-sucking moths I: ecological and ethological studies on *Calpe eustrigata* (Lepid., Noctuidae). *Acta tropica*, **32** (2): 125–144. (Ch. 3 p. 75)
- Holloway, J.D., 1997. The moths of Borneo: family Geometridae, subfamilies Sterrhinae and Larentiinae. *Malayan Nature Journal*, **51**: 1–242. (Ch. 3 p. 76)
- Nielsen M.C. 1977. *Sphinx luscitiosa* (Sphingidae) feeding on decayed fish. *Journal of the Lepidopterists' Society*, **31**: 275. (Ch. 3 p. 76)
- Naskrecki, P. & Nishida, K. 2007. Novel trophobiotic interactions in lantern bugs (Insecta: Auchenorrhyncha: Fulgoridae). *Journal of Natural History*, **41** (37–40): 2397–2402. (Ch. 3 p. 77)

#### Chapter 4

- Butenandt, A., Beckamn, R. & Hecker, E. 1961. Über den Sexuallockstoff des Seidenspinners .1. Der biologische Test und die Isolierung des reinen Sexuallockstoffes Bombykol. *Zeitschrift für Physiologische Chemie*, **324**: 71. (Ch. 4 p. 79)
- Fabre, J.-H. 1892. Le Grande Paon. Souvenirs entomologiques et nouveaux souvenirs: études sur l'instinct et les moeurs des insects. (Ch. 4 p. 80)
- Mell, R. 1922. Biologie und Systematik des südchinesischen Sphingiden. R. Friedlander & Sohn. (In German). (Ch. 4 p. 80)
- Tolliver, M.E. & Jeffords, M.R. 1981. Long distance dispersal by *Callosamia promethea* (Saturniidae). *Journal of the Lepidopterists' Society*, **35** (1): 76. (Ch. 4 p. 80)
- Conner, W.E. & Iyengar, V.K. 2016. Male pheromones in moths: reproductive isolation, sexy sons, and good genes. Pp. 191–208 in: Allison, J.D. (Ed.), *Pheromone communication in moths*. University of California Press, Oakland. (Ch. 4 p. 81)
- Kondo, Y., Naka, H., & Tsuchida, K. 2012. Pheromones and body coloration affect mate recognition in the Japanese nine-spotted moth *Amata fortunei* (Lepidoptera: Arctiidae). *Journal of Ethology*, **30** (2): 301–308. (Ch. 4 p. 81)
- Gwynne, D.T., Edwards, E. D. 1986. Ultrasound production by genital stridulation in *Syntonarcha iriastis* Meyrick (Lepidoptera: Pyralidae): Long distance signalling by male moths? *Journal of the Linnean Society*, **88**: 363–376. (Ch. 4 p. 81-82)
- Heller, K.-G. & Krahe, R. 1994. Sound production and hearing in the pyralid moth *Symmoracma minoralis*. *Journal of Experimental Biology*, **187**: 101–111. (Ch. 4 p. 82)
- Carolsfeld-Krause, A.G. 1959. The mating of Hepialidae (Lep). *Entomologist's Record and Journal of Variation*, **71**: 33–34. (Ch. 4 p. 82)
- Wagner, D.L. & Rosovsky, J.R. 1991. Mating systems in primitive Lepidoptera, with emphasis on the reproductive behavior of *Korscheltellus gracilis* (Grote) (Hepialidae). *Zoological Journal of the Linnean Society*, **102**: 277–1303. (Ch. 4 p. 82)
- Turner, J.R.G. 2015. The flexible lek: *Phymatopus hecta* the gold swift demonstrates the evolution of lekking and male swarming via a hotspot (Lepidoptera: Hepialidae). *Biological Journal of the Linnean Society*, **114**: 184–201. (Ch. 4 p. 82)
- Mallet, J. 1984. Sex roles in the ghost moth *Hepialus humuli* (L.) with a review of mating in the Hepialidae (Lepidoptera). *Zoological Journal of the Linnean Society*, **79**: 67–82. (Ch. 4 p. 82)
- Boppré, M. & Schneider, D. 1989. The biology of *Cretonotos* (Lepidoptera: Arctiidae) with special reference to the androconial system. *Zoological Journal of the Linnean Society*, **96** (4): 339–356. (Ch. 4 p. 83)
- Alcock, J. & Bailey, W. 1995. Acoustical communication and the mating system of the Australian whistling moth *Hecatesia exultans* (Noctuidae: Agaristinae). *Journal of Zoology*, **237**: 337–352. (Ch. 4 p. 83)
- Jordan, K. 1921. On the replacement of a lost vein in connection with a stridulating organ in a new agaristid moth from Madagascar, with descriptions of two new genera. *Novitates Zoologicae*, **28**: 68–74. (Ch. 4 p. 84)
- Lees, D.C. 1992. Foreleg stridulation in male *Urania* moths (Lepidoptera: Uraniidae). *Zoological Journal of the Linnean Society*, **106**: 163–170. (Ch. 4 p. 84-85)

- Barro, A., Vater, M., Pérez, M & Coro, F. 2009. Surface structure of sound emission organs in *Urania* moths. Pp 189-199 In Gorb, S.N. (Ed.), *Functional Surfaces in Biology*, volume 1. Springer. (Ch. 4 p. 85)
- Zilli, A. & Racheli, T. 1989. Spatial partitioning of *Heterogynis penella* Hb. cocoons: evidence for sexual selection on larval behaviour. *Nota lepidopterologica*, Supplement **1**: 72. (Ch. 4 p. 85)
- Hansen, L.J. & Jensen, J.-K. 2005. Colour morphs of the Ghost Moth *Hepialus humuli* L. (Lepidoptera, Hepialidae) in the Faroe Islands. *Entomologiske meddelelser*, **73**: 123–139. (Ch. 4 p. 86)
- Blanco, C. A., Perera, O., Ray, J. D., Taliercio, E., & Williams, L. 2006. Incorporation of rhodamine B into male tobacco budworm moths *Heliothis virescens* to use as a marker for mating studies. *Journal of Insect Science*, **6** (5): 1536–2442. (Ch. 4 p. 87)
- Mallet, J. 1984. Sex roles in the ghost moth *Hepialus humuli* (L.) with a review of mating in the Hepialidae (Lepidoptera). *Zoological Journal of the Linnean Society*, **79**: 67–82. (Ch. 4 p. 86)
- Birch, M.C., Poppy, G.M. & Baker, T.C. 1990. Scents and eversible scent structures of male moths. *Annual Review of Entomology*, **35**: 25–58. (Ch. 4 p. 87-88).
- Conner, W.E., Boada, R., Schroeder, F., Gonzales, A., Meinwald, J., & Eisner, T.R. 2000. Chemical defense: bestowal of a nuptial alkaloidal garment by a male moth. *Proceedings of the National Academy of Sciences*, **97** (26): 14406–14411. (Ch. 4 p. 88)
- Spangler, H.G. & Takesian, A. 1986. Further observations on sound production by the Lesser Wax Moth, *Achroia grisella* (F.) (Lepidoptera: Pyralidae). *Journal of the Kansas Entomological Society*, **59** (3): 555–557. (Ch. 4 p. 88-89)
- Trematerra, P. & Pavan, G. 1995. Ultrasound production in the courtship behaviour of *Ephestia cautella* (Walk.), *E. kuehniella* Z. and *Plodia interpunctella* (Hb.) (Lepidoptera: Pyralidae). *Journal of Stored Products Research*, **31** (1): 43–48. (Ch. 4 p. 88-89)
- Barrer, P.M. & Hill, R.J. 2007. Some aspects of the courtship behaviour of *Ephestia cautella* (Walker) (Lepidoptera: Phycitidae). *Australian Journal of Entomology*, **16**: 301–312. (Ch. 4 p. 89)
- Nakano, R., Ihara, F., Mishiro, K., Toyama, M., & Toda, S. 2014. Double meaning of courtship song in a moth. *Proceedings of the Royal Society B: Biological Sciences*, **281** (1789): 20140840. (Ch. 4 p. 89)
- Nakano R., Ishikawa, Y., Tatsuki, S., Skals, N., Surlykke, A. and Takanashi, T. 2009. Private ultrasonic whispering in moths. *Communicative & Integrative Biology*, **2** (2): 123–126. (Ch. 4 p. 89)
- Nakano, R., Takanashi, T., Surlykke, A., Skals, N. & Ishikawa, Y. 2013. Evolution of deceptive and true courtship songs in moths. *Scientific Reports*, **3**. (Ch. 4 p. 89)
- Nakano R., Ishikawa, Y., Tatsuki, S., Surlykke, A., Takuma, N., Skals, S. & Takanashi, T. 2006. Ultrasonic courtship song in the Asian corn borer moth, *Ostrinia furnacalis*. *Naturwissenschaften*, **93**: 292–296. (Ch. 4 p. 89)
- Phelan, P.L. & Baker, T.C. 1990. Comparative study of courtship in twelve phycitine moths (Lepidoptera: Phycitinae). *Journal of Insect Behaviour*, **3** (3): 303–326. (Ch. 4 p. 89)
- Sarto I Monteys, V., Acin, P., Rosell, G., Quero, C., Jiménez, M.A., & Guerrero, A. 2012. Moths behaving like butterflies. Evolutionary loss of long range attractant pheromones in castniid moths: a *Paysandisia archon* model. *PLoS ONE*, **7** (1): e29282. (Ch. 4 p. 89–90)
- Schachat, S.R. & Brown, R.L. 2018. Wing patterns of ditrysian moths (Lepidoptera: Psychidae) include variants and violations of predictive models. *Austral Entomology*, **57**: 333–343. (Ch. 4 p. 90)
- Rawlins, J.E. 1992. Life history and systematics of the West Andean moth *Aucula franclemonti* with description of a new species from Ecuador (Lepidoptera: Noctuidae: Agaristinae). *Journal of the New York Entomological Society*, **100** (2): 286–310. (Ch. 4 p. 91)
- Drummond, B.A. 1984. Multiple mating and sperm competition in the Lepidoptera. Pp. 291–370 in: Smith, R.L. (Ed.), *Sperm competition and the evolution of animal mating systems*. Academic Press, Orlando. (Ch. 4 p. 91-94)
- LaMunyon, C.W. 1994. Paternity in naturally-occurring *Utetheisa ornatrix* (Lepidoptera: Arctiidae) as estimated using enzyme polymorphism. *Behavioral Ecology and Sociobiology*, **34** (6): 403–408. (Ch. 4 p. 92)
- Byers, J.R. 1978. Biosystematics of the genus *Euxoa* (Lepidoptera: Noctuidae) X. Incidence and level of multiple mating in natural and laboratory populations. *Canadian Entomologist*, **110**: 193–200. (Ch. 4 p. 92)
- Blanco, C. A., Perera, O., Ray, J. D., Taliercio, E., & Williams, L. 2006. Incorporation of rhodamine B into male tobacco budworm moths *Heliothis virescens* to use as a marker for mating studies. *Journal of Insect Science*, **6** (5): 1536–2442. (Ch. 4 p. 92)



- Lincango, P. and Fernández, G. and Baixeras, J. 2013. Microstructure and diversity of the bursa copulatrix wall in Tortricidae (Lepidoptera). *Arthropod Structure & Development*, **42** (3): 247–256. (Ch. 4 p. 93)
- Brou, V.A., & Zilli, A. 2016. An overlooked sibling of the fruit-piercing moth *Eudocima phalonia* (Linnaeus, 1763) from Africa (Lepidoptera, Erebidae, Calpinae). *Zootaxa*, **4109** (3):391-399. (Ch. 4 p. 93)
- Silberglied, R.E., Shepherd, J.G. & Dickinson, J.L. 1984. Eunuchs: the role of apyrene sperm in Lepidoptera? *American Naturalist*, **123** (2): 255–265. (Ch. 4 p. 93-94)
- Friedlander, M., Seth, R. K. and Reynolds, S. E., 2005. Eupyrene and apyrene sperm: dichotomous spermatogenesis in Lepidoptera. *Advances in Insect Physiology*, **32**: 206–308. (Ch. 4 p. 94)
- Kiester, A.R., Nagylaki, T & Shaffer, B. 1981. Population dynamics of species with gynogenetic sibling species. *Theoretical Population Biology*, **19** (3): 358–369. (Ch. 4 p. 94).
- Gokhman, V.E. & Kuznetsova, V.G. 2018. Parthenogenesis in Hexapoda: holometabolous insects. *Journal of zoological Systematics and evolutionary Research*, **56**: 23–34. (Ch. 4 p. 94-95)
- Robinson, R. 1971. *Lepidoptera genetics*. Pergamon Press, Oxford. 698 pp. (Ch. 4 p. 94-95)
- Grapputo, A., Kumpulainen, T. & Mappes, J. 2005. Phylogeny and evolution of parthenogenesis in Finnish bagworm moth species (Lepidoptera: Psychidae: Naryciinae) based on mtDNA-markers. *Zoologica Fennica*, **42** (2): 141–160. (Ch. 4 p. 95)
- Suomalainen, E. 1978. Two new cases of parthenogenesis in moths. *Nota Lepidopterologica*, **1** (2): 65–68. (Ch. 4 p. 95)
- Taylor, J.S. 1950. Notes on the life-history of a species of *Mesocelis* (Lasiocampidae) with special reference to its parthenogenesis. *Journal of the Entomological Society of Southern Africa*, **13** (1): 53–67. (Ch. 4 p. 95)
- Kozlov, M.K. 2004. Annotated checklist of the European species of *Nemophora* (Adelidae). *Nota Lepidopterologica*, **26** (3/4): 115–126. (Ch. 4 p. 95)
- Narbel-Hofstetter, M. 1964. La répartition géographique des trois formes cytologiques de *Luffia* (Lépidoptères Psychide). *Mitteilungen der Schweizerischen entomologischen Gesellschaft*, **36** (1963-1964) (4): 275–288. (Ch. 4 p. 95)
- Narbel-Hofstetter, M. 1963. Cytologie de la pseudogamie chez *Luffia lapidella* Goeze (Lepidoptera Psychidae). *Chromosoma*, **13**: 623–645. (Ch. 4 p. 95)
- Mozūraitis, R. Būda, V., Liblikas, I., Unilius, C.R. & Borg-Karlson, A.K. 2002. Parthenogenesis, calling behavior, and insect-released volatiles of leafminer moth *Phyllonorycter emberizaepenella*. *Journal of Chemical Ecology*, **28** (6): 1191–1208. (Ch. 4 p. 95)
- Caparros Megido, R., Haubruge, E. & Verheggen, F.J. 2012. First evidence of deuterotokous parthenogenesis in the tomato leafminer, *Tuta absoluta* (Meyrick) (Lepidoptera: Gelechiidae). *Journal of Pest Science*, **85** (4): 409–412. (Ch. 4 p. 95)

## Chapter 5

- Perrins, C.M. 1991. Tits and their caterpillar food supply. *Ibis*, **133** (1): 49–54. (Ch. 5 p. 97)
- Dennis, D.S., Lavigne, R.J. & Dennis, J.G. 2009. Lepidoptera as prey of robber flies (Diptera: Asilidae) with unpublished records. *Journal of the Entomological Research Society*, **11** (1): 71–84. (Ch. 5 p. 97)
- Leelapaibul, W., Bumrungsri, S. & Pattanavibool, A. 2009. Diet of wrinkle-lipped free-tailed bat (*Tadarida plicata* Buchanan, 1800) in central Thailand: insectivorous bats potentially act as biological pest control agents. *Acta Chiropterologica*, **7**: 111–119. (Ch. 5 p. 97)
- Mcfarlane, D.A., Van Rentergem, G., Ruina, A. & Christenson, C. 2015. Estimating colony size of the Wrinkle-Lipped Bat, *Chaerephon plicatus* (Chiroptera: Molossidae) at Gomantong, Sabah, by quantitative image analysis. *Acta Chiropterologica*, **17** (1):171–177. (Ch. 5 p. 97)
- Zeale, M.R.K., Butlin, R.R.K., Barker, G.L.A., Lees, D.C. and Jones, G. 2011. Taxon-specific PCR for DNA barcoding arthropod prey in bat faeces. *Molecular Ecology Resources*, **11** (2): 236–244. (Ch. 5 p. 97)
- Yeargan, K.V. 1994. Biology of Bolas Spiders. *Annual Review of Entomology*, **39**: 81-99. (Ch. 5 p. 98)
- Haynes, K.F., Gemeno, C., Millar, J.G., Yeargan, K.V. & Johnson, K.M. 2002. Aggressive chemical mimicry of moth pheromones by a bolas spider: How does this specialist predator attract more than one species of prey? *Chemoecology*, **12** (2): 99–105. (Ch. 5 p. 98)
- Horton, C.C. 1979. Apparent attraction of moths by the webs of araneid spiders. [http://www.americanarachnology.org/JoA\\_free/JoA\\_v7\\_n1/%20JoA\\_v7\\_p88.pdf](http://www.americanarachnology.org/JoA_free/JoA_v7_n1/%20JoA_v7_p88.pdf) (Ch. 5 p. 98)
- Rogers, N. 2014. Smell of sex lures moths to a spidery doom. <https://www.insidescience.org/news/smell-sex-lures-moths-spidery-doom>. (Ch. 5 p. 98)

- Burgess, A.F. & Crossman, S.S. 1929. Imported insect enemies of the gypsy [sic] moth and the brown-tail moth. *U.S. Department of Agriculture Technical Bulletin*, **86**. (Ch. 5 p. 98)
- Goertz, D. & Hoch, G. 2013. Influence of the forest caterpillar hunter *Calosoma sycophanta* on the transmission of microsporidia in larvae of the gypsy moth *Lymantria dispar*. *Agricultural and Forest Entomology*, **15** (2): 178–186. (Ch. 5 p. 98)
- Kurosu, U. 1985. Male altruism and wing polymorphism in a parasitic wasp. *Journal of Ethology*, **3** (1): 11–19. (Ch. 5 p. 99)
- Strand, M. 2011. Development of the polyembryonic parasitoid *Copidosoma floridanum* in *Trichoplusia ni*. *Entomologia Experimentalis et Applicata*, **50**: 37–46. (Ch. 5 p. 99)
- Shaw, M.R. & Voogd, J. 2016. Illustrated notes on the biology of *Sphinctus serotinus* Gravenhorst (Hymenoptera, Tryphoninae, Sphinctini). *Journal of Hymenoptera Research*, **49**: 81–93. (Ch. 5 p. 100)
- Boppré, M., 2008. Adult Lepidoptera are not parasitized- or are they? *Antenna*, **32** (1). (Ch. 5 p. 100)
- Elkinton, J.S. & Boettner, G.H. 2004. The effects of *Compsilura concinnata*, an introduced generalist tachinid, on non-target species in north america: a cautionary tale. Pp. 4–14 in: Van Driesche, R.G., Murray, T & Reardon, R. (Eds.), *Effects of Compsilura concinnata: assessing host ranges of parasitoids and predators*. Forest Health Technology Enterprise Team—Morgantown, West Virginia. (Ch. 5 p. 100)
- Elkinton, J.S. & Boettner, G.H. 2012. Benefits and harm caused by the introduced generalist tachinid, *Compsilura concinnata*, in North America. *BioControl*, **57** (2). DOI: 10.1007/s10526-011-9437-8. (Ch. 5 p. 100)
- Prasad, V. 1968. Three moth mites (Acarina: Mesostigmata) from Hawaii, with description of a new species. *Annals of the Entomological Society of America*, **61** (1): 129–132. (Ch 5 p. 101)
- Treat, A.E. 1975. *Mites of moths and butterflies*. Cornell University Press. 362 pp. (Ch. 5 p. 101)
- Anon (date?). [Video of *Forcipomyia* attacking *Nemophora metallica*].  
<https://upload.wikimedia.org/wikipedia/commons/transcoded/6/6f/A-F-2012-07-22.ogv/A-F-2012-07-22.ogv.480p.vp9.webm>. (Ch 5 p. 101)
- Reed-Larsen, D.A. & Brown, J.J. 1990. Embryonic castration of the codling moth, *Cydia pomonella* by an endoparasitoid, *Ascogaster quadridentata*. *Journal of Insect Physiology*, **36** (2): 111–118. (Ch. 5 p. 101)
- Marti, O.G. & Rogers, C.E. 1995. *Noctuidonema dibolia* n. sp. (Aphelenchida: Acugutturidae), an ectoparasite of the moth *Mocis latipes* (Lepidoptera: Noctuidae). *Journal of Nematology*, **27** (3): 387–394. (Ch. 5 p. 101)
- Simmons, A.M. & Rogers, C.E. 1996. Ectoparasitic acugutturid nematodes of adult Lepidoptera. *Journal of Nematology*, **28** (1): 1–7. (Ch. 5 p. 101)
- Shrestha, B., Tanaka, E., Hyun, M.W., Han, J.-G., Kim, C.S., Jo, J.W., Han, S.-K., Oh, J. & Sung, G-H. 2016. Coleopteran and lepidopteran hosts of the entomopathogenic genus *Cordyceps* sensu lato. *Journal of Mycology*, **2016** (2): 1–14. (Ch. 5 p. 102)
- Pasteur, L. 1870. Études sur la maladie des vers à soie. Moyen pratique assuré de la combattre et d'en prévenir le retour. [In French]. Gauthier-Villars, Paris. (Ch. 5 p. 102)
- Clem, R. J., & Passarelli, A. L. 2013. Baculoviruses: sophisticated pathogens of insects. *PLoS pathogens*, **9** (11): e1003729. (Ch. 5 p. 102)
- Griffin, C.T., Dix, I., Joyce, S.A., Burnell, A.M. & Downes, M.J. 1999. Isolation and characterisation of *Heterorhabditis* spp. (Nematoda: Heterorhabditidae) from Hungary, Estonia and Denmark. *Nematology*, **1** (3): 321–332. (Ch. 5 p. 102)
- Gimmerthal, B.A. 1829. Bulletin de la Société impériale des naturalistes de Moscou, **i**: 140. (Ch. 5 p. 102)
- Rye, E.C. 1878. Luminous lepidopterous larvae. *Entomologist's Monthly Magazine*, **13–14**: 257–261. (Ch. 5 p. 102-103)
- Ahmed, M.Z., Araujo-Jnr., E.V., Welch, J.J. & Kawahara, A.Y. 2015. *Wolbachia* in butterflies and moths: geographic structure in infection frequency. *Frontiers in Zoology*, **12**: 16. (Ch. 5 p. 102-103)
- Paniagua Voirol, L.R., Frago, E., Kaltenpoth, M., Hilker, M. & Fatouros, N.E. 2018. Bacterial symbionts in Lepidoptera: their diversity, transmission, and impact on the host. *Frontiers in Microbiology*, **9**: 556. (Ch. 5 p. 102-103)
- Hamm, J.J. & Young, J. R. 1974. Mode of transmission of nuclear-polyhedrosis virus to progeny of adult *Heliothis zea*. *Journal of Invertebrate Pathology*, **24** (1): 70–81. (Ch. 5 p. 103)
- Lees, D.C. & Smith, N.G. 1991. Foodplant associations of the Uraniinae (Uraniidae) and their systematic, evolutionary and ecological significance. *Journal of the Lepidopterists' Society*, **45** (4): 296–347. (Ch. 5 p. 103)

- Fatouros, N.E. & Huigens, M.E. 2012. Phoresy in the field: natural occurrence of *Trichogramma* egg parasitoids on butterflies and moths. *BioControl*, **57** (4): 493–502. (Ch. 5 p. 103)
- Treat, A.E. 1956. A pseudoscorpion on moths. *The Lepidopterists' News*, **10** (3-4): 86-89. (Ch. 5 p. 103)
- Beebe, W. 1947. Scale adaptation and utilization in *Aesiocopa patulana* Walker (Lepidoptera, Heterocera, Tortricidae). *Zoologica* (New York), **32** (17): 147–152. (Ch. 5 p. 104)
- Beebe, W. 1949. High Jungle. Duell, Sloan and Pearce, New York. (Ch. 5 p. 104)
- Rota, J. & Wagner, D.L. 2008. Wormholes, sensory nets, and hypertrophied tactile setae: the extraordinary defence strategies of *Brenthia* caterpillars. *Animal Behaviour*, **76**: 1709–1713. (Ch. 5 p. 104)
- Toone, W. 2004. Madagascan moth, *Ogoa vitrina*, a novel pupa protection strategy. *Biodiversity*, **5** (3): 2. (Ch. 5 p. 104)
- Letourneau, D.K., Arias G., F. & Jebb, M. 1993. Coping with enemy-filled space: herbivores on *Endospermum* in Papua New Guinea. *Biotropica*, **25**: 95–99. (Ch. 5 p. 105)
- Monteith, G.A and Wood, G.A. 1987. *Endospermum*, ants and uraniid moths in Australia. *North Queensland Naturalist*, **28**: 35–41. (Ch. 5 p. 105)
- Kite, G.C., Fellows, L.E., Lees, D.C., Kitchen, D. & Monteith, G.B. 1991. Alkaloidal glycosidase inhibitors in nocturnal and diurnal uraniine moths and their respective foodplant genera, *Endospermum* and *Omphalea*. *Biochemical Systematics and Ecology*, **19** (6): 441-445. (Ch. 5 p. 105)
- Lees, D.C. & Smith, N.G. 1991. Foodplant associations of the Uraniinae (Uraniidae) and their systematic, evolutionary and ecological significance. *Journal of the Lepidopterists' Society*, **45** (4): 296–347. (Ch. 5 p. 105).
- Ayre, G. 1958. Notes on insects found in or near nests of *Formica subnitens* Creighton (Hymenoptera: Formicidae) in British Columbia. *Insect Societies*, **5**: 1–7. (Ch. 5 p. 105)
- Deml, R. & Dettner, K. 1990. Chemical defense of *Eudia (Saturnia) pavonia* caterpillars. *Naturwissenschaften*, **77** (12): 588–590. (Ch. 5 p. 106)
- Maschwitz, U., Dumpert, K. & Tuck, K.R. 2007. Ants feeding on anal exudate from tortricid larvae: a new type of trophobiosis. *Journal of Natural History*, **20** (5): 1041–1050. (Ch. 5 p. 106)
- Ebner, F. 1905. Ameisen und Raupen. *Insektenbourse*, **22**: 176. (Ch. 5 p. 106)
- Maschwitz, U., Dumpert, K. & Tuck, K.R. 2007. Ants feeding on anal exudate from tortricid larvae: a new type of trophobiosis. *Journal of Natural History*, **20** (5): 1041–1050. (Ch. 5 p. 106)
- Humphreys, R.K. & Ruxton, G. 2018. A review of thanatosis (death feigning) as an anti-predator behaviour. *Behavioral Ecology and Sociobiology*, **72** (2). DOI: 10.1007/s00265-017-2436-8. (Ch. 5 p. 106)
- Balletto, E., Arillo, A., Mensi, P. & Cherchi, M.A. 1987. Zygaenid moths, cyanide and thanatosis. *Bollettino di zoologia*, **54**: 59–63. (Ch. 5 p. 107, 109)
- Flowers, R.W. 1984. The sphingid frenulum as a predator defence. *Journal of the Lepidopterist's Society*, **38** (2): 139. (Ch. 5 p. 107)
- Barber, J.R., Leavell, B.C., Keener, A.L., Breinholt, J.W., Chadwell, B.A., McClure, C.J.W., Hill, G.M. & Kawahara, A.Y. 2015. Moth tails divert bat attack. *Proceedings of the National Academy of Sciences*, **112** (9): 2812–2816. (Ch. 5 p. 107)
- Boppré, M., 1990. Lepidoptera and pyrrolizidine alkaloids: exemplification of complexity in chemical ecology. *Journal of Chemical Ecology*, **16** (1): 165–185. (Ch. 5 p. 108)
- Bezzerides, A., Yong, T.-H., Bezzerides, J., Hussein, J., Ladau, J., Eisner, M. & Eisner, T. 2004. Plant-derived pyrrolizidine alkaloid protects eggs of a moth (*Utetheisa ornatrix*) against a parasitoid wasp (*Trichogramma ostriniae*). *Proceedings of the National Academy of Sciences*, **101** (24): 9029–9032. (Ch. 5 p. 108)
- Rothschild M., Euv, J. Von & Reichstein, T. 1973. Cardiac glycosides (heart poisons) in the polka-dot moth *Syntomeida epilais* Walk. (Ctenuchidae: Lep.) with some observations on the toxic qualities of *Amata* (= *Syntomis*) *phegea* (L.). *Proceedings of the Royal Society of London, B*, **183**: 227–247. (Ch. 5 p. 108)
- Nickisch-Rosenegk, E., von & Detzel, A., Wink, M. & Schneider, D. 1990. Carrier-mediated uptake of digoxin by larvae of the cardenolide sequestering moth, *Syntomeida epilais*. *Naturwissenschaften*, **77**: 336–338. (Ch. 5 p. 108)
- Berenbaum, M.R. & Zangerl, A.R. 2008. Facing the future of plant-insect interaction research: le retour à la "raison d'être". *Plant Physiology*, **146**: 804–808. (Ch. 5 p. 108)
- Berenbaum, M.R., Green, E.S. & Zangerl, A.R. 1993. Web costs and web defense in the Parsnip Webworm (Lepidoptera: Oecophoridae). *Environmental Entomology*, **22** (4): 791–795. (Ch. 5 p. 108-109)

- Beebe, W. & Kennedy, R. 1957. Habitats, palatability and mimicry in thirteen Ctenuchid moths from Trinidad, B.W.I. *Zoologica (N.Y.)*, **42**: 147-158. (Ch. 5 p. 109)
- Blest, A.D. 1964. Protective display and sound production in some New World Arctiid and Ctenuchid moths. *Zoologica (N.Y.)*, **49**: 161-181. (Ch. 5 p. 109)
- Eisner, T. & Eisner, M. 1992. *Euxoa auxiliaris*: a moth that sprays. *Psyche*, **99** (1): 3-13. (Ch. 5 p. 109)
- Moore, B.P., Brown, W.V. & Rothschild, M. 1990. Methylalkylpyrazines in aposematic insects, their hostplants and mimics. *Chemoecology*, **1** (2): 43-51. (Ch. 5 p. 110)
- Anon, 1972. 'Pig Sty' Moths. *The Entomologist*, **105**: 138. (Ch. 5 p. 110)
- Miller, J.C.V., Janzen, D.H. & Hallwachs, W. 2009. *100 Caterpillars: Portraits from the Tropical Forests of Costa Rica*. Belknap Press. 264 pp. (Ch. 5 p. 111)
- Conner, W.E., Boada, R., Schroeder, F., Gonzales, A., Meinwald, J., & Eisner, T.R. 2000. Chemical defense: bestowal of a nuptial alkaloidal garment by a male moth. *Proceedings of the National Academy of Sciences*, **97** (26): 14406-14411. (Ch. 5 p. 110)
- Dillon, P.M., Lowrie, S. & McKey, D. 1983. Disarming the "evil woman": petiole constriction by a sphingid larva circumvents mechanical defenses of its host plant, *Cnidioscolus urens* (Euphorbiaceae). *Biotropica*, **15** (2): 112-116. (Ch. 5 p. 110)
- Dussourd, D.E., Van Valkenburg, M., Rajan, K. & Wagner, D. L. 2019. A notodontid novelty: *Theroa zethus* caterpillars use behavior and anti-predator weaponry to disarm host plants. *PLoS ONE*, **14** (7): e0218994. (Not available at the time of writing). (Ch. 5 p. 110)
- Leong, T.M. 2011. The caterpillar and metamorphosis of *Erebus ephesperis* (Hübner, 1827) in Singapore (Lepidoptera: Erebiidae: Erebiinae: Erebinini). *Nature in Singapore*, **4**: 177-191. (Ch. 5 p. 112)
- Zilli, A. & Hogenes, W. 2002. An annotated list of the fruit-piercing moth genus *Eudocima* Billberg, 1820 (sensu Poole) with descriptions of four new species (Lepidoptera: Noctuidae, Catocalinae). *Quadrifina*, **5**: 153-207. (Ch. 5 p. 112-113)
- Zilli, A., Brou, V.A. Klem, C. & Zaspel, J. 2017. The *Eudocima* Billberg, 1820 of the Australian Region (Lepidoptera: Erebiidae). Pp. 631-655, Pls. 152-166 in: Telnov, D., Barclay, M.V.L. & Pauwels, O.S.G. (Eds), *Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea, Vol. 3*. The Entomological Society of Latvia. (Ch. 5 p. 112-113)
- Penacchio, O., Lovell, P.G., Cuthill, I.C., Ruxton, G.D. & Harris, J.M. 2015. Three-dimensional camouflage: exploiting photons to conceal form. *American Naturalist*, **186** (4): 553-563. (Ch. 5 p. 112-115)
- Kobayashi, S., Matsuoka, H., Kimura, M., Sohn, J.-C., Yoshiyasu, Y. and Lees, D.C. 2018. Designation of new family group name, Tonzidae for the genus *Tonza* Walker (Lepidoptera, Yponomeutoidea), based on immature stages of *Tonza citrorrhoea* Meyrick. *European Journal of Taxonomy*, **443**: 1-32. (Ch. 5 p. 115)
- Treiber, M. 1979. Composites as host plants and crypts for *Synchlora aerata* (Geometridae). *Journal of the Lepidopterists' Society*, **33** (4): 239-244. (Ch. 5 p. 116)
- Clifton, J. & Wheeler, J. 2016. *Bird-dropping Tortrix moths of the British Isles: A Field Guide to the Bird-dropping Mimics*. 2nd edn. Clifton & Wheeler. (Ch. 5 p. 117)
- Suzuki, T.N. & Sakurai, R. 2015. Bent posture improves the protective value of bird dropping masquerading by caterpillars. *Animal Behaviour*, **105**: 79-84. (Ch. 5 p. 117, 119)
- Piel, W. & Monteiro, A. 2011. Flies in the ointment make for convincing poop. *Yale Environmental News*, **16** (2): 13. (Ch. 5 p. 117)
- Low, P.A., McArthur, C. & Hochuli, D.F. 2016. Head capsule stacking by caterpillars: morphology complements behaviour to provide a novel defence. *PeerJ*, **4**: e1714. (Ch. 5 p. 118)
- Gower, D., Garrett, K. & Stafford, P. 2012. *Snakes: a comprehensive introduction to the biology and natural history of snakes*. Natural History Museum, London. 144 pp. [p. 88, 94]. (Ch. 5 p. 118)
- Janzen, D. H. 1980. Two potential coral snake mimics in a tropical deciduous forest. *Biotropica*, **12**: 77-78. (Ch. 5 p. 119)
- Siler, C.D. & Welton, L.J. 2010. Geographic variation in Philippine mimicry system: hypothesized widespread Coral Snake (*Hemibungarus calligaster*) mimicry by lepidopteran larvae (*Bracca* sp.) on Luzon Island, Philippines. *Herpetological Review*, 2010, **41** (4): 427-430. (Ch. 5 p. 119)
- Edwards, E.D. 2016. A chronological bibliography and digest of information about *Zelotypia stacyi* Scott, 1869, the bent-winged ghost moth (Hepialidae). *Australian Journal of Entomology*, **50**: 78-85. (Ch. 5 p. 120)

- Simonsen, T.J. 2018. Splendid ghost moths and their allies: a revision of Australian *Abantiades*, *Oncopera*, *Aenetus*, *Archaeoaenetus* and *Zelotypia* (Hepialidae). *Monographs on Australian Lepidoptera*, **12**. CSIRO publishing, Clayton South. 312 pp. (Ch. 5 p. 120)
- Janzen, D.H. & Hallwachs, W. Caterpillars, pupae, butterflies and moths of the ACG. <http://janzen.sas.upenn.edu/index.html>. (Ch 5 p. 120).
- Janzen, D.H., Hallwachs, W., Burns, J.M. 2010. A tropical horde of counterfeit predator eyes. *Proceedings of the National Academy of Sciences*, **107** (26): 11659–11665. (Ch. 5 p. 120)
- Howse, P. & Wolfe, K. 2011. *Giant Silkmoths: Colour, Mimicry & Camouflage*. Papadakis, Berkshire. 192 pp. (Ch. 5 p. 120)
- Rubin, J.J., Hamilton, C.A., McClurem C.J.W., Chadwell, B.A., Kawahara, A.Y. & Barber, J.R. 2018. The evolution of anti-bat sensory illusions in moths. *Science Advances*, **4**: eaar7428. DOI: 10.1126/sciadv.aar7428. (Ch. 5 p. 120-121)
- Howse, P. 2010. *Butterflies: Messages from the Psyche*. Papadakis, Berkshire. 192 pp. (Ch. 5 p. 120-121)
- Nekrutenko, Y.P. 1965. 'Gynandromorphic Effect' and the optical nature of hidden wing-pattern in *Gonepteryx rhamni* L. (Lepidoptera. Pieridae). *Nature*, **205** (4969): 417–441. (Ch. 5 p. 122)
- Lyytinen, A., Lindstro, L. & Mappes, J. 2004. Ultraviolet reflection and predation risk in diurnal and nocturnal Lepidoptera. *Behavioral Ecology*, **15** (6): 982–987. (Ch. 5 p. 122)
- Bates H.W. 1863. *The Naturalist on the River Amazons*. 2 vols, Murray, London. (Ch. 5 p. 123)
- Rothschild, M.L. 1985. British aposematic Lepidoptera. Pp. 9–62 in: Heath, J. & Emmet, A.M. (Eds.), *The moths and butterflies of Great Britain and Ireland, Vol. 2*. Harley Books, Colchester. (Ch. 5 p. 123)
- Boppré, M., Vane-Wright, R. I., & Wickler, W. 2017. A hypothesis to explain accuracy of wasp resemblances. *Ecology and Evolution*, **7** (1): 73–81. (Ch. 5 p. 123)
- Quicke, D.L.J. 2017. *Mimicry, Crypsis, Masquerade and Other Adaptive Resemblances*. Wiley-Blackwell. 576 pp. (Ch. 5 p. 123-127)
- Robinson, G.S. & Carter, D.J. 1989. The first vespiform tineid moth (Lepidoptera: Tineidae). *Systematic Entomology*, **14**: 259–273. (Ch. 5 p. 124)
- Leong, T.M. & D'Rozario, V. 2012. Mimicry of the weaver ant, *Oecophylla smaragdina* by the moth caterpillar, *Homodes bracteigutta*, the crab spider, *Amyciaea lineatipes*, and the jumping spider, *Myrmarachne plataleoides*. *Nature in Singapore*, **5**: 39–56. (Ch. 5 p. 124)
- Quicke, D.L.J., Skowron Volponi, M.A., Kitching, I.J., & Butcher, B.A. 2018. Scientific Note: First record of the remarkable clearwing moth, *Akaisphecia melanopuncta* O. Gorbunov & Arita, 1995 (Sesiidae: Sesiinae: Osminiini), from Thailand, with comments on likely Batesian mimicry. *Journal of Asia-Pacific Entomology*, **21** (2): 490–492. (Ch. 5 p. 124)
- Gibbs, G. W. & Lees, D. C. 2014. New Caledonia as an evolutionary cradle: a re-appraisal of the jaw-moth genus *Sabatinca* (Lepidoptera: Micropterigidae) and its significance for assessing the antiquity of the island's fauna. Pp. 241–268 in: Guilbert, É., Robillard, T., Jourdan, H. & Grandcolas, P. (Eds.), *Biodiversity studies in New Caledonia. (Zoologia Neocaledonica 8)*. Muséum national d'Histoire naturelle, Paris. (Ch. 5 p. 125)
- Newman, A. [2017]. *Lobster Moth* by Andy Newman. [http://www.andynewman.org/html/lobster\\_moth.html](http://www.andynewman.org/html/lobster_moth.html) (Ch. 5 p. 125)
- Solis, M.A., Yen, S.-H., Goolsby, J.H., Wright, A., Pemberton, R., Winotai, A., Chattrukul, U.N., Thagong, M. and Rimbut, S. 2005. *Siamusotima aranea*, a new stem-boring musotimine (Lepidoptera: Crambidae) from Thailand feeding on *Lygodium flexuosum* (Schizaeaceae). *Annals of the Entomological Society of America*, **98** (6): 887–895. (Ch. 5 p. 125-126)
- Rota, J. & Wagner, D.L. 2006. Predator mimicry: metalmark moths mimic their jumping spider predators. *PLoS ONE*, **1** (1): e45. (Ch. 5 p. 125-126)
- Bauer, F. 2016. Neotropical lepidopteran mimicry complex. <https://www.flickr.com/photos/franziskabauer/25772488391> (Ch. 5 p. 126)
- Nokelainen, O., Lindstedt, C. & Mappes, J. 2013. Environment-mediated morph-linked immune and life-history responses in the aposematic wood tiger moth. *Journal of Animal Ecology*, **82**: 653–662. (Ch. 5 p. 127)
- Wei, C.-H. & Yen, S.-H. 2015. Molecular phylogeny of the Epicopeiidae moths shows extremely high plasticity of the morphology of a quasi-Batesian mimic. *2015 Congress of Animal Behavior & Ecology, Chiayi, Taiwan*. (Ch. 5 p. 127)

- Kite, G.C., Fellows, L.E., Lees, D.C., Kitchen, D. & Monteith, G.B. 1991. Alkaloidal glycosidase inhibitors in nocturnal and diurnal uraniine moths and their respective foodplant genera, *Endospermum* and *Omphalea*. *Biochemical Systematics and Ecology*, **19** (6): 441–445. (Ch. 5 p. 127)
- Blest, A.D. 1963. Longevity, palatability, and natural selection in five species of New World satumiid moths. *Nature*, **197**: 1183–1186. (Ch. 5 p. 128)
- Longstaff, G.B. 1912. *Butterfly Hunting in Many Lands: Notes of a Field Naturalist. To which are added translations of papers by Fritz Müller on the scent-organs of butterflies and moths: with a note by Dr. E. B. Poulton, F.R.S.* Longmans, Green and Co., London. 728 pp., 16 pls.
- Manley, W.B.L. 1973. A guide to *Acleris cristana* (D. & S.) (Lep.: Tortricidae) in Britain. *Entomologist's Gazette*, **24**: 89–206. (Ch. 5 p. 128)
- Briolat, E.S., Burdfield-Steel, E.R., Paul, S.C., Rönkä, K.H., Seymoure, B.M., Stankowich, T. & Stuckert, A.M. 2019. Diversity in warning coloration: selective paradox or the norm? *Biological Reviews*, **94**: 388–414. (Ch. 5 p. 128–129)
- Teder, T., Esperk, T., Remmel, T. Sang, A. & Tammar, T. 2010. Counterintuitive size patterns in bivoltine moths: late-season larvae grow larger despite lower food quality. *Oecologia*, **162** (1): 117–125. (Ch. 5 p. 128–129)
- Mutanen, M. & Kaitala, A. 2006. Genital variation in a dimorphic moth *Selenia tetralunaria* (Lepidoptera, Geometridae). *Biological Journal of the Linnean Society*, **87** (2): 297–307. (Ch. 5 p. 128–129)
- Greene, E., 1989. A diet-induced developmental polymorphism in a caterpillar. *Science*, **243**: 643–646. (Ch. 5 p. 129)
- Sbordoni, V., Bullini, L., Scarpelli, G., Forestiero, S, & Rampini, M. 1979. Mimicry in the burnet moth *Zygaena ephialtes*: population studies and evidence of a Batesian—Müllerian situation. *Ecological Entomology*, **4** (1): 83–93. (Ch. 5 p. 129)
- Chiocchio, A., Arduino, P., Cianchi, R., Canestrelli, D. & Zilli, A. 2019. Unveiling cryptic diversity among Müllerian co-mimics: insights from the Western Palearctic *Syntomis* moths (Lepidoptera: Erebidae). doi: <https://doi.org/10.1101/794602>. (Ch. 5 p. 129)
- Janzen, D.H. 1984. Weather-related color polymorphism of *Rothschildia lebeau* (Saturniidae). *Bulletin of the Entomological Society of America*, **30** (2): 16–21. (Ch. 5 p. 129)
- Greene, E., 1989. A diet-induced developmental polymorphism in a caterpillar. *Science*, **243**: 643–646. (Ch. 5 p. 129)
- Mazzei, P. & Reggianti, D. 1999. Polymorphism in hawkmoths larvae. <http://web.tiscali.it/pmazzei/> (Ch. 5 p. 129)
- Majerus, M.E.N. 1978. *The control of larval colour in Phlogophora metichlosa L. (Lepidoptera: Noctuidae) and some of its consequences*. PhD Thesis, Royal Holloway College, University of London. <https://repository.royalholloway.ac.uk/file/d5444756-9612-48ef-995e-d0af8df3a565/1/10097450.pdf>, (Ch. 5 p. 129)
- Majerus, M.E.N. 2002. Moths. New Naturalist series, 90. Collins, London, UK. (Ch. 5 p. 129)
- Lumaret, J.-P. & Peyriéras, A. 1982. Insectes Coléoptères Cetoniidae Euchroea, part II: Biologie et formes larvaires. Faune de Madagascar, 57. Gouvernement de la République Malgache. Paris: ORSTOM CNRS. (Ch. 5 p. 130)
- Staude, H.S., Mecenero, S., Oberprieler, R.G., Sharp, A., Sharp, I., Williams, M.C. & Maclean, M. 2016. An illustrated report on the larvae and adults of 962 African Lepidoptera species. Results of the Caterpillar Rearing Group: a novel, collaborative method of rearing and recording lepidopteran life-histories *Metamorphosis*, **27**: supplementary material. Lepidopterists' Society of Africa, Knysna, South Africa. (Ch. 5 p. 130)
- Staude, H.S. & Sihvonen, P. 2014. Revision of the African geometrid genus *Zerenopsis* C. & R. Felder – moths with peculiar life histories and mating behaviours (Geometridae: Ennominae: Diptychini). *Metamorphosis*, **25**: 11–55. (Ch. 5 p. 130)
- Minet, J. & Surlykke, A. 2003. Sound producing and auditory organs. Pp. 289–323 in: Kristensen, N.P. (Ed.), *Handbook of Zoology, Arthropoda, Insecta, Lepidoptera, Moths and Butterflies, Vol.2. Morphology, Physiology, and Development*. Walter de Gruyter, Berlin. (Ch. 5 p. 130–133)
- Barber, J.R. & Kawahara, A.Y. 2013. Hawkmoths produce anti-bat ultrasound. *Biology Letters*, **9**: 20130161. (Ch. 5 p. 130)
- Kawahara, A.Y., Plotkin, D., Espeland, M., Meusemann, K., Toussaint, A.F.A., Donath, A., Gimnich, F., Frandsen, P.B., Zwick, A., dos Reis, M., Barber, J.R., Peters, R.S., Liu, S., Zhou, X., Mayer, C., Podsiadlowski, L., Storer,

- C., Yack, J.E., Misof, B. & Breinholt, J.W. 2019. Phylogenomics reveals the evolutionary timing and pattern of butterflies and moths. *Proceedings of the National Academy of Sciences*.  
<https://doi.org/10.1073/pnas.1907847116>. (Not available at time of writing). (Ch. 5 p. 130)
- Conner, W.E. 1999. 'Un chant d'appel amoureux': acoustic communication in moths. *Journal of Experimental Biology*, **202**: 1711–1723. (Ch. 5 p. 130-131)
- Treat, A.E. 1975. *Mites of moths and butterflies*. Cornell University Press. 362 pp. (Ch. 5 p. 131)
- Göpfert, M.C. & Wasserthal, L.T. 1999. Hearing with the mouthparts: behavioural responses and the structural basis of ultrasound perception in acheroiine hawkmoths. *Journal of Experimental Biology*, **202**: 909–918. (Ch. 5 p. 131)
- Corcoran, A. & Hristov, N.I., 2014. Convergent evolution of anti-bat sound. *Journal of Comparative Physiology*, **200** (9): 811-821. (Ch. 5 p. 131)
- Dowdy, N.J. 2017. *Aerial warfare between bats and moths: efficacy of acoustic aposematism, flight behaviors of unpalatable prey, and two novel anti-bat strategies*. PhD Thesis, Wake Forest University. 210 pp. (Ch. 5 p. 131)
- Rothschild, M.L. 1985. British aposematic Lepidoptera. Pp. 9–62 in Heath, J. & Emmet, A.M. (Eds.), *The moths and butterflies of Great Britain and Ireland, Vol. 2*. Harley Books, Colchester. (Ch. 5 p. 131)
- Agee, H.R. 1969. Response of *Heliothis* spp. (Lepidoptera: Noctuidae) to ultrasound when resting, feeding, courting, mating, or ovipositing. *Annals of the Entomological Society of America*, **62** (5): 1122–1128. (Ch. 5 p. 131)
- Agee, H.H. 1971. Ultrasound produced by wings of adults of *Heliothis zea*. *Journal of Insect Physiology*, **17** (7): 1267–1273. (Ch. 5 p. 131)
- Willmott, A.P. & Ellington, C.P. 1997. The mechanics of flight in the hawkmoth *Manduca sexta*. I. Kinematics of hovering and forward flight. *Journal of Experimental Biology*, **200**: 2705–2722. (Ch. 5 p. 131)
- Dorsett, D.A. 1962. Preparation for flight by hawk-moth. *Journal of Experimental Biology*, **39**: S79-S88. (Ch. 5 p. 131-132)
- Wu, G. & Zeng, L. 2009. Measuring the kinematics of a free-flying hawk-moth (*Macroglossum stellatarum*) by a comb-fringe projection method. *Acta Mechanica Sinica*, **26**: 67–71. (Ch. 5 p. 132)
- Agassiz, D.J.L., 2017. Do small ermine moths sing? Possible stridulatory sound production in Yponomeutidae (Lepidoptera). *Journal of Natural History*, **51** (21-22): 1229–1236. (Ch. 5 p. 132)
- Ahlén, I. 1997. Fältobservationer av ultraljud hos [Field observations of ultrasonic sounds]. *Entomologie Tidskrift*, **1** (18): 197–199. (Ch. 5 p. 132)
- Ahlén, I. 2006. Ljud från fjärilar [Sound of butterflies]. *Faunaochflora*, **100** (2): 2–5. (Ch. 5 p. 132)
- O'Reilly, L.J., Agassiz, D.J.L., Neil, T.R. & Holderied, M.W. 2019. Deaf moths employ acoustic Müllerian mimicry against bats using wingbeat-powered tymbals. *Scientific Reports*, **9**: 1444. (Not available at time of writing). (Ch. 5 p. 132)
- Buchanan White, F. 1872. The Scottish Naturalist. Pp. 213-214. (Ch. 5 p. 132)
- Skals, N., Surlykke, A. & Serensen, H. 1997. Sound production with an abdominal "tymbal" organ in a noctuid moth *Pseudaips fagana*. *Bioacoustics*, **8** (3-4): 263. (Ch. 5 p. 132)
- Skals, N. & Surlykke, A. 1999. Sound production by abdominal tymbal organs in two moth species: the green silver-line and the scarce silver-line (Noctuoidea: Nolidae: Chloephorinae). *Journal of Experimental Biology*, **202**: 2937–2949. (Ch. 5 p. 132)
- Fletcher, L.E., Yack, J.E., Fitzgerald, T.D. & Hoy, R.R. 2006. Vibrational Communication in the Cherry Leaf Roller Caterpillar *Caloptilia serotinella* (Gracillarioidea: Gracillariidae). *Journal of Insect Behavior*, **19** (1): 1-18. (Ch. 5 p. 133)
- Low, C. 2008. Seismic behaviors of a leafminer, *Antispila nysaefoliella* (Lepidoptera: Heliozelidae). *Florida Entomologist*, **91**: 604–609. (Ch. 5 p. 133)
- Hunter, M.D. 1987. Sound production in larvae of *Diurnea fagella* (Lepidoptera: Oecophoridae). *Ecological Entomology*, **12** (3): 355–357. (Ch. 5 p. 133)
- Ochmann, A. 1937. Eine miszierende Raupe (*Chimabache fagella* F., die "Sängerin"). *Mikrokosmos*, **30** (6): 98–100. (Ch. 5 p. 133)

## Chapter 6

- Schmitz, P. & Rubinoff, D. 2011. Ecologically and morphologically remarkable new cosmet moth species of the genus *Hyposmocoma* (Lepidoptera: Cosmopterigidae) endemic to the Hawaiian islands, with reference to

- the spectacular diversity of larval cases. *Annals of the Entomological Society of America*, **104**: 1–15. (Ch. 6 p. 134-135)
- Nieukerken, E.J., van Kaila, L., Kitching, I.J., Kristensen, N.P., Lees, D.C., Minet, J., Mitter, C., Mutanen, M., Regier, C., Simonsen, T.J., Wahlberg, N., Yen, S.-H., Zehner, R., Adamski, D., Baixeras, J., Bartsch, D., Bengt, Å, Brown, J.W., Bucheli, S.R., Davis, D.R., De Prins, J., De Prins, W., Epstein, M.E., Gentili-Poole, P., Hättenschwiler, P., Hausmann, A., Holloway, J.D., Kallies, A., Karsholt, O., Kawahara, A.Y., Koster, S.J.C., Kozlov, M.V., Lafontaine, J.D., Lamas, G., Landry, J.-F., Lee, S., Nuss, M., Park, K.-T., Penz, C., Rota, J., Schintlmeister, A., Schmidt, B.C., Sohn, J.-C. Solis, M.A., Tarmann, G.M., and Warren, A.D., Weller, S., Yakovlev, R.V., Zolotuhin, V.V. and Zwick, A. 2011. Order Lepidoptera Linnaeus, 1758. In: Zhang, Z.-Q. (Ed.) *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness*. *Zootaxa*, **3148**: 212–221. (Ch. 6 p. 135-136)
- Baldizzone, G., Wolf, H.W. van der, & Landry, J.-F. 2006. *World Catalogue of Insects. Volume 8. Coleophoridae, Coleophorinae (Lepidoptera)*. Apollo Books, Stenstrup. 215 pp. (Ch. 6 p. 135)
- Lees, D.C., Kawahara, A.Y., Rougerie, R., Ohshima, I., Kawakita, A., Bouteleux, O., de Prins, J and Lopez-Vaamonde, C. 2014. DNA barcoding reveals a largely unknown fauna of Gracillariidae leaf-mining moths in the Neotropics. *Molecular Ecology Resources*, **14** (2): 286–296. (Ch. 6 p. 135-136)
- Agassiz, D.J.L., Beavan, S.D. & Heckford, R.J. 2013. Checklist of the Lepidoptera of the British Isles (Handbooks for the Identification of British Insects). Royal Entomological Society, London. (Ch. 6 p. 136)
- Agassiz, D.J.L., Beavan, S.D. & Heckford, R.J. 2016. Addenda and amendments to a checklist of the Lepidoptera of the British Isles on account of subsequently published data. *Entomologist's Record and Journal of Variation*, **128**: 94–98. (Ch. 6 p. 136)
- Lopez-Vaamonde C., Sire, L., Rasmussen B., Rougerie R., Wieser C., Allaoui A., Minet, J., deWaard J.R, J., Decaens T. & Lees, D.C. 2019. DNA barcodes reveal deeply neglected diversity and numerous invasions of micromoths in Madagascar. *Genome*, **62** (3): 108–121. (Ch. 6 p. 136)
- Pohl, G.R., Patterson, B., & Pelham, J.P. 2016. *Annotated taxonomic checklist of the Lepidoptera of North America, North of Mexico*. Working paper published online by the authors at ResearchGate.net. 766 pp. (Ch. 6 p. 136)
- Nielsen, E.S., Edwards, E.D. & Rangsi, T.V. 1996. *Checklist of the Lepidoptera of Australia. Monographs on Australian Lepidoptera, volume 4*. CSIRO Publishing, Collingwood, Melbourne. 529 pp. (Ch. 6 p. 136)
- Common, I.F.B. 1994. *Oecophorine Genera of Australia. I. The Wingia group (Lepidoptera: Oecophoridae)*. CSIRO Publications. Melbourne. 390 pp. (Ch. 6 p. 136)
- Ishizuka, K. 2011. *Catocala of the World*. In Yazaki, K. (Ed). *Mushi-Sha's Handbook Series of Insects, volume 1*. [In Japanese]. 108 pp. (Ch. 6 p. 136-137)
- Wilkes, B. 1749. *The English Moths and Butterflies*. Benjamin Wilkes, London. (Ch. 6 p. 138)
- Emmet, A.M. 1991. *The Scientific Names of the British Lepidoptera - their History and Meaning*. Harley Books, Colchester, Essex. 288 pp. (Ch. 6 p. 138-139)
- ICZN (The International Code of Zoological Nomenclature), 2000. 4th Edition. <https://www.iczn.org/the-code/the-international-code-of-zoological-nomenclature/>. (Ch. 6 p. 139)
- Błeszyński, S. 1964. Revision of the world species of the family Crambidae (Lepidoptera). Part 2. Genera: *Pseudocatharylla* Blesz., *Classeya* Blesz., *Pseudoclasseya* Blesz. and *Argentochiloides* Blesz. *Acta zoologica cracoviensia*, **9** (11): 683–760. (Ch. 6 p. 139)
- Landry, B. 1995. A phylogenetic analysis of the major lineages of the Crambinae and of the genera of Crambini of North America (Lepidoptera: Pyralidae). *Memoirs on Entomology International, Gainesville*, **1**: 1–242. (Ch. 6 p. 139)
- Kearfott, W.D. 1907. New North American Tortricidae. *Transactions of the American Entomological Society*, **33**: 1–98. (Ch. 6 p. 139)
- Robinson, G.S. 2008. Hidden diversity in small brown moths: the systematics of *Edosa* (Lepidoptera: Tineidae) in Sundaland. *Systematics and Biodiversity*, **6** (3): 319–384. (Ch. 6 p. 139)
- Viette, P. 1977. Un nouveau genre et deux espèces nouvelles de lépidoptères Thyrididae malgaches. *Bulletin bimensuel de la Société linnéenne de Lyon*, **46** (7):246–250. (Ch. 6 p. 139)
- Minet, J. 1991. Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). *Entomologica Scandinavica*, **22** (1): 69–95. (Ch. 6 p. 139)



- Rothschild, H. 2012. The Baroness. The Search for Nica, the Rebellious Rothschild and Jazz's Secret Muse. Virago, London. (Ch. 6 p. 139)
- Hebert, P.D., Cywinska, A., Ball, S.L. & deWaard, J.R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society (Biological Sciences)*, **270** (1512): 313–321. (Ch. 6 p. 140)
- Ratnasingham, S. & Hebert, P.D. 2007. BOLD: The barcode of life data system (<http://www.barcodinglife.org>). *Molecular Ecology Resources*, **7**: 355–364. (Ch. 6 p. 140)
- Lughadha, E.N., Govaerts, R., Belyaeva, I., Black, N., Lindon, H., Allkin, R., Magill, R.E. & Nicolson, N. 2016. Counting counts: revised estimates of numbers of accepted species of flowering plants, seed plants, vascular plants and land plants with a review of other recent estimates. *Phytotaxa*, **272** (1): 82–88. (Ch. 6 p. 141).
- Christenhusz, M.J. & Byng, J.W. 2016. The number of known plants species in the world and its annual increase. *Phytotaxa*, **261** (3): 201–217. (Ch. 6 p. 141)
- Novotny, V., Basset, Y., Miller, S.E., Welblen, G.D., Bremer, B., Clzek, L. & Drozd, P. 2002. Low host specificity of herbivorous insects in a tropical forest. *Nature*, **416**: 841–843. (Ch. 6 p. 142)
- Forister, M.L., Novotny, V., Panorska, A.K., Baje, L., Basset, Y., Butterill, P.T., Cizek, L., Coley, P.D., Dem, F., Diniz, I.R., Drozd, P., Fox, M., Glassmire, A.E., Hazen, R., Hrcek, J., Jahner, J.P., Kaman, O., Kozubowski, T.J., Kursar, T.A., Lewis, O.T., Lill, J., Marquis, R.J., Miller, S.E., Morais, H.C., Murakami, M., Nickel, H., Pardikes, N.A., Ricklefs, R.E., Singer, M.S., Smilanich, A.M., Stireman, J.O., Villamarín-Cortez, S., Vodka, S., Volf, M., Wagner, D.L., Walla, T., Weiblen, G.B., & Dyer, L.A. 2015. Global insect herbivore diet breadth. *Proceedings of the National Academy of Sciences*, **112** (2): 442–447. (Ch. 6 p. 142)
- Levins, R. & MacArthur, R.H. 1969. A hypothesis to explain the incidence of monophagy. *Ecology*, **50**: 910–911. (Ch. 6 p. 142)
- Bell, J.R., Bohan, D.A., Shaw, E.M. & Gabe, W. 2005. Ballooning dispersal using silk: world fauna, phylogenies, genetics and models. *Bulletin of Entomological Research*, **95** (2): 69–114. (Ch. 6 p. 142)
- Barbosa, P., Krischik, V & Lance, D. 1989. Life-history traits of forest-inhabiting flightless Lepidoptera. *American Midland Naturalist*, **122**: 262–274. (Ch. 6 p. 142)
- Beevers, M., Lewis, W. J., Gross, H. R., Jr & Noldus, D. A. 1981. Kairomones and their use for management of entomophagous insects: X. Laboratory studies on manipulation of host-finding behavior of *Trichogramma pretiosum* Riley with a kairomone extracted from *Heliothis zea* (Boddie) moth scales. *Journal of Chemical Ecology*, **7**: 635–648. (Ch. 6 p. 143)
- Davis, R.H. & Nahrsted, A. 1979. Linamarin and lotaustralin as the source of cyanide in *Zygaena filipendulae* L. (Lepidoptera). *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry*, **64** (4): 395–397. (Ch. 6 p. 143)
- Zagrobelnya, M. & Møller, B.L. 2011. Cyanogenic glucosides in the biological warfare between plants and insects: The Burnet moth-Birdsfoot trefoil model system. *Phytochemistry*, **72** (13): 1585–1592. (Ch. 6 p. 143)
- Feeny, P.P. 1976. Plant apparency and chemical defense. *Recent Advances in Phytochemistry*, **10**: 1–40. (Ch. 6 p. 143)
- Kennedy, C.E.J. & Southwood, T.R.E. 1984. The number of species of insect associated with British trees: a re-analysis. *Journal of Animal Ecology*, **53**: 455–478. (Ch. 6 p. 143)
- Southwood, T.R.E. 1961. The number of species of insect associated with various trees. *Journal of Animal Ecology*, **30**: 1–8. (Ch. 6 p. 143)
- Pohl, G.R., Patterson, B., & Pelham, J.P. 2016. Annotated taxonomic checklist of the Lepidoptera of North America, North of Mexico. Working paper published online by the authors at ResearchGate.net. DOI: 10.13140/RG.2.1.2186.3287. 766 pp. (Ch. 6 p. 144)
- Brown, J. W. 2018. Patterns of Lepidoptera herbivory on conifers. *Journal of Asia-Pacific Biodiversity*, **11** (1): 1–10. (Ch. 6 p. 144)
- Robinson, G.S., Ackery, P.R., Kitching, I.J., Beccaloni, G.W. & Hernández, L.M. 2010. HOSTS - A Database of the World's Lepidopteran Hostplants. Natural History Museum, London. <http://www.nhm.ac.uk/hosts>. (Ch. 6 p. 144)
- Yashui., H. 2001. Sequestration of host plant-derived compounds by geometrid moth, *Milionia basalis*, toxic to a predatory stink bug, *Eocanthecona furcellata*. *Journal of Chemical Ecology*, **27** (7): 1345–1353. (Ch. 6 p. 148)
- Nishida, R. 2002. Sequestration of defensive substances from plants by Lepidoptera. *Annual Review of Entomology*, **47**: 57–92. (Ch. 6 p. 144)

- Staude, H.S. 2001. A revision of the genus *Callioratis* Felder (Lepidoptera: Geometridae: Diptychinae). *Metamorphosis*, **12** (4): 125–156. (Ch. 6 p. 144)
- Weintraub, J.D., Lawton, J.H. & Scoble, M.J. 1995. Lithinine moths on ferns: a phylogenetic study of insect-plant interactions. *Biological Journal of the Linnean Society*, **55** (3): 239–250.
- Yen, S.H. & Wu, S. 2015. *Hexapoda: Lepidoptera, Noctuoidea, Noctuidae, Eriopinae. Biota Taiwanica*. 91 pp. National Sun Yat-Sen University & National Science Council. (Ch. 6 p. 145)
- Mally, R., Leger, T., Vairappan, C.S., Sutton, S. & Nuss, M. 2017. Discovery of another fern-feeding group of moths: the larvae of Hoploscopini (Insecta: Lepidoptera: Pyraloidea) from Borneo. *Raffles Bulletin of Zoology*, **65**: 100–108. (Ch. 6 p. 145)
- Lawton, J. H. 1976. The structure of the arthropod community on bracken. *Botanical Journal of the Linnean Society*, **73**: 187–216. (Ch. 6 p. 145)
- Lawton, J. H. 1983. Plant architecture and the diversity of phytophagous insects. *Annual Review of Entomology*, **28**: 23–39. (Ch. 6 p. 145)
- Kaplanis, J.N., Thompson, M.J., Robbins, W.E. & Bryce, B.M. 1967. Insect hormones: alpha ecdysone and 20-hydroxyecdysone in bracken fern. *Science*, **157** (3795): 1436–1438. (Ch. 6 p. 145)
- Pescott, O.L., Simkin, J.M., August, T.A. Randle, Z., Dore, A.J. & Botham, M.S. 2015. Air pollution and its effects on lichens, bryophytes, and lichen-feeding Lepidoptera: review and evidence from biological records. *Biological Journal of the Linnean Society*, **115** (3): 611-635. (Ch. 6, p. 145)
- Glime, J.M. 2017. Terrestrial Insects: Holometabola – Lepidoptera: Micropterigoidea – Gelechioidea. Chapt. 12–13. In Glime, J.M. Bryophyte Ecology. Volume 2. Bryological Interaction. Ebook sponsored by Michigan Technological University and the International Association of Bryologists. Last updated 21 April 2017 and available at <<http://digitalcommons.mtu.edu/bryophyte-ecology2/>>. (Ch. 6 p. 145-146)
- Gibbs, G. W. 2014. Micropterigidae (Insecta: Lepidoptera). *Fauna of New Zealand*, **72**. 127 pp. (Ch. 6 p. 146)
- Imada, Y., Kawakita, A. & Kato, M. 2011. Allopatric distribution and diversification without niche shift in a bryophyte-feeding basal moth lineage (Lepidoptera: Micropterigidae). *Proceedings of the Royal Society B*, **278** (1721): 3026-3033. (Ch. 6 p. 146)
- Guiget, A., Issei, O., Takeda, S., Laurens, F., Lopez-Vaamonde, C. & Giron, D. 2019. Origin of gall-inducing from leaf-mining in *Caloptilia* micromoths (Lepidoptera, Gracillariidae). *Scientific Reports*, **9** (1): 6794. (Ch. 6 p. 145)
- Bruzzese, D.J., Wagner, D.L., Harrison, T., Jogesh, T., Overson, R.P., Wickett, N.J., Raguso, R.A. & Skogen, K.A. 2019. Phylogeny, host use, and diversification in the moth family Momphidae (Lepidoptera: Gelechioidea). *PLoS ONE*, **14** (6): e0207833. (Ch. 6 p. 145)
- Day, M.D., Segura, R. & Martinez, M. 1997. Life cycle and host range of the gall-forming moth, *Meska horror* (Lepidoptera: Thyrididae), and its suitability as a biological control agent for *Sida acuta* and *Sida rhombifolia* (Malvaceae). *BioControl*, **42** (3): 393–403. (Ch. 6 p. 146)
- Rickards, J., Kelleher, M.J. & Storey, K. 1987. Strategies of freeze avoidance in larvae of the Goldenrod Gall Moth, *Epiblema scudderiana*: winter profiles of a natural population. *Journal of Insect Physiology*, **33**: 443–450. (Ch. 6 p. 146)
- Medonca, M. de S. Jr., Toma, T.S.P. & da Silva, J.S. 2014. Pp. 221-225 in: Fernandes, G.W. & Santos, J.C. (Eds). *Neotropical Insect Galls*. Springer, Dordrecht. (Ch. 6 p. 146)
- Nieukerken, E. J. van, Doorenweerd, C., Nishida, K., & Snyers, C. 2016. New taxa, including three new genera show uniqueness of Neotropical Nepticulidae (Lepidoptera). *ZooKeys*, **628**: 1–63. (Ch. 6 p. 147)
- Müller, G.C., Kravchenko, V.D., Revay, E.E., Speidel, W., Mooser, J., Beredin, S. & Witt, T. 2010. The Nolidae of Jordan: Distribution, Phenology and Ecology. *Entomofauna Ansfelden*, **31** (8): 69–84. (Ch. 6 p. 147)
- Toussaint, E.F.A., Condamine, F.L., Kergoat, G.J., Capdevielle-Dulac, C., Barbut, J., Silvain, J.-F. & Le Ru, B.P. 2012. Palaeoenvironmental shifts drove the adaptive radiation of a noctuid stemborer tribe (Lepidoptera, Noctuidae, Apameini) in the Miocene. *PLoS ONE*, **7** (7): e41377. (Ch. 6 p. 147)
- Adams, M.-O., Seifert, C.L., Lehner, L., Truxa, C., Wanek, W. & Fiedler, K. 2016. Stable isotope signatures reflect dietary diversity in European forest moths. *Frontiers in Zoology*, **13**: 37. (Ch. 6 p. 147)
- Rougerie, R., Smith, M.A., Fernandez-Triana, J., Lopez-Vaamonde, C., Ratnasingham, S. & Hebert, P.D. 2011. Molecular analysis of parasitoid linkages (MAPL): gut contents of adult parasitoid wasps reveal larval host. *Molecular Ecology*, **20** (1):179-186. (Ch. 6 p. 147)

- Hausmann, A., Diller, J., Moriniere, J., Höcherl, A., Floren, A. & Haszprunar, G. 2019. DNA Barcoding of fogged caterpillars in Peru: A novel approach for unveiling host-plant relationships of tropical moths (Insecta, Lepidoptera). <https://doi.org/10.1101/799221>. (Not available at time of writing). (Ch. 6 p. 147)
- Kaila, L., Nupponen, K., Gorbunov, P.Y., Mutanen, M. & Heikkilä, M. 2019. Ustyurtiidae, a new family of Urodoidea with description of a new genus and two species from Kazakhstan, and discussion on possible affinity of Urodoidea to Schreckensteinioidae (Lepidoptera). *Insect Systematics & Evolution* [2019]. doi:10.1163/1876312X-00002209. (Ch. 6 p. 148)
- Kravchenko, V. & Müller, G. 2008. Seasonal and spatial distribution of noctuid moths (Lepidoptera: Noctuidae) in the northern and central Arava Valley, *Israel Journal of Entomology*, **38**: 19–34. (Ch. 6 p. 148)
- Yakovlev, R.V. & Dubatolov, V.V. 2013. Distribution of Carpenter-Moths (Lepidoptera, Cossidae) in the Palearctic Deserts. *Entomological Review*, **93** (8): 991–1004. (Ch. 6 p. 148)
- Tuttle, J.P. 2007. *The Hawk Moths of North America*. Allen Press, Lawrence, Kansas. 235 pp. (Ch. 6 p. 148)
- Powell, J.A. 1989. Synchronized, mass-emergences of a yucca moth, *Prodoxus Y-inversus*. *Oecologia*, **81** (4): 490–493. (Ch. 6 p. 148)
- Powell, J.A. 2001. Longest insect dormancy: Yucca Moth Larvae (Lepidoptera: Prodoxidae) metamorphose after 20, 25, and 30 Years in diapause. *Annals of the Ecological Society of America*, **94** (5): 1–4. (Ch. 6 p. 148)
- Davis, D.R. & Landry, J.-F. 2012. A review of the North American genus *Epimartyria* (Lepidoptera, Micropterigidae) with a discussion of the larval plastron. *ZooKeys*, **183**: 37–83. (Ch. 6 p. 148)
- Speidel, W. 1985. Revision der Acentropinae des Palearktischen Faunen Gebietes (Lepidoptera: Crambidae). *Nachrichten des Entomologische Vereins Apollo, N.F.*, **12**. (PhD thesis, in German). (Ch. 6 p. 148-149)
- Vallenduuk, H.J. & Cuppen, H.M.J. 2004. The aquatic living caterpillars (Lepidoptera: Pyraloidea: Crambidae) of Central Europe. A key to the larvae and autecology. *Lauterbornia*, **49**: 1–17. (Ch. 6 p. 148-149)
- Mey, W. & Speidel, W. 2018. Global Diversity of Butterflies (Lepidoptera) [sic] in freshwater. *Hydrobiologica*, **595**: 521–528. (Ch. 6 p. 148-149)
- Speidel, W. 2002. Insecta: Lepidoptera: Crambidae: Acentropinae. Pp. 87–148, 2 pls. in: Schwoerbel, J. & Zwick, P. (Eds), *Süßwasserfauna von Mitteleuropa 17*. Spektrum Akademischer Verlag, Heidelberg & Berlin. (Ch. 6 p. 148-149)
- Bürgis, H. 1992. Die Wassermotte *Acentropus niveus*, ein Unterwasserschmetterling. *Mikrokosmos*, **81**: 362–367. (Ch. 6 p. 148-149)
- Berg K., 1942. Contributions to the biology of the aquatic moth *Acentropus niveus* (Oliv). *Videnskabelige Meddelelser fra Dansk naturhistorisk Forening i København*, **105**: 59–139, 2 pls. (Ch. 6 p. 149)
- Pabis, K. 2018. What is a moth doing under water? Ecology of aquatic and semi-aquatic Lepidoptera. *Knowledge of Management of Aquatic Ecosystems*, **419**: 42–51. (Ch. 6 p. 149)
- Batra, S.W.T. 1977. Bionomics of aquatic moth *Acentropus niveus* (Olivier), a potential biological control agent for Eurasian Watermilfoil and *Hydrilla*. *Journal of the New York Entomological Society*, **85** (3): 143–152. (Ch. 6 p. 149)
- Rubinoff, D. & Schmitz, P. 2010. Multiple aquatic invasions by an endemic, terrestrial Hawaiian moth radiation. *Proceedings of the National Academy of Sciences*, **107** (13): 5903–5906. (Ch. 6 p. 149)
- Schmitz, P. & Rubinoff, D. 2011. Ecologically and morphologically remarkable new cosmet moth species of the genus *Hyposmocoma* (Lepidoptera: Cosmopterigidae) endemic to the Hawaiian islands, with reference to the spectacular diversity of larval cases. *Annals of the Entomological Society of America*, **104**: 1–15. (Ch. 6 p. 149)
- Meneses, A.R., Bevilaqua, M.V.O.; Hamada, N., & Querino, R.B. 2013. The aquatic habit and host plants of *Paracles klagesi* (Rothschild) (Lepidoptera, Erebidae, Arctiinae) in Brazil. *Revista Brasileira de Entomologia*, **57** (3): <http://dx.doi.org/10.1590/S0085-56262013005000025>. (Ch. 6 p. 149)
- Robinson, G.S. 1980. Cave dwelling tineid moths: a taxonomic review of the world species (Lepidoptera: Tineidae). *Transactions of the British Cave Research Association*, **7**: 83–120. (Ch. 6 p. 149-150)
- Medeiros, M.J., Davis, D., Howarth, F.G. & Gillespie, R. 2009. Evolution of cave living in Hawaiian *Schrankia* (Lepidoptera: Noctuidae) with description of a remarkable new cave species. *Zoological Journal of the Linnean Society*, **156** (1): 114–139. (Ch. 6 p. 150)
- Bella, S. 1999. Presenza di *Orectis proboscidata* in ambiente ipogeo sull'Etna (Lepidoptera, Noctuidae). *Bollettino della Società entomologica italiana*, **131** (3): 253–257. (Ch. 6 p. 150)

- Rákósy, L. 2003-2004. Lepidoptere din peșterile României [Lepidoptera of Romanian Caves]. *Buletin de Informare Entomologica*, **14–15**: 201–206, 2003–2004. (Ch. 6 p. 150).
- Zilli, A. 1992. Troglifilia locale in popolazioni appenniniche di *Nudaria mundana* (Linnaeus, 1761) (Lepidoptera, Arctiidae). *Bollettino dell'Associazione Romana di Entomologia*, **46** (1/4): 65–75. (Ch. 6 p. 150).
- Tercafs, R. 2000. A study of the parameters triggering the exit of the troglone species *Scoliopteryx libatrix* L. (Lepidoptera Noctuidae) at the end of the winter ecophase. *Memoires de Biospeologie*, **27**: 131–139. (Ch. 6 p. 150).
- Tercafs, R. & Thinès, G. 1972. Le comportement de *Triphosa dubitata* L., lépidoptère troglone. Intervention d'un stimulus optique lors de la pénétration annuelle de l'espèce en milieu souterrain. *Annales de Spéléologie*, **27** (1): 253–262. (Ch. 6 p. 150).
- Tercafs, R. & Thinès, G. 1973. Étude des déclencheurs visuels intervenant lors de la pénétration souterraine de *Scoliopteryx libatrix* L. et *Triphosa dubitata* L. (Lépidoptères troglones). *Annales de spéléologie*, **28** (2): 177–181. (Ch. 6 p. 150).
- Bourne, J.D. & Cherix, D. 1978. Note sur l'écophase souterraine de *Triphosa dubitata* L. (Lep., Geometridae) et *Scoliopteryx libatrix* L. (Lep., Noctuidae). *Bulletin de la Société Vaudoise des Sciences Naturelles*, **74** (354): 147–156. (Ch. 6 p. 150).
- Bouvet, Y., Turquin, M. J., Bornard, C., Desvignes, S. & Notteghem, P. 1974. Quelques aspects de l'écologie et de la biologie de *Triphosa* et *Scoliopteryx* lépidoptères cavernicoles. *Annales de Spéléologie*, **29** (2): 229–236. (Ch. 6 p. 150).
- Turquin, M.J. 1994. Lepidoptera. Pp. 333–339 in: Juberthie, C. & Decu, V. (Eds.), *Encyclopaedia Biospeologica 1*. Societate de Biospeologie Moulis, Bucarest. (Ch. 6 p. 150).
- Kim, D.S., Park, S.J., Han, S.H., Choi, D.W., Choi, Y.G., Kim, H.J., Kim, D.G. & Yi, H. 2018. Ecological characteristics of a cave-dwelling moth species, *Triphosa dubitata* (Lepidoptera: Geometridae), in Baram and Ssang caves in Gangwon Province, Korea. *Entomological Research*, **48**: 92–98. (Ch. 6 p. 150)
- Nazari, V. & Evans, L. 2015. Butterflies of Ancient Egypt. *Journal of the Lepidopterists' Society*, **69** (4): 243-267. (Ch. 6 p. 150)
- Hollmann, J. 2007. Vertical bar Kaggen's code: paintings of moths in southern African hunter-gatherer rock art. *Southern African Humanities*, **19**: 83–101. (Ch. 6 p. 150)
- Kukal, O., Heinrich, B. & Duman, D.G. 1988. Behavioural thermoregulation in the freeze-tolerant arctic caterpillar, *Gynaephora groenlandica*. *Journal of Experimental Biology*, **138**: 181–193. (Ch. 6 p. 150-151)
- Morewood, W. & Ring, R. 1998. Revision of the life history of the High Arctic moth *Gynaephora groenlandica* (Wocke) (Lepidoptera: Lymantriidae). *Canadian Journal of Zoology*, **76**: 1371–1381. (Ch. 6 p. 150-151)
- Kukal, O. & Dawson, T.E. 1989. Temperature and food quality influences feeding behavior, assimilation efficiency and growth rate of arctic woolly-bear caterpillars. *Oecologia*, **79** (4): 526–532. (Ch. 6 p. 150-151)
- Kautt, P. 1996. *Palaearctia hauensteini* sp. n., eine neue Bärenspinnerart aus Südtibet (Lepidoptera: Arctiidae). *Nachrichten des Entomologischen Vereins Apollo, N.F.*, **17** (1): 41-49. (Ch. 6 p. 151)
- Zhang, G., Gu, D.X. & Liu, X. 2007. A new species of *Hepialus* (Lepidoptera, Hepialidae) from China. *Acta Zootaxonomica Sinica*, **32** (2): 473–476. (Ch. 6 p. 151)
- Benedek, B., Saldaitas, A. & Babics, J. 2014. On the taxonomy of the genus *Dasypolia* Guenée, 1852. *Entomofauna Supplement*, **17**: 17-28. (Ch. 6 p. 151)
- Benedek, B., Volynkin, A. & Černila, M. 2016. On the taxonomy of the genus *Dasypolia* Guenée, 1852. New data and subgenus for the little-known species, *Dasypolia lithophila* (Kapur, 1960) (Lepidoptera: Noctuidae). *SHILAP Revista de Lepidopterologia*, **44** (173): 91–96. (Ch. 6 p. 151)
- Kallies, A. 2002. *Brachodes flagellatus* sp. n. from Tibet (Lepidoptera: Sesioidea, Brachodidae). *Nachrichten des Entomologische Vereins Apollo, N.F.*, **23** (3): 159–160. (Ch. 6 p. 151)
- Bullock, G.H. 1921. The Everest Expedition Diary. Alpine Club Archives. See also <http://collector-secret.proboards.com/thread/1610/everest-butterfly-hunters>
- Hingston, R.W.G. 1925. Animal life at high altitudes. *The Geographical Journal*, **65** (3): 185–195. (Ch. 6 p. 151)
- Stonis, J.R., Diškus, A., Remeikis, A., Gerulaitis, V. & Karsholt, O. 2016. Leaf-mining Nepticulidae (Lepidoptera) from record high altitudes: documenting an entire new fauna in the Andean páramo and puna. *Zootaxa*, **4181** (1):1–94. (Ch. 6 p. 151)
- Collins, C.W. 1917. Methods used in determining wind dispersion of the gypsy moth and some other insects. *Journal of Economic Entomology*, **10** (1): 170–177. (Ch. 6 p. 151)

- Collins, C.W. & Baker, W.L. 1934. Exploring the upper air for wind-borne gypsy moth larvae. *Journal of Economic Entomology*, **27** (2): 320–327. (Ch. 6 p. 151)
- Woosnam, R.B. 1907. Ruwenzori and Its Life Zones. *The Geographical Journal*, **30** (6): 616–629. (Ch. 6 p. 151)
- Heidrich, L., Friess, L., Fiedler, K., Brändle, M., Hausmann, A., Brandl, R. & Zeuss, D. 2016. The dark side of Lepidoptera: colour lightness of geometrid moths decreases with increasing latitude. *Global Ecology and Biogeography*, **27** (4): 407–416. (Ch. 6 p. 151)
- Tuttle, J.P. 2007. *The Hawk Moths of North America*. Allen Press, Lawrence, Kansas. 235 pp. (Ch. 6 p. 151)
- Barrio, I.C., Schmidt, C., Cannings, S. & Hik, D.S. 2013. First records of the arctic moth *Gynaephora groenlandica* (Wocke) south of the Arctic Circle: a new alpine subspecies. *Arctic*, **66** (4): 429–434. (Ch. 6 p. 151–152)
- Søli, G., Aarvik, L. & Magnussen, T. 2018. *Plutella polaris* Zeller, 1880 (Lepidoptera, Plutellidae) rediscovered at Svalbard, Norway, with comments on its taxonomic position. *Nota Lepidopterologica*, **41**: 119–127. (Ch. 6 p. 152)
- Coulson, S.J., Hodkinson, I.D. Webb, N.R., Mikkola, K., Harrison J.A. & Pedgley, D.E. 2002. Aerial colonization of high Arctic islands by invertebrates: the diamondback moth *Plutella xylostella* (Lepidoptera: Yponomeutidae) as a potential indicator species. *Diversity and Distributions*, **8**: 327–334. (Ch. 6 p. 152)
- Griggs, T.D. (eds). Diamondback moth management. *Proceedings of the First International Workshop on Diamondback Moth Management, Asian Vegetables Research and Development Center, 1986*. (Ch 6 p. 152).
- Makarova, O.L., Sviridov, A.V. & Klepikov, M. 2013. Lepidoptera (Insecta) of polar deserts. *Entomological Review*, **93** (2): 225–239. (Ch. 6 p. 152)
- Sattler, K. 1991. A review of wing reduction in Lepidoptera. *Bulletin of the British Museum of Natural History (Entomology)*, **60**: 243–288. (Ch. 6 p. 152)
- Haupt, T.M. 2014. *Wandering albatross, Diomedea exulans, and the flightless moth, Pringleophaga marioni, on sub-Antarctic Marion Island: A case of thermal ecosystem engineering?* PhD Thesis, Stellenbosch University. 192 pp. (Ch. 6 p. 152)
- Crafford, E.J. & Scholtz, C. 1986. Impact of *Embryonopsis haiticella* Eaton larvae (Lepidoptera: Yponomeutidae) feeding in Marion Island tussock grassland. *Polar Biology*, **6**: 191–196. (Ch. 6 p. 152)
- Convey, P. 2005. Recent lepidopteran records from sub-Antarctic South Georgia. *Polar Biology*, **28** (2): 108–110. (Ch. 6 p. 152)
- Sohn J.-C., Labandeira, C., Davis, D. & Mitter, C. 2012. An annotated catalog of fossil and subfossil Lepidoptera (Insecta: Holometabola) of the world. *Zootaxa*, **2012** (3286): 1–132. (Ch. 6 p. 152)
- Sohn, J.-C. 2015. The fossil record and taphonomy of butterflies and moths (Insecta, Lepidoptera): implications for evolutionary diversity and divergence-time estimates. *BMC Evolutionary Biology*, **15**: 12. (Ch. 6 p. 152)
- Davis, D.R. 1986. A new family of monotrysian moths from austral South America (Lepidoptera: Palaephatidae), with a phylogenetic review of the monotrysia. *Smithsonian Contributions to Zoology*. Pp. 1–202. (Ch. 6 p. 153)
- Gibbs, G.W. 2016. *Ghosts of Gondwana: The History of Life in New Zealand*. Pottan & Burton, Nelson. 416 pp. Revised edition (Ch. 6 p. 154)
- Grehan, J. 2018. Ghost Moth Fragments of Gondwana. *BSO Newsletter*, **84**: 11–15. (Ch. 6 p. 153–154)
- Gibbs, G.W. & Kristensen, N.P. 2019. Mnesarchaeidae (Insecta: Lepidoptera: Hepialoidea). Lincoln, N.Z.: Landcare Research. *Fauna of New Zealand*, **78**. 104 pp. (Ch. 6 p. 153–154)
- Gibbs, G.W. 1989. Local or global? Biogeography of some primitive Lepidoptera in New Zealand. *New Zealand Journal of Zoology*, **16**: 689–698. (Ch. 6 p. 154)
- Yen, S.-H. & Minet, J. 2007. Cimelioidea: a new superfamily name for the gold moths (Lepidoptera: Glossata). *Zoological Studies*, **46** (3): 262–271. (Ch. 6 p. 154)
- Krüger, M. 2007. Composition and origin of the Lepidoptera faunas of southern Africa, Madagascar and Réunion (Insecta: Lepidoptera). *Annals of the Transvaal Museum*, **44** (1): 123–178. (Ch. 6 p. 155 )
- Haines, W.P., Schmitz, P. & Rubinoff, D. 2014. Ancient diversification of *Hyposmocoma* moths in Hawaii. *Nature Communications*, **5** (3502): 1–7. (Ch. 6 p. 155)
- Mey, W. 2011. Basic pattern of Lepidoptera diversity in southwestern Africa. *Esperiana Memoir*, **6**: 1–316. (Ch. 6 p. 155–156)
- Olivares, T.S. Angulo, A.O. & Badilla, R. 2012. Taxonomic notes and new register of moths for Easter Island (Lepidoptera: Noctuoidea). *Entomological News*, **122** (2): 157–164. (Ch. 6 p. 156)

- Chu, Y.I. 1986. The migration of diamondback moth. Pp. 77–81 in: Talekar, N.S. & Griggs, T.D (Eds.). *Proceedings of the First International Workshop, 11-15 March 1985, Tainan, Taiwan*. The Asian Vegetable Research and Development Center, Shanhua, Taiwan, AVRDC Publication No. 86-248. (Ch. 6 p. 156)
- French, R. A. 1967. Long distance of movement of two migrant Lepidoptera in relation to synoptic weather conditions. *Biometeorology*, **2**: 565–569. (Ch. 6 p. 156)
- Warrant, E., Frost, B., Green, K., Mouritsen, H., Dreyer, D., Adden, A., Brauburger, K. & Heinze, S. 2016. The Australian Bogong Moth *Agrotis infusa*: a long-distance nocturnal navigator. *Frontiers in Behavioral Neuroscience*, **10**: 77. <https://doi.org/10.3389/fnbeh.2016.00077>. (Ch. 6 p. 157)
- Lees, D.C. & Smith, N.G. 1991. Foodplant associations of the Uraniinae (Uraniidae) and their systematic, evolutionary and ecological significance. *Journal of the Lepidopterists' Society*, **45** (4): 296–347. (Ch. 6 p. 157)
- Lundmark, C. 2010. Long-distance insect migration. *BioScience*, **60** (5): 400, <https://doi.org/10.1525/bio.2010.60.5.15>
- Cardé, R.T. 2010. Insect migration: do migrant moths know where they are heading? *Current Biology*, **18** (11): R472–R474. (Ch. 6. p. 157)
- Chapman, J.W., Nesbit, R.L., Burgin, L.E., Reynolds, D.R., Smith, A.D., Middleton, D.R. & Hill, J.K. 2010. Flight orientation behaviors promote optimal migration trajectories in high-flying insects. *Science*, **327** (5966): 682–685. (Ch. 6. p. 157)
- Chapman, J.W., Reynolds, D.R. and Wilson, K. 2015. Long-range seasonal migration in insects: mechanisms, evolutionary drivers and ecological consequences. *Ecology Letters*, **18** (3): 287–302. (Ch. 6. p. 157)
- Lopez-Vaamonde, C., Agassiz, D., Augustin, S., De Prins, J., De Prins, W., Gomboc, S., Ivinskis, P., Karsholt, O., Koutroumpas, A., Koutroumpa, F., Laštůvka, Z., Marabuto, E., Olivella, E., Przybylowicz, L., Roques, A., Ryrholm, N., Šefrová, H., Šima, P., Sims, I., Sinev, S., Skulev, B., Tomov, R., Zilli, A. & Lees, D. 2010. Chapter 11- Lepidoptera. Pp. 603–668 in: Roques, A., Kenis, M., Lees, D., Lopez-Vaamonde, C., Rabitsch, W., Rasplus, J.-Y. & Roy, D., (Eds), *Alien Terrestrial Arthropods of Europe*. Pensoft Publishers, Sofia. *Biorisk*, **4** (Special Issue): 603–668. (Ch. 6 p. 157).
- Lees, D.C., Lack, H. W., Rougerie, R., Hernandez-Lopez, A., Raus, T., Avtzis, N., Augustin, S. and Lopez-Vaamonde, C. 2011. Tracking origins of invasive herbivores using herbaria and archival DNA: the case of the horse-chestnut leafminer. *Frontiers in Ecology and the Environment*, **9**: 322–328. (Ch. 6 p. 158)
- Nieukerken, E.J. van, Lees, D.C., Doorenweerd, Koster S. (J.C.), Bryner, R., Schreurs, A., Timmermans, M.J.T.N. and Sattler, K. 2018. Two European *Cornus* L. feeding leafmining moths, *Antispila petryi* Martini, 1899, sp. rev. and *A. treitschkiella* (Fischer von Röslerstamm, 1843) (Lepidoptera, Heliozelidae): an unjustified synonymy and overlooked range expansion. *Nota Lepidopterologica*, **41** (1): 39–86. (Ch. 6 p. 159)
- Kenis, M., Nacambo, S., Leuthardt, F.L.G., di Domenico, F. & Haye, T. 2013. The box tree moth, *Cydalima perspectalis*, in Europe: horticultural pest or environmental disaster? *Aliens*, **33**: 38–41. (Ch. 6 p. 159)
- De Prins, W. & De Prins, J. 2014. *Choreutis nemorana* (Hübner, 1799) (Lep.: Choreutidae), a new adventive species to the British Islands. *Entomologist's Record and Journal of Variation*, **126**: 157–163. (Ch. 6 p. 159)
- Sarto i Monteys, V. & Aguilar, L. 2005. The castniid palm borer, *Paysandisia archon* (Burmeister, 1880) in Europe: comparative biology, pest status and possible control methods (Lepidoptera: Castniidae) *Nachrichten des Entomologische Vereins Apollo, N.F.*, **26** (1/2): 61–94. (Ch. 6 p. 159)

## Chapter 7

- Murzin, V.S. 2003. The Tiger Moths of the former Soviet Union (Insecta: Lepidoptera: Arctiidae). *Pensoft Series Faunistica* No. 23. (Ch. 7 p. 161)
- Rönkä, K., Mappes, J., Kaila, L. & Wahlberg, N. 2016. Putting *Parasemia* in its phylogenetic place: a molecular analysis of the subtribe Arctiina (Lepidoptera). *Systematic Entomology*, **41** (4): 844–853. (Ch. 7 p. 161)
- Mayr, E. 1942. *Systematics and the Origin of Species*. Columbia University Press, New York. (Ch. 7 p. 161–165)
- Cook, L. M., & Saccheri, I. J. 2013. The peppered moth and industrial melanism: evolution of a natural selection case study. *Heredity*, **110** (3): 207–212. (Ch. 7 p. 162)
- Hooper, J. 2003. *Of Moths and Men: Intrigue, Tragedy and the Peppered Moth*. Norton, London. 377 pp. (Ch. 7 p. 162)
- Sargent, T.D. 1966. Background selections of geometrid and noctuid moths. *Science*, **154** (3757): 1674–1675. (Ch. 7 p. 162)

- Sargent, T.D. 1968. Cryptic moths: effects on background selections of painting the circumocular scales. *Science*, **159** (3810): 100–101. (Ch. 7 p. 162)
- Pescott, O.L., Simkin, J.M., August, T.A. Randle, Z., Dore, A.J. & Botham, M.S. 2015. Air pollution and its effects on lichens, bryophytes, and lichen-feeding Lepidoptera: review and evidence from biological records. *Biological Journal of the Linnean Society*, **115** (3): 611-635. (Ch. 7 p. 162)
- Anderson, S.J., Conrad, K.F., Gillman, M.P., Woiwod, I.P. & Freeland, J.R. 2008. Phenotypic changes and reduced genetic diversity have accompanied the rapid decline of the garden tiger moth (*Arctia caja*) in the U.K. *Ecological Entomology*, **33** (5): 638–645. (Ch. 7 p. 162)
- Altermatt, F. & Ebert, D. 2016. Reduced flight-to-light behaviour of moth populations exposed to long-term urban light pollution. *Biology Letters*, **12**: 20160111. (Ch. 7 p. 162)
- Aldhebiani, A.Y. 2018. Species concept and speciation. *Saudi Journal of Biological Sciences*, **25**: 437–440. (Ch. 7 p. 163)
- Haxaire, J. 2009. *Sphinx maurorum* (Jordan, 1931), 24ème Sphingidae de la faune de France (Lep. Sphingidae). *Oreina*, **5**: 17–22. (Ch. 7 p. 163-164)
- Naumann, C.M., Tarmann, G.M. & Tremewan, W.G. 1999. *The Western Palaearctic Zygaenidae (Lepidoptera)*. Apollo Books. 304 pp. (Ch. 7 p. 164)
- Hausmann, A., Haszprunar, G., Segerer, A.H., Speidel, W., Behounek, G. & Hebert, P.D.N. 2011. Now DNA-barcoded: the butterflies and larger moths of Germany (Lepidoptera: Rhopalocera, Macroheterocera). *Spixiana*, **34** (1): 47–58. (Ch. 7 p. 164)
- Strickberger, M.W. 2000. *Evolution*. 3rd Edition. Jones and Bartlett, Sudbury, Massachusetts. 722 pp. (Ch. 7 p. 165)
- Zilli, A. 2002. Clinal variation of a reproductive isolating mechanism in a sedentary moth from South-Western Alps (Lepidoptera: Heterogynidae). *XIII European Congress of Lepidopterology, Korsør (Denmark)*: **64**. (Ch. 7 p. 165)
- Liénard, M.A. & Löfstedt, C. 2016. Small ermine moths: role of pheromones in reproductive isolation and speciation. Pp. 211-224 in: Allison, J.D. and Cardé, R.T. (Eds.), *Pheromone communication in moths*. University of California Press, Berkeley. (Ch. 7 p. 165-166)
- Löfstedt, C., Herrebut, W.M. & Menken, S.B.J. 1991. Sex pheromones and their potential role in the evolution of reproductive isolation in small ermine moths (Yponomeutidae). *Chemecology*, **2**: 20–28. (Ch. 7 p. 165-166)
- Emelianov I., Mallet, J. & Baltensweiler, W. 2003. Genetic differentiation in *Zeiraphera diniana* (Lepidoptera: Tortricidae, the larch budmoth): polymorphism, host races or sibling species? *Heredity*, **75**: 416–424. (Ch. 7 p. 166)
- Lewis, C. 2010-2019. British Lepidoptera. Tribe Cnephasiini. <https://britishlepidoptera.weebly.com/tortricinae-cnephasiini.html>
- Masly, J.P. 2012. 170 Years of “lock-and-key”: genital morphology and reproductive isolation. *International Journal of Evolutionary Biology*, [2012]: 247352. (Ch. 7 p. 167)
- Heinicke, G. 1987. Beiträge zur Kenntnis der Genitalstrukturen schwer unterscheid-barer Eulenfalter-Arten der DDR-Fauna IV (Lep., Noctuidae). *Entomologische Nachrichten und Berichte*, **31** (5): 203–211.
- Hacker, H. 1984. Weiterer Beitrag zur Verbreitung von *Noctua fimbriata* (Schreber, 1759 und *Noctua tirrenica* Biebing, Speidel & Hanigk, 1983 im Mittelmeerraum (Lepidoptera, Noctuidae). *Nachrichten des Entomologischen Vereins Apollo, N.F.*, **8**: 16–20. (Ch. 7 p. 167)
- Zilli, A., Ronkay, L. & M. Fibiger. 2005. *Noctuidae europaeae. Volume 8. Apamaeini*. Entomological Press, Sorø. 323 pp. (Ch. 7 p. 167)
- Mutanen, M., Wahlberg, N., & Kaila, L. 2010. Comprehensive gene and taxon coverage elucidates radiation patterns in moths and butterflies. *Proceedings of the Royal Society, Biological Sciences*, **B, 277** (1695): 2839–2848. (Ch. 7, p. 168).
- Regier, J.C., Mitter, C., Kristensen, N. P., Davis, D. R., Nieuwerkerken, E. J. van, Rota, J. , Simonsen, T. J., Mitter, K. T., Kawahara, A. Y., Yen, S. , Cummings, M p. & Zwick, A. 2015. A molecular phylogeny for the oldest (nonditrysi) lineages of extant Lepidoptera, with implications for classification, comparative morphology and life-history evolution. *Systematic Entomology*, **40**: 671-704. (Ch. 7 p. 168, p. 174-175)
- Sohn J.-C., Labandeira, C., Davis, D. & Mitter, C. 2012. An annotated catalog of fossil and subfossil Lepidoptera (Insecta: Holometabola) of the world. *Zootaxa*, **3286**: 1–132. (Ch. 7 p. 168)

- Sohn, J.-C. 2015. The fossil record and taphonomy of butterflies and moths (Insecta, Lepidoptera): implications for evolutionary diversity and divergence-time estimates. *BMC Evolutionary Biology*, **15**: 12. (Ch. 7 p. 168)
- Eldijk, T.J.B., van Wappler, T., Strother, P.K., van der Weijst, C.M.H., Rajaei, H. Visscher, H., van de Schootbrugge, B. 2018. A Triassic-Jurassic window into the evolution of Lepidoptera. *Science Advances*, (10 Jan 2018): e1701568. (Ch. 7 p. 168)
- Wang, B. 2018. Fossil scales illuminate the early evolution of lepidopterans and structural colors. *Science Advances*, **4** (4): e1700988. (Ch. 7 p. 168)
- Zhang, B.Q., Mey, W., Ansoerge, J., Starkey, T.A., McDonald, L.T., McNamara, M.E., Jarzembowski, E.A., Wichard, W., Kelly, R., Ren, X., Chen, J., Zhang, H. & Wang, B. 2018. Fossil scales illuminate the early evolution of lepidopterans and structural colors. *Science Advances*, **4** (4): e1700988. (Ch. 7 p. 168)
- Mey, W., Wichard, W., Müller, P. & Wang, B. 2017. The blueprint of the Amphiesmenoptera – Tarachoptera, a new order of insects from Burmese amber (Insecta, Amphiesmenoptera). *Fossil Record*, **20**: 129–145. (Ch. 7 p. 168)
- Mitter, C., Davis, D.R. & Cummings, M.P. 2017. Phylogeny and Evolution of Lepidoptera. *Annual Review of Entomology*, **62**: 265–283. (Ch. 7 p. 168-172; p. 174-175)
- Nieukerken, E.J. van, Kaila, L., Kitching, I.J., Kristensen, N.P., Lees, D.C., Minet, J., Mitter, C., Mutanen, M., Regier, C., Simonsen, T.J., Wahlberg, N., Yen, S.-H., Zahiri, R., Adamski, D., Baixeras, J., Bartsch, D., Bengt, Å, Brown, J.W., Bucheli, S.R., Davis, D.R., De Prins, J., De Prins, W., Epstein, M.E., Gentili-Poole, P., Hättenschwiler, P., Hausmann, A., Holloway, J.D., Kallies, A., Karsholt, O., Kawahara, A.Y., Koster, S.J.C., Kozlov, M.V., Lafontaine, J.D., Lamas, G., Landry, J.-F., Lee, S., Nuss, M., Park, K.-T., Penz, C., Rota, J., Schintlmeister, A., Schmidt, B.C., Sohn, J.-C. Solis, M.A., Tarmann, G.M., and Warren, A.D., Weller, S., Yakovlev, R.V., Zolotuhin, V.V. and Zwick, A. 2011. Order Lepidoptera Linnaeus, 1758. In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. *Zootaxa*, **3148**: 212–221. (Ch. 7 p. 169-174)
- Gibbs, G.W. 2014. Micropterigidae (Insecta: Lepidoptera). *Fauna of New Zealand*, **72**. 127 pp. (Ch. 7. p. 169)
- Dumbleton, L.J. 1952. A new genus of seed-infesting micropterygid moths. *Pacific Science*, **6** (1): 17–29. (Ch. 7 p. 169)
- Upton, M.S. 1997. A twelve-year larval diapause in the Queensland kauri moth, *Agathiphaga queenslandensis* Dumbleton (Lepidoptera: Agathiphagidae). *Entomologist*, **116**: 142–143. (Ch. 7 p. 169)
- Regier, J. C., Mitter, C., Davis, D. R., Harrison, T.L., Sohn, J.-C., Cummings.M.P., Zwick, A. & Mitter, K.T. 2015. A molecular phylogeny and revised classification for the oldest ditrysian moth lineages (Lepidoptera: Tineoidea), with implications for ancestral feeding habits of the mega-diverse Ditrysia. *Systematic Entomology*, **40** (2): 409–432. (Ch. 7 p. 169-172)
- Nel, J., Varenne, T. & Nieukerken, E.J. van. 2016. Découverte en France d'un lépidoptère "primitif", *Catapterix crimaeva* Zagulajev & Sinev, 1988 (Lepidoptera, Neopseustoidea, Acanthopteroctetidae). *Revue de l'Association Roussillonnaise d'Entomologie*, **25** (3): 153–156. (Ch. 7 p. 170)
- Mey, W. & Rutjan, E. 2016. *Catapterix tianshanica* sp. n. – the second species of the genus from the Palaearctic Region (Lepidoptera, Acanthopteroctetidae). *Nota Lepidopterologica*, **39** (2): 145–150. (Ch. 7. p. 170)
- Kristensen, N. P., Hilton, D.J., Kallies, A., Milla, L., Rota, J., Wahlberg, N., Wilcox, S.A., Glatz, R.V., Young, D.A., Cocking, G., Edwards, T., Gibbs, G.W., & Halsey, M. 2015. A new extant family of primitive moths from Kangaroo Island, Australia, and its significance for understanding early Lepidoptera evolution. *Systematic Entomology*, **40** (1): 5–16. (Ch. 7 p. 170-171)
- Nielsen, E.S & Kristensen, N.P. 1996. The Australian moth family Lophocoronidae and the basal phylogeny of the Lepidoptera – Glossata. *Invertebrate Taxonomy*, **10** (6): 1199–1302. (Ch. 7 p. 171)
- Davis, D.R. & Gentili, P. 2003. Andesianidae, a new family of monotrysian moths (Lepidoptera: Andesianoidea) from austral South America. *Invertebrate Systematics*, **17**: 15–26. (Ch. 7 p. 171)
- Davis, D.R. 1986. A new family of monotrysian moths from austral South America (Lepidoptera: Palaephatidae), with a phylogenetic review of the Monotrysia. *Smithsonian Contributions to Zoology*. Pp. 1–202. (Ch. 7 p. 171)
- Davis, D.R. 1989. Generic revision of the Opostegidae, with a synoptic catalogue of the world's species (Lepidoptera: Nepticuloidea). *Smithsonian Contributions to Zoology*, **478**: 1–97. (Ch. 7 p. 171)
- Regier, J.C., Mitter, C., Zwick, A., Bazinet, A.L., Cummings, M.P., Kawahara, A., Sohn, J.-C., Zwickl, D.J., Cho, S., Davis, D.R., Baixeras, J., Brown, J., Parr, C., Weller, S., Lees, D.C and Mitter, K. 2013. A large-scale, higher-



- level, molecular phylogenetic study of the insect order Lepidoptera (moths and butterflies). *PLoS ONE*, **8** (3): e5856. (Ch. 7 p. 172-173)
- Heikkilä, M., Mutanen, M., Wahlberg, N., Sihvonen, P. & Kaila, L. 2015. Elusive ditrysian phylogeny: an account of combining systematized morphology with molecular data (Lepidoptera). *BMC Evolutionary Biology*, **15** (260). doi:10.1186/s12862-015-0520-0. (Ch. 7 p. 172-173)
- Kaila, L., Nupponen, K., Gorbunov, P.Y., Mutanen, M. & Heikkilä, M. 2019. Ustyurtiidae, a new family of Urodoidea with description of a new genus and two species from Kazakhstan, and discussion on possible affinity of Urodoidea to Schreckensteinoidea (Lepidoptera). *Insect Systematics & Evolution* [2019]. doi:10.1163/1876312X-00002209. (Ch. 7 p. 172, 174)
- Kaila, L., Mutanen, M. & Nyman, T. 2011. Phylogeny of the mega-diverse Gelechioidea (Lepidoptera): adaptations and determinants of success. *Molecular Phylogenetics & Evolution*, **61**: 801–809. (Ch. 7 p. 172)
- Sohn, J.-C., Regier, J.C., Mitter, C., Adamski, D., Landry, J.F., Heikkilä, M., Park, K.-T., Harrison, T., Mitter, K., Zwick, A., Kawahara, A.Y., Cho, S., Cummings, M.P. & Schmitz, P. 2015. Phylogeny and feeding trait evolution of the mega-diverse Gelechioidea (Lepidoptera: Obtectomera): new insight from 19 nuclear genes. *Systematic Entomology*, **41** (1): 112–132. (Ch. 7 p. 172)
- Epstein, M.E. & Brown, J.W. 2003. Early stages of the enigmatic *Prodidactis mystica* (Meyrick) with comments on its new family assignment (Lepidoptera: Prodidactidae). *Zootaxa*, **247**: 1–16. (Ch. 7 p. 173)
- Kaila, L., Epstein, M.E., Heikkilä, M. & Mutanen, M. 2013. The assignment of Prodidactidae to Hyblaeoidea, with remarks on Thyridoidea (Lepidoptera). *Zootaxa*, **3682**: 485–494. (Ch. 7 p. 174)
- Rajaei, H.S., Greve, C., Letsch, H., Stüning, D., Wahlberg, N., Minet, J. & Misof, B. 2015. Advances in Geometroidea phylogeny, with characterization of a new family based on *Pseudobiston pinratanai* (Lepidoptera, Glossata). *Zoologica Scripta*, **44**: 418–436. (Ch. 7 p. 173)
- Wang, H., Holloway, J.D., Wahlberg, N., Wang, M., & Nylin, S. 2019. Molecular phylogenetic and morphological studies on the systematic position of *Heracula discivitta* reveal a new subfamily of Pseudobistonidae (Lepidoptera: Geometroidea). *Systematic Entomology*, **44** (1): 211–225. (Ch. 7 p. 173)
- Yen, S.-H. & Minet, J. 2007. Cimelioidea: a new superfamily name for the gold moths (Lepidoptera: Glossata). *Zoological Studies*, **46** (3): 262-271. (Ch. 7 p. 173)
- Kitching, J., Rougerie, R., Zwick, A., Hamilton, C.A. St Laurent, R.A., Naumann, S., Ballesteros Mejia, L. & Kawahara, A.Y. 2018. A global checklist of the Bombycoidea (Insecta: Lepidoptera). *Biodiversity Data Journal*, **6**: e22236. (Ch. 7 p. 173)
- Zahiri, R., Holloway, J.D., Kitching, I.J., Lafontaine, D., Mutanen, M. & Wahlberg, N. 2012. Molecular phylogenetics of Erebiidae (Lepidoptera, Noctuoidea). *Systematic Entomology*, **37**: 102–124. (Ch. 7 p. 173)
- Kobayashi, S., Matsuoka, H., Kimura, M., Sohn, J.-C., Yoshiyasu, Y. and Lees, D.C. 2018. Designation of new family group name, Tonzidae for the genus *Tonza* Walker (Lepidoptera, Yponomeutoidea), based on immature stages of *Tonza citrorrhoea* Meyrick. *European Journal of Taxonomy*, **443**: 1–32. (Ch. 7 p. 174)
- Honda, H. 1997. Ginkgo and Insects. In Hori, T., Ridge, R.W., Tulecke, W., Del Tredici, P., Tremouillaux-Guiller, J. & Tobe, H. (eds). *Ginkgo biloba*, a global treasure: from biology to medicine. Springer, Tokyo. (Ch. 7 p. 174)
- Li, H. & Bidzilya, O. 2017. Review of the genus *Gnorimoschema* Busck, 1900 (Lepidoptera, Gelechioidea) in China. *Zootaxa*, **4365** (2): 173. (Ch. 7 p. 174)
- Yen, S.-H., Robinson, G.S. & Quicke, D.L.J. 2005. The phylogenetic relationships of Chalcosiinae (Lepidoptera, Zygaenoidea, Zygaenidae). *Zoological Journal of the Linnean Society*, **143** (2): 161–341. (Ch. 7 p. 175)
- Mironov, V.G. 2014. Geometrid moths of the genus *Eupithecia* Curtis, 1825 (Lepidoptera, Geometridae): prerequisites and characteristic features of high species diversity. *Entomological Review*, **94** (1): 105–127. (Ch. 7 p. 175)
- Zhang, W., Shih, C., Labandeira, C.C., Sohn, J.-C., Davis, D.R., Santiago-Blay, J.A., Flint, O. & Ren, D. 2013. New Fossil Lepidoptera (Insecta: Amphiesmenoptera) from the Middle Jurassic Jiulongshan Formation of Northeastern China. *PLoS ONE*, **8** (11): e79500. (Ch. 7 p. 176)
- Hoare, R.J.B. New Zealand's most enigmatic moth - what we know about *Titanomis sisyrota*. DOJ Internal Series. <https://www.doc.govt.nz/documents/science-and-technical/dsis5.pdf>. (Ch. 7 p. 176)
- Gosse, P.H. 1851. *A naturalist's sojourn in Jamaica*. Longman, Brown, Green, & Longmans, London. 508 pp. (Ch. 7 p. 177)

- Lees, D.C. & Smith, N.G. 1991. Foodplant associations of the Uraniinae (Uraniidae) and their systematic, evolutionary and ecological significance. *Journal of the Lepidopterists' Society*, **45** (4): 296–347. (Ch. 7 p. 177)
- Nazari, V., Schmidt, B.C., Prosser, S. & Hebert, P.D.N. 2016. Century-old DNA barcodes reveal phylogenetic placement of the extinct Jamaican Sunset Moth, *Urania sloanus* Cramer (Lepidoptera: Uraniidae). *PLoS ONE*, **11** (10): e0164405. (Ch. 7 p. 177-178)
- Tothill, J.D., Taylor, T.H.C. & Paine, R.W. 1930. *The Coconut Moth in Fiji: a history of its control by means of parasites*. Imperial Bureau of Entomology, London. 269 pp. (Ch. 7 p. 177)
- Kuris, A. 2003. Did biological control cause extinction of the coconut moth, *Levuana iridescens*, in Fiji? *Biological Invasions*, **5** (1): 133–141. (Ch. 7 p. 177)
- Hodde, M.S. 2006. Historical review of control programs for *Levuana iridescens* (Lepidoptera: Zygaenidae) in Fiji and examination of possible extinction of this moth by *Bessa remota* (Diptera: Tachinidae). *Pacific Science*, **60** (4): 439–453. (Ch. 7 p. 177)
- Zilli, A. & Grishin, N.V. 2019. Unveiling one of the rarest 'butterflies' ever (Lepidoptera: Hesperiiidae, Noctuidae). *Systematic Entomology*, **44** (2): 384-395. (Ch. 7 p. 177)
- Johns, C.A., Tangalin, N., Bustamente, K. & Kawahara, A.Y. 2014. Evidence of an undescribed, extinct *Philodoria* species (Lepidoptera: Gracillariidae) from Hawaiian *Hesperomannia* herbarium specimens. *Proceedings of the Hawaiian Entomological Society*, **46**: 55–57. (Ch. 7 p. 178)
- IUCN Red List of Threatened Species. <https://www.iucnredlist.org/>. (Ch. 7 p. 178)
- Nieukerken E.J. van, Doorenweerd, C., Hoare, R., Davis, D.R. 2016. Revised classification and catalogue of global Nepticulidae and Opostegidae (Lepidoptera, Nepticuloidea). *ZooKeys*, **628**: 65–246. (Ch. 7 p. 178)
- Thompson, H. 2012. Once king of eastern forests, the American chestnut was wiped out by blight. Now it is poised to rise again. *Nature*, **490**: 21–22. (Ch. 7 p. 178)
- Orwig, D.A. 2002. Ecosystem to regional impacts of introduced pests and pathogens: historical context, questions and issues. *Journal of Biogeography*, **29** (10-11): 1471–1474. (Ch. 7 p. 178)
- Waring, P. & Townsend, M. 2017. *Field Guide to the Moths of Great Britain and Ireland*. Third Edition. Bloomsbury Natural History. 476 pp. (Ch. 7 p. 178)
- Brehm, G. 2017. A new LED lamp for the collection of nocturnal Lepidoptera and a spectral comparison of light-trapping lamps. *Nota Lepidopterologica*, **40** (1): 87–108. (Ch. 7 p. 179)
- Utrio, P. 1983. Sugaring for moths: why are noctuids attracted more than geometrids? *Ecological Entomology*, **8** (4): 437–445. (Ch. 7 p. 179)

## Chapter 8

- Notton, D.G. 2018. Identifying insect pests in museums and heritage buildings. 2nd Edition. The Natural History Museum, London. (Ch. 8 p. 181)
- Chapman, J.W., Reynolds, D.R., Smith, A.D., Riley, J.R., Pedgeley, D.E., Woiwod, I.P. 2002. High-altitude migration of the diamondback moth *Plutella xylostella* to the U.K.: A study using radar, aerial netting, and ground trapping. *Ecological Entomology*, **27** (6): 641–650. (Ch. 8 p. 182)
- Suckling, D.M., Conlong, D.E., Carpenter, J.E., Bloem, K.A., Rendon, P. & Vreysen, M. J. B. 2017. Global range expansion of pest Lepidoptera requires socially acceptable solutions. *Biological Invasions*, **19**: 1107–1119. (Ch. 8 p. 182).
- Trouvelot, E.L. 1867. The American Silkworm. *American Naturalist*, **1** (1): 30–38. (Ch. 8 p. 182)
- Chandrasekhar, N., Sajeev, T. V., Sudheendrakumar, V. V., & Banerjee, M. 2005. Population dynamics of the Teak defoliator (*Hyblaea puera* Cramer) in Nilambur teak plantations using Randomly Amplified Gene Encoding Primers (RAGEP). *BMC Ecology*, **5** (1). doi: 10.1186/1472-6785-5-1 (Ch. 8 p. 183)
- Leong, S.C.T. & Kueh, R.J.H. 2011. Seasonal abundance and suppression of Fruit-Piercing Moth *Eudocima phalonia* (L.) in a Citrus Orchard in Sarawak. *TheScientificWorldJOURNAL*, **11**: 2330–2338.
- Gandy, M. 2016. *Moth*. Reaktion Books. 240 pp. (Ch. 8 p. 183-184)
- Razafimanantsoa, T.M., Rajoelison, G. Ramamonjisoa, B., Raminosoa, N., Poncelet, M., Bogaert, J., Haubruge, E. & Verheggen, F.J. 2012. Silk moths in Madagascar: A review of the biology, uses, and challenges related to *Borocera cajani* (Vinson, 1863) (Lepidoptera: Lasiocampidae). *Biotechnology, Agronomy and Society and Environment*, **16** (2): 269–272. (Ch. 8 pp. 184)

- Chudzinski-Tavassi, A.M. & Flores, M.P.A. 2013. South America *Lonomia* caterpillars: morphological aspects and venom chemistry. Pp. 169–186 in: Guerritore, E. & DeSare, J. (Eds.), *Lepidoptera: Classification, Behavior and Ecology*. Nova Science Publishers. (Ch. 8 p. 184)
- Correa, M.S., Siqueira, B.R. & Gomes, A.P. 2004. *Lonomia* erucism in Teresópolis, Rio de Janeiro State, Brazil. Report of a probable case and review. *Revista da Sociedade Brasileira de Medicina Tropical*, **37**: 418–421. (Ch. 8 p. 184)
- Rotberg, A. 1971. Lepidopterism in Brazil. Pp. 157–168 in: Bücherl, W. & Buckley, E.E. (Eds), *Venomous animals and their venoms: venomous invertebrates*. (Ch. 8 p. 184)
- Villas-Boas, I.M., Gonçalves-de-Andrade, R.M., Pidde-Queiroz, G., Assaf, S.L., Portaro, F.C., Sant'Anna, O.A., van den Berg, C.W. & Tambourgi, D.V. 2012. *Premolis semirufa* (Walker, 1856) envenomation, disease affecting rubber tappers of the Amazon: searching for caterpillar-bristles toxic components. *PLoS Neglected Tropical Diseases*, **6** (2): e1531. (Ch. 8 p. 185)
- Diaz, J.H. 2005. The evolving global epidemiology, syndromic classification, management, and prevention of caterpillar envenoming. *American Journal of Tropical Medicine and Hygiene*, **72** (3): 347–357. (Ch. 8 p. 185)
- Fourie, P.B. & Hull, P.R. 1980. Urticaria caused by the slug caterpillar *Latoia vivida* (Lepidoptera: Limacodidae). *South African Journal of Zoology*, **15** (1): 56. (Ch. 8 p. 185)
- Kawamoto, F., Sito, C. & Kumada, N. 1978. Studies on the venomous spicules and spines of moth caterpillars. I. Fine structure and development of the venomous spicules of the *Euproctis* caterpillars. *Japanese Journal of Medical Scientific Biology*, **31**: 291–299. (Ch. 8 p. 185)
- De-Long, S. 1981. Mulberry tussock moth dermatitis. A study of an epidemic of unknown origin. *Journal of Epidemiological Community Health*, **35**: 1–4. (Ch. 8 p. 185)
- Larsson, S., Aimi, A. Ronnås, C & Battisti, A. 2006. A local outbreak of the Northern Pine Processionary Moth *Thaumetopoea pinivora* on Gotland, South Sweden. Pp. 219–224 in: *IUFRO Working Party 7.03.10, Proceedings of the Workshop 2006, Gmunden/Austria*. (Ch. 8 p. 185)
- Battisti, A., Avci, M., Avtzis, D.N., Jamaa, M.L.B., Berardi, L., Berretima, W., Branco, M., Chakali, G., El Alaoui El Fels, M.A., Frérot, B., Hódar, J.A., Ionescu-Mălăncus, I., Ipekdal, K., Larsson, S., Manole, T., Mendel, Z., Meurisse, N., Mirchev, P., Nemer, N., Paiva, M.-R., Pino, J., Protasov, A., Rahim, N., Rousselet, J., Santos, H., Sauvard, D., Schopf, A., Simonato, M., Yart, A. & Zamoum, M. 2015. Natural history of the processionary moths (*Thaumetopoea* spp.): New insights in relation to climate change. Ch. 2 in: Roques, A. (Ed.), *Processionary Moths and Climate Change: An update*. Springer, Netherlands. (Ch. 8 p. 185).
- Eagleman, D.M. 2007. Envenomation by the asp caterpillar (*Megalopyge opercularis*). *Clinical Toxicology*, [iFirst]: 1–5. (Ch. 8 p. 185)
- Londoño, G.A., García, D.A. & Martínez, M.A.S. 2015. Morphological and behavioral evidence of Batesian mimicry in nestlings of a lowland Amazonian bird. *American Naturalist*, **185** (1): 135–141. (Ch. 8 p. 185)
- Bänziger, H. 1992. Remarkable new cases of moths drinking human tears in Thailand (Lepidoptera: Thyatiridae, Sphingidae, Notodontidae). *Natural History Bulletin of the Siam Society*, **40**: 91–102. (Ch. 8 p. 186)
- Bänziger, H. & Büttiker, W. 1969. Records of eye-frequenting Lepidoptera from man. *Journal of Medical Entomology*, **6**: 53–58. (Ch. 8 p. 186)
- Büttiker, W. 1993. Domestic and wild mammalian hosts of ophthalmotropic Lepidoptera in Africa. Entomologist Extraordinary. *South African Institute for Medical Research, Johannesburg*. Pp 5–9. (Ch. 8 p. 186)
- Macgregor, C. J., Pocock, M. J., Fox, R. and Evans, D. M. 2015. Pollination by nocturnal Lepidoptera, and the effects of light pollution: a review. *Ecological Entomology*, **40**: 187–198. (Ch. 8 p. 186)
- Hahn, M. & Brühl, C.A. 2016. The secret pollinators: an overview of moth pollination with a focus on Europe and North America. *Arthropod-Plant Interactions*, **10** (1): 21–28. (Ch. 8 p. 186)
- Pettersson, M. W. 1991. Flower herbivory and seed predation in *Silene vulgaris* (Caryophyllaceae): effects of pollination and phenology. *Holarctic Ecology*, **14**: 45–50. (Ch. 8 p.186)
- Johnson, S. D. 2002. Hawkmoth pollination and hybridization in *Delphinium leroyi* (Ranunculaceae) on the Nyika Plateau, Malawi. *Nordic Journal of Botany*, **21**: 599–605. (Ch. 8 p. 186)
- Ngo, H.T., Mojica, A.C. & Packer, L. 2011. Coffee plant - pollinator interactions: a review. *Canadian Journal of Zoology*, **89** (8): 647-666. (Ch. 8 p. 186)
- Syed, R.A. 1979. Studies on oil palm pollination by insects. *Bulletin of Entomological Research*, **69**: 213–224. (Ch. 8 p. 186)

- Martins, D. & Johnson, S.D. 2009. Distance and quality of natural habitat influence hawkmoth pollination of cultivated papaya. *International Journal of Tropical Insect Science*, **29** (3): 114–123. (Ch. 8 p. 187).
- Roubik, D.W (ed.). 1995. Pollination of cultivated plants in the tropics. *FAO Agricultural Services Bulletin*, **118**. 209 pp. (Ch. 8 p. 187)
- Kessler, D., Diezel, C. & Baldwin, I.T. 2010. Changing pollinators as a means of escaping herbivores. *Current Biology*, **20** (3): 237–242. (Ch. 8 p. 187)
- Barba-Gonzalez, R., Rodríguez-Domínguez, J.M., Castañeda-Saucedo, M.A., Rodríguez, A., Van Tuyl, J.M. & Tapia-Campos, E. 2012. Mexican Geophytes I. The Genus *Polianthes*. *Floriculture and Ornamental Biotechnology*, **6** (Special Issue 1): 122–128. (Ch. 8 p. 187)
- Barile, M.C., Cozzolino, S., De Castro, O., Lucchese, F. & Zilli, A. 2006. New insights into pollination of Mediterranean terrestrial orchids by butterflies and moths. *Journal Europäischer Orchideen*, **38**: 449-460. (Ch. 8 p. 187-188)
- Buchmann, S. 2015. The reason for flowers: their history, culture, biology, and how they change. Simon & Shuster. (Ch. 8 p. 187-188)
- Lind, H., Franzén, M., Pettersson, B. & Nilsson, L.A. 2008. Metapopulation pollination in the deceptive orchid *Anacamptis pyramidalis*. *Nordic Journal of Botany*, **25** (3–4): 176–182. (Ch. 8 p. 187-188)
- Johnson, S.D., Moré, M., Amorim, F.W., Haber, W.A., Frankie, G.W., Stanley, D.A., Cocucci, A.A. & Raguso, R.A. 2017. The long and the short of it: a global analysis of hawkmoth pollination niches and interaction networks. *Functional Ecology*, **31** (1, Special feature: plant–pollinator interactions from flower to landscape): 101-115. (Ch. 8 p. 187-188)
- Mötlep, M., Tali, K., Ilves, A., Oünap, E. & Kull, T. 2018. Management affects the pollinator abundance but not the reproductive success of butterfly orchids. *Plant Ecology*, **219**: 1329–1339. (Ch. 8 p. 187-188)
- Smith, G.R. & Snow, G.E. 1976. Pollination Ecology of *Platanthera (Habenaria) ciliaris* and *P. blephariglottis* (Orchidaceae). *Botanical Gazette*, **137** (2): 133–140. (Ch. 8 p. 188)
- Esposito, F., Merckx, T. & Tyteca, D. 2017. Noctuid moths as potential hybridization agents for *Platanthera* orchids. *Lankesteriana*, **17** (3): 383–393. (Ch. 8 p. 188).
- Martins, D. & Johnson, S.D. 2007. Hawkmoth pollination of aerangoid orchids in Kenya, with special reference to nectar sugar concentration gradients in the floral spurs. *American Journal of Botany*, **94** (4) :650–659. (Ch. 8 p. 188)
- Haber, W.A. 1984. Pollination by deceit in a mass-flowering tropical tree *Plumeria rubra* L. (Apocynaceae). *Biotropica*, **16** (4): 269–275. (Ch. 8 p. 188)
- Walsh, S.K., Pender, R.J., Junker, R.R., Daehler, C.C., Morden, C.W. & Lorence, D.H., 2019. Pollination biology reveals challenges to restoring populations of *Brighamia insignis* (Campanulaceae), a critically endangered plant species from Hawai'i. *Flora*, **259**: 151448. (Not available at time of writing). (Ch. 8 p. 188)
- Knop, E., Zoller, L., Ryser, R., Gerpe, C., Hörler, M. & Fontaine, C. 2017. Artificial light at night as a new threat to pollination. *Nature*, **548**: 206–209. (Ch. 8 p. 188)
- Frost, C. & Hunter, M.D. 2004. Insect canopy herbivory and frass deposition affect soil nutrient dynamics and export in oak mesocosms. *Ecology*, **85** (12): 3335–3347. (Ch. 8 p. 188)
- Heenkende, A.P. & Parama, V.R.R. 2010. Effect of silkworm pupae compost on soil N mineralization, nutrient uptake, crop yield and plant nutrient contents of French Bean (*Phaseolus vulgaris* L). *Tropical Agricultural Research*, **21** (4): 391–397. (Ch. 8 p. 188-189)
- Buenvinida, L.P. & Tamban, V.E. 2016. Effectiveness of caterpillar frass as fertilizer on the growth of basil plants (*Ocimum basilicum*). *Proceedings of the 4th Global Summit on Education GSE 2016, 14-15 March 2016, Kuala Lumpur*. (Ch. 8 p. 189)
- Grimaldi, D. & Engel, M. S. 2005. *Evolution of the Insects*. Cambridge, New York. xv + 755 pp. (Ch. 8 p. 189)
- Popescu, A. 2013. Trends in world silk cocoons and silk production and trade, 2007-2010. *Animal Science and Biotechnologies*, **46** (2): 418-423. (Ch. 8 p. 189)
- Popescu, A. 2018. Considerations upon the trends in the world silk trade. *Scientific Papers Series: Management, Economic Engineering in Agriculture and Rural Development*, **18** (1): 385-400. (Ch. 8 p. 189)
- Halloran, A., Münke-Svendsen, C., Huis, A. & Vantomme, P. 2014. Insects in the human food chain: global status and opportunities. *Food Chain*, **4**: 103–118. (Ch. 8 p. 189)

- Malaise, F. & Latham, P. 2014. Human consumption of lepidoptera in Africa: An updated chronological list of references (370 quoted!) with their ethnozoological analysis. *International Journal of Tropical Geology, Geography and Ecology (Geo-Eco-Trop.)*, **38** (2): 339–372. (Ch. 8 p. 189)
- Payne, C.L.R., Mato, B. & Fruth, B. 2016. Entomophagy in the area surrounding Luikotale, Salonga National Park, Democratic Republic of the Congo. *African Study Monographs*, **37** (1): 1–12. (Ch. 8 p. 189)
- Payne, C., Badolo, A., Sagnon, B., Cox, S., Pearson S., Sanon, A., Bationo, F. & Balmford, A. 2019. Effects of defoliation by the edible caterpillar “chitoumou” (*Cirina butyrospermi*) on harvests of shea (*Vitellaria paradoxa*) and growth of maize (*Zea mays*). *Agroforestry Systems*. Pp. 1-10.  
<https://doi.org/10.1007/s10457-019-00385-5>. (Not available at the time of writing). (Ch. 8 p. 189)
- Kitching, I. & Sadler, S. 2011. Lepidoptera, Insecta. Pp. 549–553 in: Harrison, T. (Ed.), *Paleontology and Geology of Laetoli: Human Evolution in Context. Volume 2: Fossil Hominins and the Associated Fauna, Vertebrate Paleobiology and Paleoanthropology*. (Ch. 8 p. 189)
- Ramos-Elorduy, J., Moreno, J.M.P., Vázquez, A.I., Landero, I., Oliva-Rivera, H. & Camacho, V.H.M. 2011. Edible Lepidoptera in Mexico: Geographic distribution, ethnicity, economic and nutritional importance for rural people. *Journal of Ethnobiology and Ethnomedicine*, **7** (2): 1–22. (Ch. 8 p. 189)
- Van Huis, A. 2018. Insects as Human Food, Ch. 11, Pp. 195–213 in: Alves, R.N. & Albuquerque, U.P. (Eds.), *Ethnozoology: Animals in our Lives*. Academic Press. 552 pp. (Ch. 8 p. 189)
- Razafimanantsoa, T.M., Rajoelison, G. Ramamonjisoa, B., Raminosoa, N., Poncelet, M., Bogaert, J., Haubruge, E. & Verheggen, F.J. 2012. Silk moths in Madagascar: A review of the biology, uses, and challenges related to *Borocera cajani* (Vinson, 1863) (Lepidoptera: Lasiocampidae). *Biotechnology, Agronomy and Society and Environment*, **16** (2): 269–272. (Ch. 8 p. 189)
- Tomotake, H., Katagiri, M. & Yamato, M. 2010. Silkworm pupae (*Bombyx mori*) are new sources of high quality protein and lipid. *Journal of Nutrient Science and Vitaminology (Tokyo)*, **56** (6): 446–448. (Ch. 8 p. 189)
- Hollmann, J. 2007. Vertical bar Kaggen's code: paintings of moths in southern African hunter-gatherer rock art. *Southern African Humanities*, **19**: 83–101. (Ch. 8 p. 189)
- Flood, J. 1980. *The moth hunters: Aboriginal prehistory of the Australian Alps*. Humanities Press. 388 pp. (Ch. 8 p. 190)
- Mohamed, M. A. and Coppel, H. C. 1983. Mass rearing of the Greater Wax Moth, *Galleria mellonella* (Lepidoptera: Pyralidae), for small-scale laboratory studies. *The Great Lakes Entomologist*, **16** (4): 139–141. (Ch. 8 p.190)
- Cortes Ortiz, J.A., Ruiz, A.T., Morales-Ramos, J.A., Thomas, M., Rojas, M.G., Tomberlin, J.K., Yi, L., Han, R., Giroud, L. & Jullien, R.L. 2016. Insect Mass Production Technologies. Pp 153-201 in: Dossey, A.T., Morales-Ramos, J.A. & Guadeloupe Rojas, M. (Eds), *Food Ingredients: Production, Processing and Food Applications*. Academic Press. (Ch. 8 p.190)
- Macintyre, K. & Dobson, B. 2017. The puzzle of the bardi grub in Nyungar culture. 58 pp.  
[www.anthropologyfromtheshed.com](http://www.anthropologyfromtheshed.com) (Ch. 8 p. 190)
- Lu, X.N., Lei, M., Zhou, J.H. & Liu, L.X. 2001. The prospect and the present resource situation of the Shimian eagle tea. *Food Science*, **22**: 102–103. (Ch. 8 p. 190)
- Jia, X., Li, P., Wan, J. & He, C. 2017. A review on phytochemical and pharmacological properties of *Litsea coreana*. *Pharmaceutical Biology*: **55** (1): 1368–1374. (Ch. 8 p. 190)
- Lo, H.-C., Hsieh, C., Lin, F.-Y., Hsu, T.-H. 2013. A systematic review of the mysterious caterpillar fungus *Ophiocordyceps sinensis* in Dong-ChongXiaCao (Dōng Chóng Xià Cǎo) and related bioactive ingredients. *Journal of Traditional and Complementary Medicine*, **3** (1):16–32. (Ch. 8 p. 190)
- Kuo, W.-K., Hsu, J.-J., Nien, C.-K. & Yu, H. 2016. Moth-eye-inspired biophotonic surfaces with antireflective and hydrophobic characteristics. *ACS Applied Materials & Interfaces*, **8**: 10.1021/acsami.6b10960. (Ch. 8 p. 191)
- Ko, D.H., Tumbleston, J.R., Henderson, K.J., Euliss, L.E., DeSimone, J.M., Lopez, R. & Samulski, E.T. Biomimetic microlens array with antireflective “moth-eye” surface. *Soft Matter*, **7**: 6404–6407. (Ch. 8 p. 191)
- Anon, 2016. Moth’s Eye Inspires Critical Component on SOFIA’s Newest Instrument.  
<https://www.nasa.gov/feature/goddard/2016/moth-s-eye-inspires-critical-component-on-sofia-s-newest-instrument>. (Ch. 8 p. 191)
- Saito, A. 2011. Material design and structural color inspired by biomimetic approach. *Science and Technology of Advanced Materials*, **12** (6): 064709. (Ch. 8 p. 191)

- Zang, X., Tan, Y., Lv, Z., Gu, J. & Zhang, D. 2012. Moth wing scales as optical pH sensors. *Sensors and Actuators B Chemical*, **166–167**: 824–828. (Ch. 8 p. 191)
- Bombelli, P., Howe, C.J. & Bertocchini, F. 2017. Polyethylene bio-degradation by caterpillars of the wax moth *Galleria mellonella*. *Current Biology Magazine*, **27**: R283–R293. (Ch. 8 p. 192)
- Yang, J., Yang, Y., Wu, W.-M., Zhao, J. & Jiang, L. 2014. Evidence of polyethylene biodegradation by bacterial strains from the guts of plastic-eating waxworms. *Environmental Science & Technology*, **48** (23): 13776–13784. (Ch. 8 p. 192)
- Liu, X. 2010. *The Silk Road in World History*. Oxford University Press, Oxford. 168 pp. (Ch. 8 p. 192).
- Good, I. 1995. On the question of silk in pre-Han Eurasia. *Antiquity*, **69** (266): 959–968. (Ch 8 p. 192).
- Feltham, H. B. 2009. Justinian and the International Silk Trade. *Sino-Platonic Papers*, **194**: 1-40. (Ch. 8 p. 192)
- Grace, L. 2004. 460 years of silk in Oaxaca, Mexico. Textile Society of America Symposium Proceedings, 482. <https://digitalcommons.unl.edu/tsaconf/482>. (Ch. 8 p. 192)
- Ganie, N.A., Kamili, A.S., Baqual, M.F., Sharma, R.K., Dar, K.A. & Khan, I.L. 2012. Indian sericulture industry with particular reference to Jammu & Kashmir. *International Journal of Advanced Biological Research*, **2** (2): 194–202. (Ch. 8 p. 192-193)
- Zhang, C.X., Tang, X.-D. and Cheng, J.-A. 2008. The utilization and industrialization of insect resources in China. *Entomological Research*, **38**: S38–S47. (Ch. 8 p. 192-193)
- ISC (International Sericultural Commission) <https://www.inserco.org/en/statistics>. Checked 18/02/2019. (Ch. 8 p. 193)
- Anon, 2019. Silk Market by Type (Mulberry Silk, Tussar Silk, and Eri Silk), Application (Textile, and Cosmetics & Medical), and Region (Asia-Pacific, North America, Europe, Middle East & Africa, and South America) - Global Forecast to 2021. (Ch. 8 p. 193)
- Matthews, W.A., Sumner, D.A. & Hanon, T. 2019. Contributions of the U.S. Honey Industry to the U.S. Economy. A Report Funded by and Prepared for the National Honey Board. (Ch. 8 p. 193 )
- Patra, S., Singh, R.N. & Raziuddin, M. 2012. Morphology and histology of Lyonet's gland of the tropical tasar silkworm, *Antheraea mylitta*. *Journal of Insect Science*, **12**: 123. (Ch. 8 p. 193)
- Cenis, J.L., Madurga, R., Aznar-Cervantes, S.D., Lozano-Pérez, A.A., Marí-Buye, N., Meseguer-Olmo, L., Plaza, G.R., Guinea, G.V., Elices, M., DelPozo, F. & Pérez-Riguero, J. 2015. Mechanical behaviour and formation process of silkworm silk gut. 11 pp. DOI:10.1039/c5sm01877c. (Ch. 8 p. 193)
- Malay, A.D., Sato, R., Yazawa, K., Watanabe, H., Ifuku, N., Hiroyasu M., Hikima, T., Juan Guan, J., Mandal, B.B., Damrongsakkul, S. & Numata, K. 2016. Relationships between physical properties and sequence in silkworm silks. *Scientific Reports*, **6**: 27573. (Ch.8 p. 193).
- Jao D., Mou, X. & Xiao, H. 2016. Tissue regeneration: a silk road. *Journal of Functional Biomaterials*, **7**: 22. (Ch. 8 p. 193)
- Holland, C., Numata, K., Rnjak-Kovacina, J. & Seib, F.P. 2018. The biomedical use of silk: past, present, future. *Advances in Healthcare Materials*, [2018]: 1800465. (Ch. 8 p. 193)
- Wang, Q., Wang, C., Zhang, M. & Zhang, Y. 2016. Feeding single-walled carbon nanotubes or graphene to silkworms for reinforced silk fibers. *Nano Letters*, **16** (10): 6695–6700. (Ch. 8 p. 193)
- Bharathi, D. 2018. The utilization of sericulture waste for the improvement of socio-economic welfare in India. *International Journal of Science and Research (IJSR)*, **8** (2): 372-377. (Ch. 8 p. 193)
- Zimmermann, H.G., Moran, V.C. & Hoffmann, J.H. 2000. The renowned Cactus Moth, *Cactoblastis cactorum* (Lepidoptera: Pyralidae): its natural history and threat to native *Opuntia* floras in Mexico and the United States of America. *Diversity and Distributions*, **6** (5): 259–269. (Ch. 8 p. 194)
- Roberts P.D. & Pullin A.S. 2005. Effectiveness of the control of ragwort (*Senecio*) species: “Can biological control by the use of natural enemies effectively control *Senecio jacobaea* (common ragwort)?”. CEE review 04-004 (SR5b) report. (Ch. 8 p. 194)
- Blum, M.S. Rivier, L. & Plowman, T. 1981. Fate of cocaine in the lymantriid *Eloria noyesi*, a predator of *Erythroxylum coca*. *Phytochemistry*, **20** (11): 2499–2500. (Ch. 8 p. 194)
- Robinson, G. S. 2004. Moth and bird interactions: guano, feathers, and detritophagous caterpillars (Lepidoptera: Tineidae). Pp. 271–285 in: Van Emden, H.E. & Rothschild, M. (Eds.), *Insect and Bird Interactions*. Intercept, Andover. (Ch. 8 p. 195)
- West, D.M., Lal, I.K., Leamy, M. & Hu, D.L. 2012. Locomotion of Mexican jumping beans. *Bioinspiration & Biomimetics*, **7** (3): 036014. (Ch. 8 p. 195)

- Pescott, O.L., Simkin, J.M., August, T.A. Randle, Z., Dore, A.J. & Botham, M.S. 2015. Air pollution and its effects on lichens, bryophytes, and lichen-feeding Lepidoptera: review and evidence from biological records. *Biological Journal of the Linnean Society*, **115** (3): 611-635. (Ch. 8 p. 196)
- Stange, G. 1997. Effects of changes in atmospheric carbon dioxide on the location of hosts by the moth, *Cactoblastis cactorum*. *Oecologia*, **110** (4): 539–545. (Ch. 8 p. 196)
- Knop, E., Zoller, L., Ryser, R., Gerpe, C., Hörler, M. & Fontaine, C. 2017. Artificial light at night as a new threat to pollination. *Nature*, **548**: 206–209. (Ch. 8 p. 196)
- Jarvis, B. 2018. The insect apocalypse is here: what does it mean for the rest of life on Earth? *New York Times*, 2018/11/27. <https://www.nytimes.com/2018/11/27/magazine/insect-apocalypse.html> (Ch. 8 p. 196)
- Wagner, D. L. 2019. Insect declines in the Anthropocene. *Annual Review of Entomology*, **65**. Online early: <https://doi.org/10.1146/annurev-ento-011019-025151>. (Not available at time of writing). (Ch. 8 p. 196-197)
- Imada, Y., Kawakita, A. & Kato, M. 2011. Allopatric distribution and diversification without niche shift in a bryophyte-feeding basal moth lineage (Lepidoptera: Micropterigidae). *Proceedings of the Royal Society B*, **278** (1721): 3026-3033. (Ch. 8 p. 196)
- Gibbs, G.W. 2014. Micropterigidae (Insecta: Lepidoptera). *Fauna of New Zealand* **72**, 127 pp. (Ch. 6 p. 146; Ch. 7. p. 169)
- Fox, R. 2013. The decline of moths in Great Britain: a review of possible causes. *Insect Conservation and Diversity*, **6**: 5–19. (Ch. 8 p. 196)
- Fox, R., Warren, M., Chapman, J.W., Brooks, D.R. et al., 2014. The State of Britain's Larger Moths 2013. Butterfly Conservation. (Ch. 8 p. 196)
- Chen, I.-C., Shiu, H.-J., Benedick, S., Holloway, J.D., Chey, V.K., Barlow, H.S., Hill, J.K. & Thomas, C.D. 2009. Elevation increases in moth assemblages over 42 years on a tropical mountain. *Proceedings of the National Academy of Sciences*, **106** (5): 1479–1483. (Ch. 8 p. 196-197)
- Lopez-Vaamonde, C., Agassiz, D., Augustin, S., De Prins, J., De Prins, W., Gomboc, S., Ivinskis, P., Karsholt, O., Koutroumpas, A., Koutroumpa, F., Laštůvka, Z., Marabuto, E., Olivella, E., Przybyłowicz, L., Roques, A., Ryrholm, N., Šefrová, H., Šima, P., Sims, I., Sinev, S., Skulev, B., Tomov, R., Zilli, A and Lees, D. 2010. Chapter 11- Lepidoptera. Pp. 603-668 in: Roques, A., Kenis, M., Lees, D., Lopez-Vaamonde, C., Rabitsch, W., Rasplus, J.-Y. & Roy, D. (Eds.), *Alien Terrestrial Arthropods of Europe*. Pensoft Publishers, Sofia. *Biorisk*, **4** (Special Issue): 603–668. (Ch. 8 p. 197)
- Forister, M.L., Pelton E.M. & Black, S.H. 2019. Declines in insect abundance and diversity: We know enough to act now. *Conservation Science and Practice*, **1**: e80. (Ch. 8 p. 196-197)
- Hardy, T. 1914 (reprinted 1919). The Moth-signal (On Ebdon Heath). P. 919 In Hardy, T. Satires of circumstance, lyrics and reveries with miscellaneous pieces. Macmillan, London. (<https://www.gutenberg.org/files/2863/2863-h/2863-h.htm#page191>). (Ch. 8 p. 197)

## Appendix

- Heikkilä, M., Mutanen, M., Wahlberg, N., Sihvonen, P. & Kaila, L. 2015. Elusive ditrysian phylogeny: an account of combining systematized morphology with molecular data (Lepidoptera). *BMC Evolutionary Biology*, **15**: 260
- Mutanen, M., Wahlberg, N., & Kaila, L. 2010. Comprehensive gene and taxon coverage elucidates radiation patterns in moths and butterflies. *Proceedings of the Royal Society B: Biological Sciences*, **277** (1695): 2839–2848.
- Nieukerken, E.J. van, Kaila, L., Kitching, I.J., Kristensen, N.P., Lees, D.C., Minet, J., Mitter, C., Mutanen, M., Regier, C., Simonsen, T.J., Wahlberg, N., Yen, S.-H., Zahiri, R., Adamski, D., Baixeras, J., Bartsch, D., Bengt, Å, Brown, J.W., Bucheli, S.R., Davis, D.R., De Prins, J., De Prins, W., Epstein, M.E., Gentili-Poole, P., Hättenschwiler, P., Hausmann, A., Holloway, J.D., Kallies, A., Karsholt, O., Kawahara, A.Y., Koster, S.J.C., Kozlov, M.V., Lafontaine, J.D., Lamas, G., Landry, J.-F., Lee, S., Nuss, M., Park, K.-T., Penz, C., Rota, J., Schintlmeister, A., Schmidt, B.C., Sohn, J.-C. Solis, M.A., Tarmann, G.M., and Warren, A.D., Weller, S., Yakovlev, R.V., Zolotuhin, V.V. and Zwick, A. 2011. Order Lepidoptera Linnaeus, 1758. In: Zhang, Z.-Q. (Ed.) *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness*. *Zootaxa*, **3148**: 212–221.
- Regier, J.C., Mitter, C., Kristensen, N. P., Davis, D. R., Van Nieukerken, E. J., Rota, J. , Simonsen, T. J., Mitter, K. T., Kawahara, A. Y., Yen, S. , Cummings, M p. & Zwick, A. 2015. A molecular phylogeny for the oldest (nonditrysian) lineages of extant Lepidoptera, with implications for classification, comparative morphology and life-history evolution. *Systematic Entomology*, **40**: 671–704.

Regier, J.C., Mitter, C., Davis, D.R., Harrison, T.L., Sohn, J.-C., Cummings, M.P., Zwick, A. & Mitter, K.T. 2015. A molecular phylogeny and revised classification for the oldest ditrysian moth lineages (Lepidoptera: Tineoidea), with implications for ancestral feeding habits of the mega-diverse Ditrysia. *Systematic Entomology*, **40** (2): 409–432.

#### Further reading

- Bourgogne J. 1951. *Ordre des Lépidoptères*. Pp. 174–448 in: Grassé P.-P. (Ed.), *Traité de Zoologie*, **10.1**. Masson et Cie., Paris.
- Carter, D.J. 1984. *Pest Lepidoptera of Europe: With Special Reference to the British Isles*. Dr W Junk Publishers, Dordrecht. 431 pp.
- Common, I.F.B. 1990. *Moths of Australia*. Melbourne University Press, Victoria. 535 pp.
- Covell, C.V. (Jr.) 2005. *A Field Guide to Moths of Eastern North America*. Virginia Museum of Natural History, Martinsville. 160 pp.
- Dett, A. (Ed.). 2018. *Moths of Costa Rica's Rainforest*. Benteli, Salenstein. 336 pp.
- Dugdale, J.S. 1988. *Lepidoptera - annotated catalogue, and keys to family-group taxa. Fauna of New Zealand*, **14**. Science Information Publishing Centre, Wellington. 264 pp.
- Ford, E.B. 1954 (3rd edn 1972, repr. 2009). *Moths*. New Naturalist Series, **30**. Collins, London.
- Forster, W. & Wohlfahrt, T.A. 1954. *Die Schmetterlinge Mitteleuropas I. Biologie der Schmetterlinge*. Franckh, Stuttgart. 329 pp.
- Gandy, M. 2016. *Moth*. Reaktion Books. 240 pp.
- Grimaldi, D. & Engel, M.S. 2005. *Evolution of the Insects*. Cambridge, New York. xv + 772 pp.
- Inoue, H. (Ed.). 1982. *Moths of Japan*. 2 vols. Kodansha & Co., Tokyo. 966 + 554 pp.
- Hepner, J.B. 1998. Classification of Lepidoptera. *Holarctic Lepidoptera* **5** (1). Association for Tropical Lepidoptera, Gainesville. 148 pp.
- Holloway, J.D., Bradley, J.D. & Carter, D.J. 1987. *CIE Guides to Insects of Importance to Man, 1. Lepidoptera*. CAB International Institute of Entomology & British Museum Natural History, Wallingford. 262 pp.
- Holloway, J.D., Kibby G. & Peggie, D. 2001. *The Families of Malesian Moths and Butterflies*. Brill, Leiden. 456 pp.
- Hooper, J. 2003. *Of Moths and Men: Intrigue, Tragedy and the Peppered Moth*. Norton, London. 377 pp.
- James, G.D. 2017. *The Book of Caterpillars: A life-size guide to six hundred species from around the world*. The Ivy Press, London. 656 pp.
- Kristensen, N.P. (Ed.) 1999. *Lepidoptera, Moths and Butterflies. Vol. 1: Evolution, Systematics and Biogeography. Handbuch der Zoologie/Handbook of Zoology, IV/36, Arthropoda: Insecta*. W. de Gruyter, Berlin. 491 pp.
- Kristensen, N.P. (Ed.) 2003. *Lepidoptera, Moths and Butterflies. Vol. 2: Morphology, Physiology, and Development. Handbuch der Zoologie/Handbook of Zoology, IV/36, Arthropoda: Insecta*. W. de Gruyter, Berlin. 564 pp.
- Komai, F., Yoshiyasu, Y., Nasu, Y. & Saito, T. (Eds). 2011. *A Guide to the Lepidoptera of Japan*. Tokai University Press, Kanagawa. 1308 pp.
- Leverton R. 2001. *Enjoying Moths*. T. & A.D. Poyser Ltd, London. 287 pp.
- Majerus, M.E.N. 2002. *Moths*. New Naturalist series, **90**. Collins, London. 266 pp.
- Mayr, E. 1942. *Systematics and the Origin of Species*. Columbia University Press, New York. 372 pp.
- Miller, J.C.V., Janzen, D.H. & Hallwachs, W. 2009. *100 Caterpillars: Portraits from the Tropical Forests of Costa Rica*. Belknap Press. 264 pp.
- Niculescu, E.V. & König, F. 1970. *Lepidoptera – Partea generală. Fauna Republicii Socialiste România, Insecta*, vol. 11, fasc. 10. Editura Academiei Republicii Socialiste România.
- Pinhey, E.C.G. 1975. *Moths of Southern Africa*. Tafelberg, Cape Town. 273 pp.
- Portier, P. 1949. *La Biologie des Lépidoptères*. Paul Lechevalier, Paris. 643 pp.
- Powell, J.A. & Opler, P.A. 2009. *Moths of Western North America*. University of California Press, Berkeley. 383 pp.
- Quicke, D.L.J. 2017. *Mimicry, Crypsis, Masquerade and Other Adaptive Resemblances*. Wiley-Blackwell, 576 pp.
- Rawlins, J.E. 1984. Mycophagy in Lepidoptera. . Pp. 382-483 in: Wheeler, Q.D. & Blackwell, M. (Eds.), *Fungus-Insects Relationships, Perspectives in Ecology and Evolution*. Columbia University Press, New York. 514 pp.
- Robinson, G.S., Tuck, K.R. & Shaffer, M.P. 1994. *A Field Guide to the Smaller Moths of South-East Asia*. The Natural History Museum & Malaysian Nature Society, Kuala Lumpur. 308 pp.



- Scoble, M. 1992. *The Lepidoptera: Form, Function and Diversity*. The Natural History Museum & Oxford University Press, Oxford. 404 pp.
- Stehr, F.W. (Ed.). 1987. *Immature Insects*, 1. Kendall-Hunt Publishing Co., Dubuque. 768 pp.
- Sterling, P. & Parsons, M. 2012. *Field Guide to the Micromoths of Great Britain and Ireland*. British Wildlife Publishing, Gillingham. 416 pp.
- Stevens, M. 2016. *Cheats and deceits: how animals and plants exploit and mislead*. Oxford University Press. 320 pp.
- Wagner, D.L. 2005. *Caterpillars of Eastern North America: a Guide to Identification and Natural History*. Princeton University Press, Princeton. 513 pp.
- Waring, P. & Townsend, M. 2017. *Field Guide to the Moths of Great Britain and Ireland*. 3<sup>rd</sup> edn. Bloomsbury Natural History, 476 pp.
- Young, M. 1997. *The Natural History of Moths*. T & A.D. Poyser Ltd, London. 304 pp.
- Zborowski, P. & Edwards, T. 2007. *A Guide to Australian Moths*. CSIRO, Canberra. 224 pp.